

Student Name: Cristen Moreno

Unit: _____

Pt. Initials: _____

Date: _____

Maternal Medication Worksheet - Current Medications & PRN for Last 24 Hours

Allergies: _____

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Oxytocin	Hormone	Uterine stimulation	10-40 mu/mL	Y N	10 units / 1 L NS, D5w, LR	Hemorrhage, tachysystole, uterine hypertonicity, cardiac arrhythmia, water intoxication	1. Contraindicated in pts. With HTN 2. Assess uterine contractions for tachysystole 3. Monitor maternal VS 4. Monitor FHR
Magnesium Sulfate	Sulfate	Anti-hypertensive	4-6 g, maintenance dose 1-4 g/hr	Y N		Dizziness, HA, hypotension, low FHR	1. Should not be used in pts. Dilated past 3cm 2. Monitor fetal & maternal VS and FHR 3. Monitor for s/s of respiratory depression 4. Do not take with neuromuscular blocking agents
Meperidine	Opioid agonist	Decrease pain	50-100 mg q 1-3 hrs	Y N		Seizure, confusion, sedation, HA	1. do not use in pts. Taking MAO inhibitors 2. monitor RR 3. monitor I & O 4. monitor for respiratory depression/distress
Promethazine	Anti-histamine	Decrease s/s like N/V and helps sedation	25 mg q 2hrs	Y N		Confusion, sedation, dizziness, fatigue	1. monitor VS 2. Fall precautions 3. change positions slowly 4. monitor IV site
Calcium Gluconate	Mineral supplement	Treats low calcium	500-2000	Y		Bradypnea, bradycardia,	1. monitor for s/s hypercalcemia 2. monitor VS & EEG

Student Name: _____

Unit: _____

Pt. Initials: _____

Date: _____

Newborn Medication Worksheet - Current Medications & PRN for Last 24 Hours

Allergies: _____

	t		mg slowly (max 3g)	N		hypotension, drowsiness	3. report rapid wt. gain / swelling 4. report weakness & implement fall precautions
--	---	--	--------------------	---	--	-------------------------	--

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Phytonadione	Vitamin supplement	Vitamin K deficiency	IM	Y N		Pain, swelling, soreness at the injection site, sweating, SOB	2. Report s/s of bleeding or bruising 2. Contraindicated with blood thinners 3. 4.
Erythromycin Ophthalmic Ointment	Macrolide antibiotic	Ocular infection	Half in./ 1 cm.	Y N		Eye stinging, burning, redness	1. Avoid touching eye 2. Hand hygiene before applying 3. Avoid topical clindamycin 4. S/s of infection
Engerix B	Vaccine	Prevention of hepatitis B infection	0.5 mL IM	Y N		Injection site reaction, HA, dizziness, fever, N/V	1. Assess site for reaction 2. Do not use within 3 months of hep. B immune globulin 3. Report s/s of anaphylaxis 4.
Hepatitis B Immune Globulin	Vaccine	Prevention of hepatitis B infection	0.5 mL IM	Y N		Injection site reaction, HA, dizziness, fever, N/V	1. Assess site for reaction/infection 2. Report s/s of anaphylaxis 3. Use cautiously in lactating/breastfeeding pts 4.

