

Student Name: Adelita ReynaUnit: OB SIM

Pt. Initials: _____

Date: 9/12/2022**Maternal Medication Worksheet - Current Medications & PRN for Last 24 Hours**

Allergies: _____

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Oxytocin	Oxytocic hormones	Stimulate uterine contractions		Y N		N/V, bradycardia, late decelerations, neonatal hyperbilirubine mia	1. Monitor FHR 2. Vital signs - especially the maternal blood pressure 3. Teach signs and symptoms of toxicity 4. Monitor Tachysystole
Magnesium Sulfate	Antidysrhythmic electrolytes	Relief of constipation preterm labor		Y N		Hypotension, drowsiness, visual changes, and depressed reflexes	1. This is not for use longer than 5 to 7 days in a pregnant woman 2. Call before getting up because there is an increased risk for falls 3. Get up slowly, reduce hypotension 4. monitor fetal heart rate
Meperidine	Opioids	Relief of pain (7 - 10)		Y N		Sedation, dizziness, constipation, hypotension	1. Increase fiber intake 2. Monitor vital signs especially maternal blood pressure 3. Monitor fetal heart rate 4. Monitor for any heart changes
Promethazine	antihistamine	Treat allergies, N/V, pain post-surgery		Y N		Headache, constipation, sedation, dizziness	1. Monitor for any signs of LOC changes 2. Use caution when getting up and changing positions 3. Increase fiber intake

Student Name: _____

Unit: _____

Pt. Initials: _____

Date: _____

Newborn Medication Worksheet - Current Medications & PRN for Last 24 Hours

Allergies: _____

							4. Monitor blood pressure and all vital signs as a whole
Calcium Gluconate	Ca Salt Antidotes	Treat/prevent Ca deficiency		Y N		Headache, rash, and constipation	1. Monitor for any signs and symptoms of allergic reactions 2. Only take the prescribed amount ordered 3. Maintain adequate hydration 4. Monitor for GI upset

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Phytonadione	Synthetic Vitamin K	Treat Vitamin K deficiency and blood clotting issues		Y N		Blue lips, nails, skin ad blurred vision, aphasia, tachycardia	1. Appropriate for breastfeeding persons 2. Monitor vision and do not drive if it is the first time taking the medication 3. Monitor heart rate 4. Monitor for skin color changes
Erythromycin Ophthalmic Ointment	Antibiotic	Treat bacterial infection of the eye		Y N		Eye irritation	1. If breastfeeding monitor for infant irritation 2. If beast feeding monitor infant for any GI upset 3. Monitor changes in vision 4. Monitor for scleral reddening
Engerix B	Hepatitis B Vaccine	Prevents Hepatitis B		Y N		Allergic reaction	1. Monitor signs and symptoms of allergic reactions 2. This does not protect against Hepatitis A, C, and E 3. Not for people with renal disease

Student Name: Adelita Reyna

Unit: OB SIM

Pt. Initials: _____

Date: 9/12/2022

Maternal Medication Worksheet - Current Medications & PRN for Last 24 Hours

Allergies: _____

							4. May cause seizure like activity so monitor for that.
Hepatitis B Immune Globulin	Immune globulin	Prevents Hepatitis B in babies born to positive mothers		Y N		Blurred vision diaphoresis, and fatigue, nausea	1. Signs and symptoms for allergic reactions 2. Call doctor at first sign of any complication 3. This is not for long term protection 4. Increased risk for blood clots
				Y N			1. 2. 3. 4.