

Student Name: Briana Narvaiz

Unit: _____

Pt. Initials: _____

Date: _____

Maternal Medication Worksheet - Current Medications & PRN for Last 24 Hours

Allergies: _____

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Oxytocin	Oxytocic hormones	Induce labor / strengthen uterine contractions or to control bleeding after birth		Y N		Jaundice Headache Convulsions Confusion Seizure	1. I will inform the pt to call when wanting to get out of bed due to convulsions 2. I will assess LOC due to confusion 3. I will limit stimulation due to seizure 4. I will monitor bilirubin due to jaundice
Magnesium Sulfate	Anti-convulsant	CNS depressant ; control seizures		Y N		Diarrhea Pulmonary edema Lethargic Respiratory Depression	1. I will limit fluids due to pulmonary edema 2. I will have calcium gluconate on standby 3. Call when wanting to get out of bed due to lethargic 4. Raise HOB to promote respiratory function
Meperidine	Opiate analgesics Narcotic	Relieve moderate to severe pain		Y N		Severe constipation Agitation Blurred Vision Confusion Weakness	1. Encourage fluids due to severe constipation 2. Call to get out of bed due to blurred vision 3. I will limit stimulation due to agitation 4. I will change positions slowly due to weakness

Student Name: _____

Unit: _____

Pt. Initials: _____

Date: _____

Newborn Medication Worksheet - Current Medications & PRN for Last 24 Hours

Allergies: _____

Promethazine	Phenothiazines	Anaphylaxis / common cold Nausea and vomiting		Y N		Drowsiness Seizure Easy bruising Nightmares Restless	1. Call to get out of bed due to drowsiness 2. Limit stimulation due to restlessness 3. Changes positions slowly due to easy bruising 4. Dark, quiet room due to seizure risk
Calcium Gluconate	Antidotes/ Calcium Salts	Low calcium and antidote to magnesium sulfate		Y N		Increased thirst Low appetite Flushing Constipation N / V	1. encourage fluids due to constipation 2. Present foods attractively due to low appetite 3. Eat small frequent foods due to nausea 4. Hourly I & O due to vomiting

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Phytonadione	vitamins	Prevent bleeding, blood clotting		Y N		Dizziness Jaundice Lightheaded Sweating Short of breath	1. Call to get out of bed due to dizziness 2. Raise HOB due to SOB 3. Encourage a cool room due to sweating 4. Monitor bilirubin due to jaundice

Student Name: Briana Narvaiz

Unit: _____

Pt. Initials: _____

Date: _____

Maternal Medication Worksheet - Current Medications & PRN for Last 24 Hours

Allergies: _____

Erythromycin Ophthalmic Ointment	Macrolide antibiotics	Treat infections of the eye; prophylaxis		Y N		Stinging Redness Burning Irritation	1. Hand hygiene before application 2. Patient teaching due to infection prevention 3. Alter lighting due to eye irritation 4. Apply 1 hour after delivery to newborns eyes
Engerix B	Vaccines	Prevent hepatitis B		Y N		Redness at site Nausea Diarrhea Fever Feeling weak headache	1. Call to get out of bed due to feeling weak 2. Encourage fluids due to diarrhea 3. Limit stimulation due to HA 4. Do not rub site after injection due to bruising and irritation
Hepatitis B Immune Globulin	Immune globulins	Prevent Hepatitis B		Y N		Diarrhea Redness at site Fever Runny nose Dizziness	1. Call to get out of bed due to dizziness 2. Do not rub site after injection due to bruising and irritation 3. Encourage fluids due to diarrhea 4. If sore throat, skin rash develop seek notify HCP due to severe skin reaction.
				Y N			1. 2. 3. 4.