

Student Name:   Aubree Jones  

Unit: SIM                                 

Pt. Initials:                         

Date:                         

**Maternal Medication Worksheet - Current Medications & PRN for Last 24 Hours**

Allergies:   

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Oxytocin	Uteronic Agent	Strengthen contractions, stop bleeding after birth.	IV, IM	Y  N		Bradycardia, Headache, Nausea	1. May cause Bradycardia. Use continuous monitoring. 2. May cause confusion and dizziness so may need bedpan. 3. Check after birth bleeding rate/pads bc may increase bleeds 4. Monitor fetal VS bc can get into bloodstream.
Magnesium Sulfate	Laxative, Mineral	Naturally occurring mineral. Increases water in intestines.	Oral	Y  N		Do not OD may cause severe life threatening side effects.	1. Increase water intake during use. 2. May cause diarrhea let provider know if too often. 3. Take as prescribed due to major SE 4. Avoid taking other meds within 2 hours of this one.
Meperidine	Opioid	Manage pain	Oral, IV	Y  N		Risk of addiction, life threatening SE if combined with alcohol or taken in pregnancy. Resp depression.	1. Warn of misuse causing addiction. 2. Dangle legs before getting help/ use call light due to dizziness. 3. Monitor frequency of BM due to constipation risk. 4. Notify nurse immediately if feeling shortness of breath.

Student Name: \_\_\_\_\_

Unit: \_\_\_\_\_

Pt. Initials: \_\_\_\_\_

Date: \_\_\_\_\_

**Newborn Medication Worksheet - Current Medications & PRN for Last 24 Hours**

Allergies: \_\_\_\_\_

Promethazine	Antihistamine	Blocks the effects of histamines in body. Treat allergy symptoms.	oral	Y N		Lightheadedness, Severe drowsiness, confusion.	<ol style="list-style-type: none"> <li>1. Ask for help before getting up due to dizziness.</li> <li>2. Avoid alcohol if taken at home.</li> <li>3. Let nurse know if pt is having ringing in ears.</li> <li>4. Monitor drug lists bc can be reactive with other drugs.</li> </ol>
Calcium Gluconate	Antacid	Reduce stomach acid production to prevent heartburn and reflux.	oral	Y N		Upset stomach, Gas, Constipation	<ol style="list-style-type: none"> <li>1. Monitor BM's due to constipation risk.</li> <li>2. Monitor calcium levels, can increase them.</li> <li>3. Do not exceed daily limit even if chewable and OTC.</li> <li>4. Some conditions such as CKD CG is contraindicated.</li> </ol>

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Phytonadione	Anticoagulate reversal agent.	Treats vit K def.	PO	Y N		Change of taste, dizziness, flushing	<ol style="list-style-type: none"> <li>2. Assist with ambulation due to possible dizziness.</li> <li>2. Monitor for hyperkalemia.</li> <li>3. Let nurse know if you're experiencing uncomfortable side effects.</li> <li>4. Monitor skin color and eyes for jaundice.</li> </ol>
Erythromycin Ophthalmic Ointment	Ophthalmic antibiotic	Treat bacterial infection in eyes.	Eye cream.	Y N		Eye redness and irritation	<ol style="list-style-type: none"> <li>1. Have eyes evaluated frequently by provider/ eye doctor.</li> <li>2. Monitor for allergic reactions.</li> <li>3. May cause blurred vision.</li> </ol>

