



<p>7. Pain & Discomfort Management: List 2 Developmentally Appropriate Non-Pharmacologic Interventions Related to Pain & Discomfort for This Patient.</p> <p>1. Reposition for comfort 2. Pacifier use</p> <p>*List All Pain/Discomfort Medication on the Medication Worksheet</p>	<p>8. Calculate the Maintenance Fluid Requirement (Show Your Work): Patient Wt: 4 kg</p> <p>$4 * 100 = 400 \text{ mL}$ $400 \text{ mL} / 24 \text{ hr}$</p> <p>Calculated Fluid Requirement: 16.7 ml/hr</p> <p>Actual Pt MIVF Rate: _____ ml/hr</p> <p>Is There a Significant Discrepancy?</p> <p>Why?</p>	<p>9. Calculate the Minimum Acceptable Urine Output Requirement (Show Your Work): $4 \text{ kg} * 1 \text{ mL/kg/hr}$</p> <p>Calculated Min. Urine Output: 4 ml/hr</p> <p>Actual Pt Urine Output: _____ ml/hr</p>
	<p>10. Growth & Development: List the Developmental Stage of Your Patient For Each Theorist Below and Document 2 OBSERVED Developmental Behaviors for Each Theorist. If Developmentally Delayed, Identify the Stage You Would Classify the Patient: Patient age: 4 Months</p> <p>Erickson Stage: trust vs mistrust</p> <p>1. Comforted with physical touch 2. Relies on caregivers</p> <p>Piaget Stage: Sensorimotor</p> <p>1. Head up</p>	

Student Name [Hans Burda](#)

	2. Head control
--	------------------------

<p>11. Focused Nursing Diagnosis: - Risk for liver damage</p>	<p>15. Nursing Interventions related to the Nursing Diagnosis in #11: 1. Initiate phototherapy</p> <p>Evidenced Based Practice: - allows for bilirubin excretion</p> <p>1. Nutrition through IV or NG</p> <p>Evidenced Based Practice: - Allow internal wounds to heal</p> <p>3. Monitor for bowel movement</p> <p>Evidenced Based Practice: - Flatulence and bowel movement provide evidence for return of intestinal function</p>	<p>16. Patient/Caregiver Teaching:</p> <ol style="list-style-type: none"> 1. Reinforce doctor's education of procedure 2. Report bleeding (complication of procedure) 3. Report signs of infection (fever over 100.4 F)
<p>12. Related to (r/t): - related to impaired bile flow</p>		<p>17. Discharge Planning/Community Resources:</p> <ol style="list-style-type: none"> 1. Pharmacy 2. Medical library 3. Telehealth
<p>13. As evidenced by (aeb): - as evidenced by jaundice</p>		
<p>14. Desired patient outcome: - prevention of liver damage</p>		