

**Maternal Medication Worksheet - Current Medications & PRN for Last 24 Hours**

Allergies: \_\_\_\_\_

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Oxytocin	Uterotonic agent	Hormone to induce birth and strengthen uterine contractions	20 U/1000 mL IV,IM	Y N	IVPB: 3-6 mL/hr; 0.5-1 mu/min	-fast, slow, uneven HR -severe HA -confusion, severe weakness	1. May cause N/V 2. watch FHR while giving this med 3. watch maternal VS (BP, RR, pulse) 4. Can help with milk secretion for breastfeeding mothers
Magnesium Sulfate	tocolytic	helps stop preterm labor	2-4 g, IV, 12-24 hours	Y N	IVPB: 2-4 g/hr for 12-24 hours	-hypotension -drowsiness -visual changes	1. report if having diarrhea/upset stomach 2. drink plenty of liquids 3. monitor BP and RR 4. Lactation is safe with this med
Meperidine	opioid	Used to treat moderate-severe pain	50-150 mg IM, Q 3-4 hrs	Y N	N/A	-bradycardia -severe drowsiness -mood changes	1. report tremors or uncontrollable movements 2. educate baby may become dependent with prolonged use 3. do not breastfeed while using this 4. do not stop using abruptly
Promethazine	antihistamine	Treats allergy symptoms	25 mg IV, IM once	Y N	IVP: 25mg/25mL in NS; 3-5 minutes	-severe drowsiness -seizure -fast/slow HR	1. take as prescribed 2. often given at bedtime or before meals 3. call if needing to get up (go to bathroom, etc) 4. report if experiencing sudden weakness, fever, sore throat

Student Name: \_\_\_\_\_

Unit: \_\_\_\_\_

Pt. Initials: \_\_\_\_\_

Date: \_\_\_\_\_

**Newborn Medication Worksheet - Current Medications & PRN for Last 24 Hours**

Allergies: \_\_\_\_\_

Calcium Gluconate	Minerals and electrolytes	Helps treat hypocalcemia	100 mg/mL IV	Y N	IVPB: 100 mg/mL	-weakness, confusion -syncope -bradycardia	1. report constipation 2. watch HR 3. report if feeling pain, burning, or swelling after infusion 4.
-------------------	---------------------------	--------------------------	-----------------	--------	-----------------	--	---

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Phytonadione	Anticoagulant reversal agent, vitamin	Helps treat vit K deficiency or treat blood clotting problems	10 mg/mL IV	Y N	N/A	-lightheadedness -trouble breathing -weak, rapid pulse	1. unknown to be safe to breastfeed 2. may need frequent blood tests 3. may have pain/soreness at injection site 4. take as directed by physician
erythromycin Ophthalmic Ointment	Ophthalmic anti-infective	Fights bacterial infections of the eyes	Use in eye once at birth	Y N	N/A	-severe burning -pain, swelling, crusting	1. wash hands before administration 2. don't place tube directly on eye 3. use for entire prescribed length 4. report if diarrhea persists for >4 days

