

Maternal Medication Worksheet - Current Medications & PRN for Last 24 Hours

Allergies: _____

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Oxytocin	Oxytocic agent	Labor induction	IV or IM 10u/mL	Y	IV - 0.5-1Unit/min	Bradycardia Tachycardia Arrhythmias	1. Monitor contractions (decels) 2. Can possibly cause intense contractions 3. Monitor fetal heart rate 4. Monitor maternal vital signs (BP, HR)
Magnesium Sulfate	Antidysrhythmic; electrolytes	Prevent seizures / stop preterm labor	IV or IM	Y	4-5 g (dilute in 250 mL NS/D5W) Admin in glute	Flushing headache dry mouth blurred vision	1. Take medication with meal 2. Monitor EKG, reflexes and blood pressure 3. Calcium Gluconate on hand 4. Can cause renal insufficiency
Meperidine	Opioid Analgesics	Severe pain	IV or PO PRN	Y		Addictive Respiratory depression constipation	1. Can cause fatigue 2. Tell pt. to call before getting out of bed 3. Report shortness of breath 4. Take as prescribed / maybe have someone hold on to them for you
Promethazine	Antitussives	Allergy symptoms	IV or PO PRN	Y		Shallow breathing Lightheaded jaundice	1. can take with or without food 2. avoid direct contact with sunlight 3. can cause fatigue 4. report yellowing of the skin
Calcium Gluconate	Minerals Electrolytes	Prevents low Calcium levels	IV	Y		Flushing Bradycardia Tissue damage (IV)	1. Educate on calling before getting out of bed 2. Monitor heart rate 3. Monitor IV site for infiltration and reaction 4. Report any burning, redness or itching at IV

Newborn Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies: _____

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List solution to dilute and rate to push. IVPB – List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Phytonadione	Anticonvulsant	Used to treat Vitamin K deficiency or clotting disorders	IM	Y	n/a	Allergic reaction lightheaded jaundice blue lips weak pulse	1. Monitor skin for signs and symptoms of allergic reaction 2. Assess injection site for infection 3. Teach parents to report blue lips 4. Teach parents to report yellowing of skin
Erythromycin Ophthalmic Ointment	Ophthalmic anti-infectives	Fights bacterial infections that occur in the eye	Eye ointment	Y	n/a	Burning Stinging Irritation S/S of eye infection. redness	1. Monitor for redness or irritation in the eyes. 2. Watch patient for irritability 3. Monitor eyes for discharge 4. Educate parents to report any redness or irritation in the eyes
Engerix B	Viral Vaccine	Prevents patient from obtaining Hep B	IM	Y	n/a	Allergic reaction diarrhea fever runny nose fussiness weakness fatigue	1. Monitor temperature for signs of infection 2. Educate parents to monitor for diarrhea 3. Monitor injection site for signs and symptoms of infection 4. Educate parents to report redness, tenderness or swelling of injection site
Hepatitis B Immune Globulin	Immune Globulins	Used to prevent Hep B in patients exposed	IM	Y	n/a	Allergic reaction fever jaundice N/V/D	1. Monitor injection site for signs of infection. 2. Keep a diary of feedings and the time 3. Educate parents to report swelling, redness, tenderness of injection site. 4. Report any yellowing of the skin or eyes.

Maternal Medication Worksheet - Current Medications & PRN for Last 24 Hours

Allergies: _____

				Y			1.
				N			2.
							3.
							4.