

**Adult/Geriatric Medication Worksheet – Current Medications & PRN from 12pm prior day to 12pm current day**

**Student Name: Ariella Torres**

**Date: 09/19/2023**

**Patient Allergies: NKDA**

**Primary IV fluid and rate: No IV infusion for patient**

**Patient specific reasoning for IV fluids (including type isotonic, hypotonic, hypertonic):**

Generic Name	Dosage with route and schedule	IVP-List diluent solution, volume, and rate of administration IVPB- List concentration and rate of administration	Patient specific therapeutic reasoning	Patient specific teaching with reasoning
allopurinol	200 mg tablet PO DAILY		used to treat gout, lower the uric acid in the blood	<ul style="list-style-type: none"> <li>- signs and symptoms of any infection                             <ul style="list-style-type: none"> <li>- Fever, rash, headache</li> </ul> </li> <li>- Report any skin rash                             <ul style="list-style-type: none"> <li>- Allergic reaction</li> </ul> </li> <li>- Take medication with a full glass of water                             <ul style="list-style-type: none"> <li>- To prevent kidney stones</li> </ul> </li> </ul>
gabapentin	600 mg capsule PO BID		used to treat nerve pain (neuropathy)	<ul style="list-style-type: none"> <li>- do not discontinue medication abruptly                             <ul style="list-style-type: none"> <li>- Severe insomnia/anxiety</li> </ul> </li> <li>- Watch glucose levels                             <ul style="list-style-type: none"> <li>- Glucose fluctuation</li> </ul> </li> <li>- Never double dose on med                             <ul style="list-style-type: none"> <li>- Can cause respiratory depression</li> </ul> </li> </ul>
ezetimibe	10 mg tablet PO DAILY		used to lower cholesterol	<ul style="list-style-type: none"> <li>- statin medication should not be taken in conjunction                             <ul style="list-style-type: none"> <li>- Can cause severe liver disease</li> </ul> </li> <li>- Take medication at the same time everyday                             <ul style="list-style-type: none"> <li>- To prevent double dosing</li> </ul> </li> <li>-</li> </ul>

**Adult/Geriatric Medication Worksheet – Current Medications & PRN from 12pm prior day to 12pm current day**

**Student Name: Ariella Torres**

**Date: 09/19/2023**

**Patient Allergies: NKDA**

**Primary IV fluid and rate: No IV infusion for patient**

**Patient specific reasoning for IV fluids (including type isotonic, hypotonic, hypertonic):**

enoxaparin	40 mg/0.4mL injection SubQ DAILY		prophylactic treatment for blood clots/ DVTs	<ul style="list-style-type: none"> <li>- use extra when shaving or brushing your teeth                             <ul style="list-style-type: none"> <li>- Medication puts you more at risk for bleeding</li> </ul> </li> <li>- We will monitor your platelet counts                             <ul style="list-style-type: none"> <li>- Platelet less than 100 (emergency)</li> </ul> </li> <li>- We will give on the side of the belly, love handles                             <ul style="list-style-type: none"> <li>- To prevent hematoma</li> </ul> </li> </ul>
ketorolac	30 mg injection IVP Q 6 hours, 4 times a day	no reconstitution — PreMixed — over 2 min	used to ease pain	<ul style="list-style-type: none"> <li>- monitor urine output                             <ul style="list-style-type: none"> <li>- Medication can cause dehydration of AKD</li> </ul> </li> <li>- If having difficulty breathing let nurse know asap                             <ul style="list-style-type: none"> <li>- Side effect of SOB</li> </ul> </li> <li>- Report any changes in yellowing of eyes, or right sided stomach pain                             <ul style="list-style-type: none"> <li>- Sign of liver issues</li> </ul> </li> </ul>