Adult/Geriatric Medication Worksheet – Current Medications & PRN from 12pm prior day to 12pm current day
Student Name: Teresita Munoz **Date: 09/19/2023**
Patient Allergies: NKDA
Primary IV fluid and rate: N/A

Patient specific reasoning for IV fluids (including type isotonic, hypotonic, hypertonic):

Generic Name	Dosage with route and schedule	IVP-List diluent solution, volume, and rate of administration IVPB- List concentration and rate of administration	Patient specific therapeutic reasoning	Patient specific teaching with reasoning
Cholecalciferol	25mcg P.O. Daily @9am		To help not develop osteoporosis	1.) Take the dose exactly as prescribe to prevent adverse effects 2.) Might be easier on the stomach if taken with food. 3.) Do not take too much vitamin D can cause muscles weakness, and put damage on the heart.
Clopidogrel	75mg P.O. Daily @9am		Blood thinner to not form blood clots	1.) Used to help prevent heart attacks 2.) Watch for excess bleeding in places such as the mouth, gums, rectum (stool), urine will need to call HCP if occurs 3.) Can bruise easily so be careful and watch your surroundings
Levothyroxine	50mg P.O. Daily		Treat hyperthyroidism	1.) Take on empty stomach at least 30-60min prior that way the medication can

Adult/Geriatric Medication Worksheet – Current Medications & PRN from 12pm prior day to 12pm current day
Student Name: Teresita Munoz **Date: 09/19/2023**
Patient Allergies: NKDA
Primary IV fluid and rate: N/A

Patient specific reasoning for IV fluids (including type isotonic, hypotonic, hypertonic):

	@9am			absorb 2.) Magnesium, calcium can alter the effects of the drug be sure to space it out and not give together 3.) Black Box Warning: Not used for weight loss
Cilostazol	100mg P.O. Daily @9am		Improves blood flow within the vessels	1.) Black box warning: contraindicated in CHF patients 2.) Take around the same day daily to keep the medication well balanced 3.) May experience tachycardia/palpitations inform HCP immediately
Piperacillin	3.375g IVPB Q 8hrs.	IVPB- 3.375g in 50ml, rate 25ml/hr	Antibiotic for sepsis/ UTI	1.) Tell HCP if any unusual bleeding, bruising, or red spots of skin occur 2.) Take the for the prescribed length of time to prevent the infection from reoccurring. 3.) If seizures are experienced will without and call HCP for discontinuation

Adult/Geriatric Medication Worksheet – Current Medications & PRN from 12pm prior day to 12pm current day

Student Name: Teresita Munoz **Date: 09/19/2023**

Patient Allergies: NKDA

Primary IV fluid and rate: N/A

Patient specific reasoning for IV fluids (including type isotonic, hypotonic, hypertonic):

Medication reference: drugs.com