

Student Name: Hannah Rosales

Date: 10/25/23

IM6 (Acute Psychiatric) Critical Thinking Worksheet

<p><b>1. DSM-5 Diagnosis and Brief Pathophysiology (include reference):</b></p> <p>Alcohol withdrawal</p>	<p><b>2. Psychosocial Stressors (i.e. Legal, Environmental, Relational, Developmental, Educational, Substance Use, etc.);</b></p> <p>Environmental (Known to be homeless) Relational (No contact with family or friends) Substance Use (Use of marijuana and alcohol)</p>	<p><b>3. DSM-5 Criteria for Diagnosis (Asterisk or Highlight Symptoms Your Patient Exhibits and Include References)</b></p>
<p><b>4. Medical Diagnoses:</b></p> <p>Alcohol withdrawal</p>		
<p><b>5. Diagnostic Tests Pertinent or Confirming of Diagnosis</b></p> <p>Signs and symptoms Of alcohol withdrawal r/t diagnostic Criteria of DSM-5</p>	<p><b>6. Lab Values That May Be Affected:</b></p> <p>Na  K+  Glucose</p>	<p><b>7. Current Treatment:</b></p> <p>Fluid restriction  Physical Therapy  Fall precautions  CIWA precautions</p>

Student Name: \_\_\_\_\_

Date: \_\_\_\_\_

<b>8. Focused Nursing Diagnosis:</b> Alcohol withdrawal	<b>12. Nursing Interventions related to the Nursing Diagnosis in #7:</b> 1. Frequently orient client.	<b>13. Patient Teaching:</b> 1. Limit alcohol and tobacco use.
<b>9. Related to (r/t):</b> Alcohol misuse	<b>Evidenced Based Practice:</b> Psychiatric Nursing Book  2. Decrease noises & environmental stressors.	2. Utilize community resources.  3. Attempt to become involved in community activities.
<b>10. As evidenced by (aeb):</b> Temperament  Confusion  Disorientation	<b>Evidenced Based Practice:</b> Psychiatric Nursing Book  3. Intervene with ambulation.	<b>14. Discharge Planning/Community Resources:</b> 1. Physical Therapy  2. Rehab
<b>11. Desired patient outcome:</b>  Control behavior/temperament  Resume ADLs independently	<b>Evidenced Based Practice:</b> Psychiatric Nursing Book	3. AA