

Student Name: NVA

Unit: _____

Pt. Initials: 384

Date: _____

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Allergies: NVA

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Therapeutic Range?		IVP - List solution to dilute and rate to push. IVPB - concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, etc.)
				Is med in therapeutic range? If not, why?				
Ketorolac	Anti-inflammatory	Abd. pain	15mg IV once	0.5mg/kg/dose		IVP - undiluted Rate - 15 seconds minimum	Nausea, HA, Abd-pain	1. Take w/ food - GI upset 2. Assess pain before + after 3. Contraindicated - peptic ulcer or GI bleed 4. May cause bronchospasms
Acetaminophen	Analgesic	Abd. pain	1000mg/ 100mL IVPB once	1000mg q6 yes		IVPB - 10mg/mL Rate - 400mL/hr	NIV, hepatotoxicity, pruritus	1. monitor - bleeding/bruising 2. monitor - SIS liver damage 3. assess pain before + after 4. contraindication - liver damage
Ondansetron	Anti-emetic	Nausea	8mg IV once	0.1-0.2 mg/kg/dose Max of 10mg/dose (0.85mg)		IVP - undiluted Rate - 5 min. (2-5 min)	dizziness, hypotension, drowsy/dizzy	1. may cause drowsiness/dizziness 2. report any palpitations/CF 3. call before getting up 4. may cause diarrhea in children
								1. 2. 3. 4.
								1. 2. 3. 4.

Primary IV: NS bolus 1000mL
Rate: 2000mL/hr (once, IV)

→ continuous D5NS ± KCl 20
Rate: 150mL/hr IV

FOR hydration, vK (3.7)

Pediatric Floor Patient #1

364

GENERAL APPEARANCE	CARDIOVASCULAR	PSYCHOSOCIAL
Appearance: <input checked="" type="checkbox"/> Healthy/Well Nourished <input type="checkbox"/> Neat/Clean <input type="checkbox"/> Emaciated <input type="checkbox"/> Unkept Developmental age: <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Delayed	Pulse: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Strong <input type="checkbox"/> Weak <input type="checkbox"/> Thready <input type="checkbox"/> Murmur <input type="checkbox"/> Other _____ Edema: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Location _____ <input type="checkbox"/> 1+ <input type="checkbox"/> 2+ <input type="checkbox"/> 3+ <input type="checkbox"/> 4+ Capillary Refill: <input checked="" type="checkbox"/> < 2 sec <input type="checkbox"/> > 2 sec Pulses: <u>apical assessed</u> Upper R _____ L _____ Lower R _____ L _____ 4+ Bounding 3+ Strong 2+ Weak 1+ Intermittent 0 None	Social Status: <input checked="" type="checkbox"/> Calm/Relaxed <input type="checkbox"/> Quiet <input type="checkbox"/> Friendly <input checked="" type="checkbox"/> Cooperative <input type="checkbox"/> Crying <input type="checkbox"/> Uncooperative <input type="checkbox"/> Restless <input type="checkbox"/> Withdrawn <input type="checkbox"/> Hostile/Anxious Social/emotional bonding with family: <input checked="" type="checkbox"/> Present <input type="checkbox"/> Absent
NEUROLOGICAL	ELIMINATION	IV ACCESS
LOC: <input checked="" type="checkbox"/> Alert <input type="checkbox"/> Confused <input type="checkbox"/> Restless <input type="checkbox"/> Sedated <input type="checkbox"/> Unresponsive Oriented to: <input type="checkbox"/> Person <input type="checkbox"/> Place <input type="checkbox"/> Time/Event <input checked="" type="checkbox"/> Appropriate for Age Pupil Response: <input checked="" type="checkbox"/> Equal <input type="checkbox"/> Unequal <input checked="" type="checkbox"/> Reactive to Light <input type="checkbox"/> Size _____ Fontanel: (Pt < 2 years) <input checked="" type="checkbox"/> Soft <input type="checkbox"/> Flat <input type="checkbox"/> Bulging <input type="checkbox"/> Sunken <input type="checkbox"/> Closed Extremities: <input checked="" type="checkbox"/> Able to move all extremities <input checked="" type="checkbox"/> Symmetrically <input type="checkbox"/> Asymmetrically Grips: Right _____ Left _____ Pushes: Right _____ Left _____ S=Strong W=Weak N=None EVD Drain: <input type="checkbox"/> Yes <input type="checkbox"/> No Level _____ Seizure Precautions: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Urine Appearance: Stool Appearance: <u>red, yellow</u> <input type="checkbox"/> Diarrhea <input type="checkbox"/> Constipation <u>brwn</u> <input type="checkbox"/> Bloody <input type="checkbox"/> Colostomy	Site: <u>Hand</u> <input type="checkbox"/> INT <input type="checkbox"/> None <input type="checkbox"/> Central Line Type/Location: <u>24 gauge</u> Appearance: <input checked="" type="checkbox"/> No Redness/Swelling <input type="checkbox"/> Red <input type="checkbox"/> Swollen <input checked="" type="checkbox"/> Patent <input type="checkbox"/> Blood return Dressing Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Fluids: <u>DS 42 NS 8 KCl 20</u> <u>0.1cm/hr</u>
RESPIRATORY	GASTROINTESTINAL	SKIN
Respirations: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Retractions (type) _____ <input type="checkbox"/> Labored Breath Sounds: Clear <input checked="" type="checkbox"/> Right <input checked="" type="checkbox"/> Left Crackles <input type="checkbox"/> Right <input type="checkbox"/> Left Wheezes <input type="checkbox"/> Right <input type="checkbox"/> Left Diminished <input type="checkbox"/> Right <input type="checkbox"/> Left Absent <input type="checkbox"/> Right <input type="checkbox"/> Left <input checked="" type="checkbox"/> Room Air <input type="checkbox"/> Oxygen Oxygen Delivery: <input type="checkbox"/> Nasal Cannula: _____ L/min <input type="checkbox"/> BiPap/CPAP: _____ <input type="checkbox"/> Vent: ETT size _____ @ _____ cm <input type="checkbox"/> Other: _____ Trach: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size _____ Type _____ Obturator at Bedside <input type="checkbox"/> Yes <input type="checkbox"/> No Cough: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Productive <input type="checkbox"/> Nonproductive Secretions: Color _____ Consistency _____ Suction: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Pulse Ox Site: <u>Foot</u> Oxygen Saturation: <u>100%</u>	Abdomen: <input checked="" type="checkbox"/> Soft <input type="checkbox"/> Firm <input type="checkbox"/> Flat <input type="checkbox"/> Distended <input type="checkbox"/> Guarded Bowel Sounds: <input checked="" type="checkbox"/> Present <u>x4</u> quads <input checked="" type="checkbox"/> Active <input type="checkbox"/> Hypo <input type="checkbox"/> Hyper <input type="checkbox"/> Absent Nausea: <input type="checkbox"/> Yes <input type="checkbox"/> No Vomiting: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Passing Flatus: <input type="checkbox"/> Yes <input type="checkbox"/> No Tube: <input type="checkbox"/> Yes <input type="checkbox"/> No Type _____ Location _____ Inserted to _____ cm <input type="checkbox"/> Suction Type: _____	Color: <input checked="" type="checkbox"/> Pink <input type="checkbox"/> Flushed <input checked="" type="checkbox"/> Jaundiced <input type="checkbox"/> Cyanotic <input type="checkbox"/> Pale <input type="checkbox"/> Natural for Pt Condition: <input checked="" type="checkbox"/> Warm <input type="checkbox"/> Cool <input checked="" type="checkbox"/> Dry <input type="checkbox"/> Diaphoretic Turgor: <input checked="" type="checkbox"/> < 5 seconds <input type="checkbox"/> > 5 seconds Skin: <input checked="" type="checkbox"/> Intact <input type="checkbox"/> Bruises <input type="checkbox"/> Lacerations <input type="checkbox"/> Tears <input type="checkbox"/> Rash <input type="checkbox"/> Skin Breakdown Location/Description: _____ Mucous Membranes: Color: <u>pink</u> <input checked="" type="checkbox"/> Moist <input type="checkbox"/> Dry <input type="checkbox"/> Ulceration
	NUTRITIONAL	PAIN
	Diet/Formula: <u>Breast Fed</u> Amount/Schedule: <u>~Q2-4</u> Chewing/Swallowing difficulties: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Scale Used: <input type="checkbox"/> Numeric <input checked="" type="checkbox"/> FLACC <input type="checkbox"/> Faces Location: _____ Type: _____ Pain Score: 0800 <u>0</u> 1200 _____ 1600 _____
	MUSCULOSKELETAL	WOUND/INCISION
	<input type="checkbox"/> Pain <input type="checkbox"/> Joint Stiffness <input type="checkbox"/> Swelling <input type="checkbox"/> Contracted <input type="checkbox"/> Weakness <input type="checkbox"/> Cramping <input type="checkbox"/> Spasms <input type="checkbox"/> Tremors Movement: <input type="checkbox"/> RA <input type="checkbox"/> LA <input type="checkbox"/> RL <input type="checkbox"/> LL <input checked="" type="checkbox"/> All Brace/Appliances: <input checked="" type="checkbox"/> None Type: _____	<input checked="" type="checkbox"/> None Type: _____ Location: _____ Description: _____ Dressing: _____
	MOBILITY	TUBES/DRAINS
	<input type="checkbox"/> Ambulatory <input type="checkbox"/> Crawl <input checked="" type="checkbox"/> In Arms <u>bed</u> <input type="checkbox"/> Ambulatory with assist Assistive Device: <input type="checkbox"/> Crutch <input type="checkbox"/> Walker <input type="checkbox"/> Brace <input type="checkbox"/> Wheelchair <input type="checkbox"/> Bedridden	<input checked="" type="checkbox"/> None <input type="checkbox"/> Drain/Tube Site: _____ Type: _____ Dressing: _____ Suction: _____ Drainage amount: _____ Drainage color: _____

Pediatric Floor Patient #1

30min 30min 36hr

INTAKE/OUTPUT													
PO/Enteral Intake	07	08	09	10	11	12	13	14	15	16	17	18	Total
PO Intake	BF		BF										
Intake – PO Meds													
Enteral Tube Feeding													
Enteral Flush													
Free Water													
IV INTAKE	07	08	09	10	11	12	13	14	15	16	17	18	Total
IV Fluid	160	160	160	160	160								800
IV Meds/Flush													
OUTPUT	07	08	09	10	11	12	13	14	15	16	17	18	Total
Urine													
# of immeasurable													
Stool													
Urine/Stool mix			52										52
Emesis													
Other													

Children's Hospital Early Warning Score (CHEWS)	
(See CHEWS Scoring and Escalation Algorithm to score each category)	
Behavior/Neuro	Circle the appropriate score for this category: 0 1 2 3
Cardiovascular	Circle the appropriate score for this category: 0 1 2 3
Respiratory	Circle the appropriate score for this category: 0 1 2 3
Staff Concern	1 pt – Concerned
Family Concern	1 pt – Concerned or absent
CHEWS Total Score	
CHEWS Total Score	Total Score (points) 0
	Score 0-2 (Green) – Continue routine assessments
	Score 3-4 (Yellow) – Notify charge nurse or LIP, Discuss treatment plan with team, Consider higher level of care, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications
	Score 5-11 (Red) – Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation, Notify attending physician, Discuss treatment plan with team, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications

Pediatric Floor Patient #2

384

GENERAL APPEARANCE	CARDIOVASCULAR	PSYCHOSOCIAL
Appearance: <input checked="" type="checkbox"/> Healthy/Well Nourished <input checked="" type="checkbox"/> Neat/Clean <input type="checkbox"/> Emaciated <input type="checkbox"/> Unkept Developmental age: <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Delayed	Pulse: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Strong <input type="checkbox"/> Weak <input type="checkbox"/> Thready <input type="checkbox"/> Murmur <input type="checkbox"/> Other _____ Edema: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Location _____ <input type="checkbox"/> 1+ <input type="checkbox"/> 2+ <input type="checkbox"/> 3+ <input type="checkbox"/> 4+ Capillary Refill: <input checked="" type="checkbox"/> < 2 sec <input type="checkbox"/> > 2 sec Pulses: Upper R <u>3+</u> L <u>3+</u> Lower R _____ L _____ 4+ Bounding 3+ Strong 2+ Weak 1+ Intermittent 0 None	Social Status: <input checked="" type="checkbox"/> Calm/Relaxed <input type="checkbox"/> Quiet <input type="checkbox"/> Friendly <input checked="" type="checkbox"/> Cooperative <input type="checkbox"/> Crying <input type="checkbox"/> Uncooperative <input type="checkbox"/> Restless <input type="checkbox"/> Withdrawn <input type="checkbox"/> Hostile/Anxious Social/emotional bonding with family: <input type="checkbox"/> Present <input type="checkbox"/> Absent <u>None @ bedside</u>
NEUROLOGICAL	ELIMINATION	IV ACCESS
LOC: <input checked="" type="checkbox"/> Alert <input type="checkbox"/> Confused <input type="checkbox"/> Restless <input type="checkbox"/> Sedated <input type="checkbox"/> Unresponsive Oriented to: <input checked="" type="checkbox"/> Person <input checked="" type="checkbox"/> Place <input checked="" type="checkbox"/> Time/Event <input checked="" type="checkbox"/> Appropriate for Age Pupil Response: <input checked="" type="checkbox"/> Equal <input type="checkbox"/> Unequal <input checked="" type="checkbox"/> Reactive to Light <input type="checkbox"/> Size _____ Fontanel: (Pt < 2 years) <input type="checkbox"/> Soft <input type="checkbox"/> Flat <input type="checkbox"/> Bulging <input type="checkbox"/> Sunken <input type="checkbox"/> Closed Extremities: <input checked="" type="checkbox"/> Able to move all extremities <input checked="" type="checkbox"/> Symmetrically <input type="checkbox"/> Asymmetrically Grips: Right <u>S</u> Left <u>S</u> Pushes: Right <u>S</u> Left <u>S</u> S=Strong W=Weak N=None EVD Drain: <input type="checkbox"/> Yes <input type="checkbox"/> No Level _____ Seizure Precautions: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Urine Appearance: <u>cloudy, pink</u> Stool Appearance: <u>not observed</u> <input type="checkbox"/> Diarrhea <input type="checkbox"/> Constipation <input type="checkbox"/> Bloody <input type="checkbox"/> Colostomy	Site: <u>QAC</u> <input type="checkbox"/> INT <input type="checkbox"/> None <input type="checkbox"/> Central Line Type/Location: <u>22 gauge</u> Appearance: <input checked="" type="checkbox"/> No Redness/Swelling <input type="checkbox"/> Red <input type="checkbox"/> Swollen <input type="checkbox"/> Patent <input type="checkbox"/> Blood return Dressing Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Fluids: <u>D5 NS @ KCI 20 @ 150 ml/hr</u>
RESPIRATORY	GASTROINTESTINAL	SKIN
Respirations: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Retractions (type) _____ <input type="checkbox"/> Labored Breath Sounds: Clear <input checked="" type="checkbox"/> Right <input checked="" type="checkbox"/> Left Crackles <input type="checkbox"/> Right <input type="checkbox"/> Left Wheezes <input type="checkbox"/> Right <input type="checkbox"/> Left Diminished <input type="checkbox"/> Right <input type="checkbox"/> Left Absent <input type="checkbox"/> Right <input type="checkbox"/> Left <input checked="" type="checkbox"/> Room Air <input type="checkbox"/> Oxygen Oxygen Delivery: <input type="checkbox"/> Nasal Cannula: _____ L/min <input type="checkbox"/> BiPap/CPAP: _____ <input type="checkbox"/> Vent: ETT size _____ @ _____ cm <input type="checkbox"/> Other: _____ Trach: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size _____ Type _____ Obturator at Bedside <input type="checkbox"/> Yes <input type="checkbox"/> No Cough: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Productive <input type="checkbox"/> Nonproductive Secretions: Color _____ Consistency _____ Suction: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Pulse Ox Site: <u>finger</u> Oxygen Saturation: <u>98.1</u>	Abdomen: <input checked="" type="checkbox"/> Soft <input type="checkbox"/> Firm <input type="checkbox"/> Flat <input type="checkbox"/> Distended <input checked="" type="checkbox"/> Guarded Bowel Sounds: <input checked="" type="checkbox"/> Present x <u>4</u> quads <input checked="" type="checkbox"/> Active <input type="checkbox"/> Hypo <input type="checkbox"/> Hyper <input type="checkbox"/> Absent Nausea: <input type="checkbox"/> Yes <input type="checkbox"/> No Vomiting: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Passing Flatus: <input type="checkbox"/> Yes <input type="checkbox"/> No Tube: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Location _____ Inserted to _____ cm <input type="checkbox"/> Suction Type: _____	Color: <input checked="" type="checkbox"/> Pink <input type="checkbox"/> Flushed <input type="checkbox"/> Jaundiced <input type="checkbox"/> Cyanotic <input type="checkbox"/> Pale <input checked="" type="checkbox"/> Natural for Pt Condition: <input checked="" type="checkbox"/> Warm <input type="checkbox"/> Cool <input checked="" type="checkbox"/> Dry <input type="checkbox"/> Diaphoretic Turgor: <input checked="" type="checkbox"/> < 5 seconds <input type="checkbox"/> > 5 seconds Skin: <input checked="" type="checkbox"/> Intact <input type="checkbox"/> Bruises <input type="checkbox"/> Lacerations <input type="checkbox"/> Tears <input type="checkbox"/> Rash <input type="checkbox"/> Skin Breakdown Location/Description: _____ Mucous Membranes: Color: _____ <input checked="" type="checkbox"/> Moist <input type="checkbox"/> Dry <input type="checkbox"/> Ulceration
	NUTRITIONAL	PAIN
	Diet/Formula: <u>NPO</u> Amount/Schedule: _____ Chewing/Swallowing difficulties: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Scale Used: <input checked="" type="checkbox"/> Numeric <input type="checkbox"/> FLACC <input type="checkbox"/> Faces Location: <u>RUG</u> Type: <u>sharp</u> Pain Score: 0800 <u>9</u> 1200 _____ 1600 _____
	MUSCULOSKELETAL	WOUND/INCISION
	<input type="checkbox"/> Pain <input type="checkbox"/> Joint Stiffness <input type="checkbox"/> Swelling <input type="checkbox"/> Contracted <input type="checkbox"/> Weakness <input type="checkbox"/> Cramping <input type="checkbox"/> Spasms <input type="checkbox"/> Tremors Movement: <input type="checkbox"/> RA <input type="checkbox"/> LA <input type="checkbox"/> RL <input type="checkbox"/> LL <input checked="" type="checkbox"/> All Brace/Appliances: <input checked="" type="checkbox"/> None Type: _____	<input checked="" type="checkbox"/> None Type: _____ Location: _____ Description: _____ Dressing: _____
	MOBILITY	TUBES/DRAINS
	<input checked="" type="checkbox"/> Ambulatory <input type="checkbox"/> Crawl <input type="checkbox"/> In Arms <input type="checkbox"/> Ambulatory with assist Assistive Device: <input type="checkbox"/> Crutch <input type="checkbox"/> Walker <input type="checkbox"/> Brace <input type="checkbox"/> Wheelchair <input type="checkbox"/> Bedridden	<input checked="" type="checkbox"/> None <input type="checkbox"/> Drain/Tube Site: _____ Type: _____ Dressing: _____ Suction: _____ Drainage amount: _____ Drainage color: _____

Pediatric Floor Patient #2

INTAKE/OUTPUT													
PO/Enteral Intake	07	08	09	10	11	12	13	14	15	16	17	18	Total
PO Intake	NPO												0
Intake - PO Meds													
Enteral Tube Feeding													
Enteral Flush													
Free Water													
IV INTAKE	07	08	09	10	11	12	13	14	15	16	17	18	Total
IV Fluid	150	150	150	150	150								850
IV Meds/Flush			100										
Cofirmev													
OUTPUT	07	08	09	10	11	12	13	14	15	16	17	18	Total
Urine													
# of immeasurable		1		1									2 X
Stool													
Urine/Stool mix													
Emesis													
Other													

Children's Hospital Early Warning Score (CHEWS)	
(See CHEWS Scoring and Escalation Algorithm to score each category)	
Behavior/Neuro	Circle the appropriate score for this category: 0 1 2 3
Cardiovascular	Circle the appropriate score for this category: 0 1 2 3
Respiratory	Circle the appropriate score for this category: 0 1 2 3
Staff Concern	1 pt - Concerned
Family Concern	1 pt - Concerned or absent
CHEWS Total Score	
CHEWS Total Score	Total Score (points) 0
	Score 0-2 (Green) -> Continue routine assessments
	Score 3-4 (Yellow) - Notify charge nurse or LIP, Discuss treatment plan with team, Consider higher level of care, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications
	Score 5-11 (Red) - Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation, Notify attending physician, Discuss treatment plan with team, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications

IM5 Clinical Worksheet – Pediatric Floor

364

<p>Student Name: <u>Makenna Anthony</u> Date: <u>10/31/23</u></p>	<p>Patient Age: <u>8 days</u> Patient Weight: <u>kg</u> <u>7 lbs @ birth → 6.502</u></p>
<p>1. Admitting Diagnosis: <u>Hyperbilirubinemia</u></p>	<p>2. Priority Focused Assessment You Will Perform Related to the Diagnosis: <u>skin + eyes</u> <u>VS DW 140</u></p>
<p>3. Signs and Symptoms: <u>jaundice down to abd. on admit</u> <u>↓ wt.</u></p>	<p>4. Diagnostic Tests Pertinent to or Confirming of Diagnosis: Admit <u>0100</u> <u>0400</u> bilirubin: <u>727</u>, <u>24.4</u>, <u>22.4</u>, <u>0800</u> <u>18.8</u></p>
<p>5. Lab Values That May Be Affected: <u>bilirubin labs</u></p>	<p>6. Current Treatment (Include Procedures): <u>double phototherapy</u>] <u>continuous</u> <u>bili blanket</u></p>
<p>7. Pain & Discomfort Management: List 2 Developmentally Appropriate Non-Pharmacologic Interventions Related to Pain & Discomfort for This Patient. <u>+ pacifier</u> 1. <u>sweet-ease during heel-stick</u> 2. <u>swaddle during heel-stick - touch satisfaction</u> 3. <u>comfort w/ pacifier - oral satisfaction</u></p>	<p>8. Patient/Caregiver Teaching: <u>constant</u> 1. <u>importance of ^{constant} bili lamps + glasses</u> 2. <u>sis to watch for - jaundice + how it will resolve (bottom-up)</u> 3. <u>importance of strict I+O + DW monitoring</u> Any Safety Issues identified: <u>bili glasses not staying on properly</u></p>

Student Name: _____ Patient Age: _____
 Date: _____ Patient Weight: 2.88 kg

9. Calculate the Maintenance Fluid Requirement (Show Your Work): **12 mL/hr**
 $2.88 \text{ kg} \times 1 \text{ mL/kg/day} \times 100 \text{ hr} = 288 \text{ mL/day}$
 $288 \text{ mL} / 24 \text{ hours} = 12 \text{ mL/hr}$

10. Calculate the Minimum Acceptable Urine Output Requirement (Show Your Work):
 $2.88 \text{ kg} = 288 \text{ mL/day}$
 $288 \text{ mL} / 24 \text{ hours} = 12 \text{ mL/hr}$

Actual Pt MIVF Rate:
16 mL/hr

Actual Urine Output During Your Shift (mL/hr):
 $52 \text{ mL} / 6 \text{ hours} = 8.67 \text{ mL/hr}$

Is There a Significant Discrepancy Between Calculated and Actual Rate? **Yes, +4 mL/hr**

If Yes, Why is There a Discrepancy?
pt has ↓ body wt. from birth, run fluids at higher rate

orders to

11. Growth & Development:
 *List the Developmental Stage of Your Patient For Each Theorist Below.
 *Document 2 OBSERVED Developmental Behaviors for Each Theorist.
 *If Developmentally Delayed, Identify the Stage You Would Classify the Patient:

- Erickson Stage: **trust vs. mistrust**
- establishing own feeding schedule by crying @ 2-3 hours
 ↳ gains trust w/ caregiver to meet needs
 - no clothes/blankets allowed due to bili lights, ↑ room temp
 ↳ gains trust w/ environment + caregiver that temp will be maintained
- Piaget Stage: **sensorimotor**
- egocentrism - crying to express needs
 - basic reflexes present - rooting + sucking

Please list any medications you administered or procedures you performed during your shift:
 - heel-stick bilirubin level (observed)
 - IV push morphine (observed) - different pt