

56

Pediatric Floor Patient #2

INTAKE/OUTPUT														
PO/Enteral Intake	07	08	09	10	11	12	13	14	15	16	17	18	Total	
PO Intake														
Intake – PO Meds			2mL										2mL	
Enteral Tube Feeding														
Enteral Flush														
Free Water														
IV INTAKE	07	08	09	10	11	12	13	14	15	16	17	18	Total	
IV Fluid													N/A	
IV Meds/Flush													N/A	
OUTPUT	07	08	09	10	11	12	13	14	15	16	17	18	Total	
Urine					100								100 mL	
# of immeasurable														
Stool														
Urine/Stool mix														
Emesis					\$									
Other														

Children's Hospital Early Warning Score (CHEWS)	
(See CHEWS Scoring and Escalation Algorithm to score each category)	
Behavior/Neuro	Circle the appropriate score for this category: 0 1 2 3
Cardiovascular	Circle the appropriate score for this category: 0 1 2 3
Respiratory	Circle the appropriate score for this category: 0 1 2 3
Staff Concern	1 pt - Concerned
Family Concern	1 pt - Concerned or absent
CHEWS Total Score	
CHEWS Total Score	Total Score (points) <u>2pt</u>
	Score 0-2 (Green) – Continue routine assessments
	Score 3-4 (Yellow) – Notify charge nurse or LIP, Discuss treatment plan with team, Consider higher level of care, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications
	Score 5-11 (Red) – Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation, Notify attending physician, Discuss treatment plan with team, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications

Pediatric Floor Patient #1

INTAKE/OUTPUT													
PO/Enteral Intake	07	08	09	10	11	12	13	14	15	16	17	18	Total
PO Intake			240										N/A
Intake – PO Meds													
Enteral Tube Feeding													
Enteral Flush													
Free Water													↓
IV INTAKE	07	08	09	10	11	12	13	14	15	16	17	18	Total
IV Fluid													N/A
IV Meds/Flush													N/A
OUTPUT	07	08	09	10	11	12	13	14	15	16	17	18	Total
Urine					400								400ml
# of immeasurable													
Stool													
Urine/Stool mix													
Emesis													
Other													

Children's Hospital Early Warning Score (CHEWS)	
(See CHEWS Scoring and Escalation Algorithm to score each category)	
Behavior/Neuro	Circle the appropriate score for this category: 0 1 2 3
Cardiovascular	Circle the appropriate score for this category: 0 1 2 3
Respiratory	Circle the appropriate score for this category: 0 1 2 3
Staff Concern	1 pt – Concerned
Family Concern	1 pt – Concerned or absent
CHEWS Total Score	
CHEWS Total Score	Total Score (points) <u>2</u>
	Score 0-2 (Green) – Continue routine assessments
	Score 3-4 (Yellow) – Notify charge nurse or LIP, Discuss treatment plan with team, Consider higher level of care, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications
	Score 5-11 (Red) – Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation, Notify attending physician, Discuss treatment plan with team, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications

Pediatric Floor Patient #1

GENERAL APPEARANCE	CARDIOVASCULAR	PSYCHOSOCIAL
Appearance: <input checked="" type="checkbox"/> Healthy/Well Nourished <input type="checkbox"/> Neat/Clean <input type="checkbox"/> Emaciated <input type="checkbox"/> Unkept Developmental age: <input type="checkbox"/> Normal <input checked="" type="checkbox"/> Delayed	Pulse: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input checked="" type="checkbox"/> Strong <input type="checkbox"/> Weak <input type="checkbox"/> Thready <input type="checkbox"/> Murmur <input type="checkbox"/> Other _____ Edema: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Location _____ <input type="checkbox"/> 1+ <input type="checkbox"/> 2+ <input type="checkbox"/> 3+ <input type="checkbox"/> 4+ Capillary Refill: <input checked="" type="checkbox"/> < 2 sec <input type="checkbox"/> > 2 sec Pulses: Upper R <u>3+</u> L <u>3+</u> Lower R <u>3+</u> L <u>3+</u> 4+ Bounding 3+ Strong 2+ Weak 1+ Intermittent 0 None	Social Status: <input checked="" type="checkbox"/> Calm/Relaxed <input type="checkbox"/> Quiet <input type="checkbox"/> Friendly <input checked="" type="checkbox"/> Cooperative <input type="checkbox"/> Crying <input type="checkbox"/> Uncooperative <input type="checkbox"/> Restless <input type="checkbox"/> Withdrawn <input type="checkbox"/> Hostile/Anxious Social/emotional bonding with family: <input checked="" type="checkbox"/> Present <input type="checkbox"/> Absent
NEUROLOGICAL	ELIMINATION	IV ACCESS
LOC: <input checked="" type="checkbox"/> Alert <input type="checkbox"/> Confused <input type="checkbox"/> Restless <input type="checkbox"/> Sedated <input type="checkbox"/> Unresponsive Oriented to: <input type="checkbox"/> Person <input type="checkbox"/> Place <input type="checkbox"/> Time/Event <input checked="" type="checkbox"/> Appropriate for Age Pupil Response: <input checked="" type="checkbox"/> Equal <input type="checkbox"/> Unequal <input type="checkbox"/> Reactive to Light <input type="checkbox"/> Size _____ Fontanel: (Pt < 2 years) <input checked="" type="checkbox"/> Soft <input type="checkbox"/> Flat <input type="checkbox"/> Bulging <input type="checkbox"/> Sunken <input type="checkbox"/> Closed Extremities: <input checked="" type="checkbox"/> Able to move all extremities <input checked="" type="checkbox"/> Symmetrically <input type="checkbox"/> Asymmetrically Grips: Right <u>S</u> Left <u>S</u> Pushes: Right <u>S</u> Left <u>S</u> S=Strong W=Weak N=None EVD Drain: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Level _____ Seizure Precautions: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Urine Appearance: <u>not observed</u> Stool Appearance: <u>↓</u> <input type="checkbox"/> Diarrhea <input type="checkbox"/> Constipation <input type="checkbox"/> Bloody <input type="checkbox"/> Colostomy	Site: _____ <input type="checkbox"/> INT <input checked="" type="checkbox"/> None <input type="checkbox"/> Central Line Type/Location: _____ Appearance: <input type="checkbox"/> No Redness/Swelling <input type="checkbox"/> Red <input type="checkbox"/> Swollen <input type="checkbox"/> Patent <input type="checkbox"/> Blood return Dressing Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No Fluids: _____
RESPIRATORY	GASTROINTESTINAL	SKIN
Respirations: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Retractions (type) _____ <input type="checkbox"/> Labored Breath Sounds: Clear <input checked="" type="checkbox"/> Right <input checked="" type="checkbox"/> Left <input type="checkbox"/> Crackles <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Wheezes <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Diminished <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Absent <input type="checkbox"/> Right <input type="checkbox"/> Left <input checked="" type="checkbox"/> Room Air <input type="checkbox"/> Oxygen Oxygen Delivery: <input type="checkbox"/> Nasal Cannula: _____ L/min <input type="checkbox"/> BiPap/CPAP: _____ <input type="checkbox"/> Vent: ETT size _____ @ _____ cm <input type="checkbox"/> Other: _____ Trach: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size _____ Type _____ <input type="checkbox"/> Obturator at Bedside <input type="checkbox"/> Yes <input type="checkbox"/> No Cough: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Productive <input checked="" type="checkbox"/> Nonproductive Secretions: Color _____ Consistency _____ Suction: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Pulse Ox Site: <u>toe</u> Oxygen Saturation: <u>91</u>	Abdomen: <input checked="" type="checkbox"/> Soft <input type="checkbox"/> Firm <input type="checkbox"/> Flat <input type="checkbox"/> Distended <input type="checkbox"/> Guarded Bowel Sounds: <input checked="" type="checkbox"/> Present X <u>4</u> quads <input checked="" type="checkbox"/> Active <input type="checkbox"/> Hypo <input type="checkbox"/> Hyper <input type="checkbox"/> Absent Nausea: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Vomiting: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Passing Flatus: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Tube: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Location _____ Inserted to _____ cm <input type="checkbox"/> Suction Type: _____	Color: <input type="checkbox"/> Pink <input type="checkbox"/> Flushed <input type="checkbox"/> Jaundiced <input type="checkbox"/> Cyanotic <input type="checkbox"/> Pale <input checked="" type="checkbox"/> Natural for Pt Condition: <input checked="" type="checkbox"/> Warm <input type="checkbox"/> Cool <input type="checkbox"/> Dry <input type="checkbox"/> Diaphoretic Turgor: <input checked="" type="checkbox"/> < 5 seconds <input type="checkbox"/> > 5 seconds Skin: <input checked="" type="checkbox"/> Intact <input type="checkbox"/> Bruises <input type="checkbox"/> Lacerations <input type="checkbox"/> Tears <input type="checkbox"/> Rash <input type="checkbox"/> Skin Breakdown Location/Description: _____ Mucous Membranes: Color: <u>pink</u> <input checked="" type="checkbox"/> Moist <input type="checkbox"/> Dry <input type="checkbox"/> Ulceration
	NUTRITIONAL	PAIN
	Diet/Formula: <u>normal diet</u> Amount/Schedule: _____ Chewing/Swallowing difficulties: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Scale Used: <input type="checkbox"/> Numeric <input type="checkbox"/> FLACC <input type="checkbox"/> Faces Location: _____ Type: _____ Pain Score: 0800 _____ 1200 _____ 1600 _____
	MUSCULOSKELETAL	WOUND/INCISION
	<input type="checkbox"/> Pain <input type="checkbox"/> Joint Stiffness <input type="checkbox"/> Swelling <input type="checkbox"/> Contracted <input type="checkbox"/> Weakness <input type="checkbox"/> Cramping <input type="checkbox"/> Spasms <input type="checkbox"/> Tremors Movement: <input type="checkbox"/> RA <input type="checkbox"/> LA <input type="checkbox"/> RL <input type="checkbox"/> LL <input checked="" type="checkbox"/> All Brace/Appliances: <input checked="" type="checkbox"/> None Type: _____	<input checked="" type="checkbox"/> None Type: _____ Location: _____ Description: _____ Dressing: _____
	MOBILITY	TUBES/DRAINS
	<input checked="" type="checkbox"/> Ambulatory <input type="checkbox"/> Crawl <input type="checkbox"/> In Arms <input type="checkbox"/> Ambulatory with assist _____ Assistive Device: <input type="checkbox"/> Crutch <input type="checkbox"/> Walker <input type="checkbox"/> Brace <input type="checkbox"/> Wheelchair <input type="checkbox"/> Bedridden	<input checked="" type="checkbox"/> None <input type="checkbox"/> Drain/Tube Site: _____ Type: _____ Dressing: _____ Suction: _____ Drainage amount: _____ Drainage color: _____

Pediatric Floor Patient #2

GENERAL APPEARANCE	CARDIOVASCULAR	PSYCHOSOCIAL
Appearance: <input checked="" type="checkbox"/> Healthy/Well Nourished <input checked="" type="checkbox"/> Neat/Clean <input type="checkbox"/> Emaciated <input type="checkbox"/> Unkept Developmental age: <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Delayed	Pulse: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Strong <input type="checkbox"/> Weak <input type="checkbox"/> Thready <input type="checkbox"/> Murmur <input type="checkbox"/> Other _____ Edema: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Location _____ <input type="checkbox"/> 1+ <input type="checkbox"/> 2+ <input type="checkbox"/> 3+ <input type="checkbox"/> 4+ Capillary Refill: <input checked="" type="checkbox"/> < 2 sec <input type="checkbox"/> > 2 sec Pulses: Upper R <u>3+</u> L <u>3+</u> Lower R <u>3+</u> L <u>3+</u> 4+ Bounding 3+ Strong 2+ Weak 1+ Intermittent 0 None	Social Status: <input checked="" type="checkbox"/> Calm/Relaxed <input type="checkbox"/> Quiet <input type="checkbox"/> Friendly <input type="checkbox"/> Cooperative <input type="checkbox"/> Crying <input type="checkbox"/> Uncooperative <input type="checkbox"/> Restless <input type="checkbox"/> Withdrawn <input type="checkbox"/> Hostile/Anxious Social/emotional bonding with family: <input checked="" type="checkbox"/> Present <input type="checkbox"/> Absent
NEUROLOGICAL	ELIMINATION	IV ACCESS
LOC: <input checked="" type="checkbox"/> Alert <input type="checkbox"/> Confused <input type="checkbox"/> Restless <input type="checkbox"/> Sedated <input type="checkbox"/> Unresponsive Oriented to: <input type="checkbox"/> Person <input type="checkbox"/> Place <input type="checkbox"/> Time/Event <input checked="" type="checkbox"/> Appropriate for Age Pupil Response: <input checked="" type="checkbox"/> Equal <input type="checkbox"/> Unequal <input type="checkbox"/> Reactive to Light <input type="checkbox"/> Size _____ Fontanel: (Pt < 2 years) <input checked="" type="checkbox"/> Soft <input type="checkbox"/> Flat <input type="checkbox"/> Bulging <input type="checkbox"/> Sunken <input type="checkbox"/> Closed Extremities: <input checked="" type="checkbox"/> Able to move all extremities <input checked="" type="checkbox"/> Symmetrically <input type="checkbox"/> Asymmetrically Grips: Right <u>S</u> Left <u>S</u> Pushes: Right <u>S</u> Left <u>S</u> S=Strong W=Weak N=None EVD Drain: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Level _____ Seizure Precautions: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Urine Appearance: <u>not observed</u> Stool Appearance: <u>↓</u> <input type="checkbox"/> Diarrhea <input type="checkbox"/> Constipation <input type="checkbox"/> Bloody <input type="checkbox"/> Colostomy	Site: _____ <input type="checkbox"/> INT <input checked="" type="checkbox"/> None <input type="checkbox"/> Central Line Type/Location: _____ Appearance: <input type="checkbox"/> No Redness/Swelling <input type="checkbox"/> Red <input type="checkbox"/> Swollen <input type="checkbox"/> Patent <input type="checkbox"/> Blood return Dressing Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No Fluids: _____
RESPIRATORY	GASTROINTESTINAL	SKIN
Respirations: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Retractions (type) _____ <input type="checkbox"/> Labored Breath Sounds: Clear <input checked="" type="checkbox"/> Right <input checked="" type="checkbox"/> Left Crackles <input type="checkbox"/> Right <input type="checkbox"/> Left Wheezes <input type="checkbox"/> Right <input type="checkbox"/> Left Diminished <input type="checkbox"/> Right <input type="checkbox"/> Left Absent <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Room Air <input type="checkbox"/> Oxygen Oxygen Delivery: <input type="checkbox"/> Nasal Cannula: _____ L/min <input type="checkbox"/> BiPap/CPAP: _____ <input type="checkbox"/> Vent: ETT size _____ @ _____ cm <input type="checkbox"/> Other: _____ Trach: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size _____ Type _____ Obturator at Bedside <input type="checkbox"/> Yes <input type="checkbox"/> No Cough: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Productive <input checked="" type="checkbox"/> Nonproductive Secretions: Color _____ Consistency _____ Suction: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Pulse Ox Site <u>C 404</u> Oxygen Saturation: <u>93</u>	Abdomen: <input checked="" type="checkbox"/> Soft <input type="checkbox"/> Firm <input type="checkbox"/> Flat <input type="checkbox"/> Distended <input type="checkbox"/> Guarded Bowel Sounds: <input checked="" type="checkbox"/> Present <input checked="" type="checkbox"/> <u>+</u> quads <input checked="" type="checkbox"/> Active <input type="checkbox"/> Hypo <input type="checkbox"/> Hyper <input type="checkbox"/> Absent Nausea: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Vomiting: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Passing Flatus: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Tube: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Location _____ Inserted to _____ cm <input type="checkbox"/> Suction Type: _____	Color: <input type="checkbox"/> Pink <input type="checkbox"/> Flushed <input type="checkbox"/> Jaundiced <input type="checkbox"/> Cyanotic <input type="checkbox"/> Pale <input checked="" type="checkbox"/> Natural for Pt Condition: <input checked="" type="checkbox"/> Warm <input type="checkbox"/> Cool <input type="checkbox"/> Dry <input type="checkbox"/> Diaphoretic Turgor: <input checked="" type="checkbox"/> < 5 seconds <input type="checkbox"/> > 5 seconds Skin: <input checked="" type="checkbox"/> Intact <input type="checkbox"/> Bruises <input type="checkbox"/> Lacerations <input type="checkbox"/> Tears <input type="checkbox"/> Rash <input type="checkbox"/> Skin Breakdown Location/Description: _____ Mucous Membranes: Color: <u>pink</u> <input checked="" type="checkbox"/> Moist <input type="checkbox"/> Dry <input type="checkbox"/> Ulceration
	NUTRITIONAL	PAIN
	Diet/Formulas: <u>normal diet</u> Amount/Schedule: _____ Chewing/Swallowing difficulties: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Scale Used: <input type="checkbox"/> Numeric <input type="checkbox"/> FLACC <input type="checkbox"/> Faces Location: _____ Type: _____ Pain Score: 0800 _____ 1200 _____ 1600 _____
	MUSCULOSKELETAL	WOUND/INCISION
	<input type="checkbox"/> Pain <input type="checkbox"/> Joint Stiffness <input type="checkbox"/> Swelling <input type="checkbox"/> Contracted <input type="checkbox"/> Weakness <input type="checkbox"/> Cramping <input type="checkbox"/> Spasms <input type="checkbox"/> Tremors Movement: <input type="checkbox"/> RA <input type="checkbox"/> LA <input type="checkbox"/> RL <input type="checkbox"/> LL <input checked="" type="checkbox"/> All Brace/Appliances: <input checked="" type="checkbox"/> None Type: _____	<input checked="" type="checkbox"/> None Type: _____ Location: _____ Description: _____ Dressing: _____
	MOBILITY	TUBES/DRAINS
	<input checked="" type="checkbox"/> Ambulatory <input checked="" type="checkbox"/> Crawl <input type="checkbox"/> In Arms <input type="checkbox"/> Ambulatory with assist Assistive Device: <input type="checkbox"/> Crutch <input type="checkbox"/> Walker <input type="checkbox"/> Brace <input type="checkbox"/> Wheelchair <input type="checkbox"/> Bedridden	<input checked="" type="checkbox"/> None <input type="checkbox"/> Drain/Tube Site: _____ Type: _____ Dressing: _____ Suction: _____ Drainage amount: _____ Drainage color: _____

IM5 Clinical Worksheet – Pediatric Floor

Student Name: Vanessa Ucea Date: 11/01/23	Patient Age: 3y.0 Patient Weight: 19.6kg
1. Admitting Diagnosis: seizure disorder (chronic) acute viral bronchiolitis	2. Priority Focused Assessment You Will Perform Related to the Diagnosis: respiratory assessment
3. Signs and Symptoms: mild cough & congestion breakthrough seizure activity fever (+max 104F)	4. Diagnostic Tests Pertinent to or Confirming of Diagnosis: EEG respiratory tract LAB +RSV
5. Lab Values That May Be Affected: NBC elevated 17.96 (16-17) RSV+ CO ₂ low 13 (16-31) (hypoxia)	6. Current Treatment (Include Procedures): 1. observation ped ward 2. supplemental oxygen as needed 3. 1/2 lvmf 4. EEG in am 5. resume diet 6. seizure precautions
7. Pain & Discomfort Management: List 2 Developmentally Appropriate Non-Pharmacologic Interventions Related to Pain & Discomfort for This Patient. 1. due to isolation, toys from child life could be given 2. offer to find her favorite movie to watch	8. Patient/Caregiver Teaching: 1. learn seizure precaution 2. recognizing s/s of a seizure approaching 3. learn to administer Ativan Any Safety Issues identified: N/A

<p>Student Name: Vanessa Vicea Date: 11/01/23</p>	<p>Patient Age: 3y.0 Patient Weight: 19.6kg</p>
<p>9. Calculate the Maintenance Fluid Requirement (Show Your Work): WT 19.6kg 62 mL/hr $100 \times 10 = 1,000$ $50 \times 9.6 = 480$ $= 1,480 / 24$</p> <p>Actual Pt MIVF Rate: none</p> <p>Is There a Significant Discrepancy Between Calculated and Actual Rate?</p> <p>If Yes, Why is There a Discrepancy?</p>	<p>10. Calculate the Minimum Acceptable Urine Output Requirement (Show Your Work): +m $0.5 \text{ mL} / 19.6 \text{ kg} / 24 \text{ hrs}$ 9.8 mL/hr 235.2 day</p> <p>Actual Urine Output During Your Shift (mL/hr): 400mL</p>
<p>11. Growth & Development: *List the Developmental Stage of Your Patient For Each Theorist Below. *Document 2 OBSERVED Developmental Behaviors for Each Theorist. *If Developmentally Delayed, Identify the Stage You Would Classify the Patient: autonomy vs shame + doubt Erickson Stage:</p> <p>1. autonomy - allowing toddler to pick which arm to place the b/p cuff. 2. autonomy: mom allowing toddler to pick the dinner ^{food} options.</p> <p>sensorimotor + preoperational stage Piaget Stage:</p> <p>1. associate obj - saw blood pressure cuff & knew it would squeeze her arm. 2. transitional obj - carried a stuffed bear when any care was given.</p>	
<p>Please list any medications you administered or procedures you performed during your shift: * none - did not give any PRN</p>	