

379
385

IM5 Clinical Worksheet – Pediatric Floor

<p>Student Name: Xavier Briseno Date: 11/14/23</p>	<p>Patient Age: 16y xB Patient Weight: 72kg 118.8kg</p>
<p>1. Admitting Diagnosis: Bilateral weakness in lower extremities</p>	<p>2. Priority Focused Assessment You Will Perform Related to the Diagnosis: PNU Pain VS</p>
<p>3. Signs and Symptoms: Diff. walking pain radiates to lower extremities</p>	<p>4. Diagnostic Tests Pertinent to or Confirming of Diagnosis: MRI L4, L5 disc injury</p>
<p>5. Lab Values That May Be Affected: Cortisol long term pain</p>	<p>6. Current Treatment (Include Procedures): Pain management Physical therapy injection into l4/5 epidural - Anesthetic + steroid</p>
<p>7. Pain & Discomfort Management: List 2 Developmentally Appropriate Non-Pharmacologic Interventions Related to Pain & Discomfort for This Patient.</p> <p>1. Abdominal binder</p> <p>2. TV, Music</p>	<p>8. Patient/Caregiver Teaching:</p> <ol style="list-style-type: none">1. Avoid large crowds2. Avoid sick people3. Report Fever immediately <p>Any Safety Issues identified: Non slip socks</p>

Student Name: Date:	Patient Age: Patient Weight: kg
9. Calculate the Maintenance Fluid Requirement (Show Your Work): $10\text{kg} \times 100$ $10\text{kg} \times 50$ $98.8\text{kg} \times 20$ <hr/> $3476 \div 24 = 144.83\text{ mL/hr}$ Actual Pt MIVF Rate: none Is There a Significant Discrepancy Between Calculated and Actual Rate? Yes If Yes, Why is There a Discrepancy? he gets 90 fluids	10. Calculate the Minimum Acceptable Urine Output Requirement (Show Your Work): $0.5 \times 118.8 = 59.4$ Actual Urine Output During Your Shift (mL/hr): Voided x1
11. Growth & Development: *List the Developmental Stage of Your Patient For Each Theorist Below. *Document 2 OBSERVED Developmental Behaviors for Each Theorist. *If Developmentally Delayed, Identify the Stage You Would Classify the Patient: Erickson Stage: ID vs Role Confusion 1. Didnt want nurse to see him shortness 2. Looking @ life related to pain (constant) always @ 6 Piaget Stage: Formal operational thought 1. Understands rotating pain meds 2. Relizes the need for constipation meds	
Please list any medications you administered or procedures you performed during your shift:	

Pediatric Floor Patient #1

GENERAL APPEARANCE	CARDIOVASCULAR	PSYCHOSOCIAL
Appearance: <input checked="" type="checkbox"/> Healthy/Well Nourished <input checked="" type="checkbox"/> Neat/Clean <input type="checkbox"/> Emaciated <input type="checkbox"/> Unkept Developmental age: <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Delayed	Pulse: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input checked="" type="checkbox"/> Strong <input type="checkbox"/> Weak <input type="checkbox"/> Thready <input type="checkbox"/> Murmur <input type="checkbox"/> Other _____ Edema: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Location _____ <input type="checkbox"/> 1+ <input type="checkbox"/> 2+ <input type="checkbox"/> 3+ <input type="checkbox"/> 4+ Capillary Refill: <input checked="" type="checkbox"/> < 2 sec <input type="checkbox"/> > 2 sec Pulses: Upper R <u>3+</u> L <u>3+</u> Lower R <u>3+</u> L <u>3+</u> 4+ Bounding 3+ Strong 2+ Weak 1+ Intermittent 0 None	Social Status: <input checked="" type="checkbox"/> Calm/Relaxed <input type="checkbox"/> Quiet <input checked="" type="checkbox"/> Friendly <input checked="" type="checkbox"/> Cooperative <input type="checkbox"/> Crying <input type="checkbox"/> Uncooperative <input type="checkbox"/> Restless <input type="checkbox"/> Withdrawn <input type="checkbox"/> Hostile/Anxious Social/emotional bonding with family: <input checked="" type="checkbox"/> Present <input type="checkbox"/> Absent
NEUROLOGICAL	ELIMINATION	IV ACCESS
LOC: <input checked="" type="checkbox"/> Alert <input type="checkbox"/> Confused <input type="checkbox"/> Restless <input type="checkbox"/> Sedated <input type="checkbox"/> Unresponsive Oriented to: <input checked="" type="checkbox"/> Person <input checked="" type="checkbox"/> Place <input checked="" type="checkbox"/> Time/Event <input checked="" type="checkbox"/> Appropriate for Age Pupil Response: <input checked="" type="checkbox"/> Equal <input type="checkbox"/> Unequal <input checked="" type="checkbox"/> Reactive to Light <input type="checkbox"/> Size <u>4mm</u> Fontanel: (Pt < 2 years) <input type="checkbox"/> Soft <input type="checkbox"/> Flat <input type="checkbox"/> Bulging <input type="checkbox"/> Sunken <input checked="" type="checkbox"/> Closed Extremities: <input checked="" type="checkbox"/> Able to move all extremities <input checked="" type="checkbox"/> Symmetrically <input type="checkbox"/> Asymmetrically Grips: Right <u>6</u> Left <u>5</u> Pushes: Right <u>5</u> Left <u>5</u> S=Strong W=Weak N=None EVD Drain: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Level _____ Seizure Precautions: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Urine Appearance: _____ Stool Appearance: _____ <input type="checkbox"/> Diarrhea <input checked="" type="checkbox"/> Constipation <input type="checkbox"/> Bloody <input type="checkbox"/> Colostomy	Site: AC <input checked="" type="checkbox"/> INT <input type="checkbox"/> None <input type="checkbox"/> Central Line Type/Location: <u>18G porthead</u> Appearance: <input checked="" type="checkbox"/> No Redness/Swelling <input type="checkbox"/> Red <input type="checkbox"/> Swollen <input type="checkbox"/> Patent <input type="checkbox"/> Blood return Dressing Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Fluids: _____
RESPIRATORY	GASTROINTESTINAL	SKIN
Respirations: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Retractions (type) _____ <input type="checkbox"/> Labored Breath Sounds: Clear <input checked="" type="checkbox"/> Right <input checked="" type="checkbox"/> Left Crackles <input type="checkbox"/> Right <input type="checkbox"/> Left Wheezes <input type="checkbox"/> Right <input type="checkbox"/> Left Diminished <input type="checkbox"/> Right <input type="checkbox"/> Left Absent <input type="checkbox"/> Right <input type="checkbox"/> Left <input checked="" type="checkbox"/> Room Air <input type="checkbox"/> Oxygen Oxygen Delivery: <input type="checkbox"/> Nasal Cannula: _____ L/min <input type="checkbox"/> BiPap/CPAP: _____ <input type="checkbox"/> Vent: ETT size _____ @ _____ cm <input type="checkbox"/> Other: _____ Trach: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size _____ Type _____ Obturator at Bedside <input type="checkbox"/> Yes <input type="checkbox"/> No Cough: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Productive <input type="checkbox"/> Nonproductive Secretions: Color _____ Consistency _____ Suction: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Pulse Ox Site _____ Oxygen Saturation: _____	Abdomen: <input checked="" type="checkbox"/> Soft <input type="checkbox"/> Firm <input type="checkbox"/> Flat <input type="checkbox"/> Distended <input type="checkbox"/> Guarded Bowel Sounds: <input checked="" type="checkbox"/> Present X <u>4</u> quads <input checked="" type="checkbox"/> Active <input type="checkbox"/> Hypo <input type="checkbox"/> Hyper <input type="checkbox"/> Absent Nausea: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Vomiting: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Passing Flatus: <input type="checkbox"/> Yes <input type="checkbox"/> No Tube: <input type="checkbox"/> Yes <input type="checkbox"/> No Type _____ Location _____ Inserted to _____ cm <input type="checkbox"/> Suction Type: _____	Color: <input type="checkbox"/> Pink <input type="checkbox"/> Flushed <input type="checkbox"/> Jaundiced <input type="checkbox"/> Cyanotic <input type="checkbox"/> Pale <input checked="" type="checkbox"/> Natural for Pt Condition: <input checked="" type="checkbox"/> Warm <input type="checkbox"/> Cool <input type="checkbox"/> Dry <input type="checkbox"/> Diaphoretic Turgor: <input checked="" type="checkbox"/> < 5 seconds <input type="checkbox"/> > 5 seconds Skin: <input checked="" type="checkbox"/> Intact <input type="checkbox"/> Bruises <input type="checkbox"/> Lacerations <input type="checkbox"/> Tears <input type="checkbox"/> Rash <input type="checkbox"/> Skin Breakdown Location/Description: _____ Mucous Membranes: Color: <u>Pink</u> <input checked="" type="checkbox"/> Moist <input type="checkbox"/> Dry <input type="checkbox"/> Ulceration
	NUTRITIONAL	PAIN
	Diet/Formula: <u>Regular</u> Amount/Schedule: _____ Chewing/Swallowing difficulties: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Scale Used: <input checked="" type="checkbox"/> Numeric <input type="checkbox"/> FLACC <input type="checkbox"/> Faces Location: <u>Lower back</u> Type: _____ Pain Score: <u>8/10</u> 0800 _____ 1200 _____ 1600 _____
	MUSCULOSKELETAL	WOUND/INCISION
	<input checked="" type="checkbox"/> Pain <input type="checkbox"/> Joint Stiffness <input type="checkbox"/> Swelling <input type="checkbox"/> Contracted <input checked="" type="checkbox"/> Weakness <input type="checkbox"/> Cramping <input checked="" type="checkbox"/> Spasms <input type="checkbox"/> Tremors Movement: <input type="checkbox"/> RA <input type="checkbox"/> LA <input type="checkbox"/> RL <input type="checkbox"/> LL <input checked="" type="checkbox"/> All Brace/Appliances: <input type="checkbox"/> None Type: <u>Abdominal binder</u>	<input checked="" type="checkbox"/> None Type: _____ Location: _____ Description: _____ Dressing: _____
	MOBILITY	TUBES/DRAINS
	<input checked="" type="checkbox"/> Ambulatory <input type="checkbox"/> Crawl <input type="checkbox"/> In Arms <input type="checkbox"/> Ambulatory with assist _____ Assistive Device: <input type="checkbox"/> Crutch <input checked="" type="checkbox"/> Walker <input type="checkbox"/> Brace <input type="checkbox"/> Wheelchair <input type="checkbox"/> Bedridden	<input checked="" type="checkbox"/> None <input type="checkbox"/> Drain/Tube Site: _____ Type: _____ Dressing: _____ Suction: _____ Drainage amount: _____ Drainage color: _____

*wrong XB
 pt.
 NO IV
 Removed
 0900*

Pediatric Floor Patient #1

INTAKE/OUTPUT													
PO/Enteral Intake	07	08	09	10	11	12	13	14	15	16	17	18	Total
PO Intake								100ml					
Intake – PO Meds								2 tabs					
Enteral Tube Feeding													
Enteral Flush													
Free Water													
IV INTAKE	07	08	09	10	11	12	13	14	15	16	17	18	Total
IV Fluid													
IV Meds/Flush													
OUTPUT	07	08	09	10	11	12	13	14	15	16	17	18	Total
Urine													
# of immeasurable													
Stool													
Urine/Stool mix													
Emesis													
Other													

Children's Hospital Early Warning Score (CHEWS)	
(See CHEWS Scoring and Escalation Algorithm to score each category)	
Behavior/Neuro	Circle the appropriate score for this category: <input checked="" type="radio"/> 0 1 2 3
Cardiovascular	Circle the appropriate score for this category: <input checked="" type="radio"/> 0 1 2 3
Respiratory	Circle the appropriate score for this category: <input checked="" type="radio"/> 0 1 2 3
Staff Concern	1 pt – Concerned
Family Concern	1 pt – Concerned or absent
CHEWS Total Score	
CHEWS Total Score	Total Score (points) <u>0</u>
	Score 0-2 (Green) – Continue routine assessments
	Score 3-4 (Yellow) – Notify charge nurse or LIP, Discuss treatment plan with team, Consider higher level of care, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications
	Score 5-11 (Red) – Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation, Notify attending physician, Discuss treatment plan with team, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications

Pediatric Floor Patient #2

GENERAL APPEARANCE	CARDIOVASCULAR <i>126</i>	PSYCHOSOCIAL
Appearance: <input checked="" type="checkbox"/> Healthy/Well Nourished <input checked="" type="checkbox"/> Neat/Clean <input type="checkbox"/> Emaciated <input type="checkbox"/> Unkept Developmental age: <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Delayed	Pulse: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input checked="" type="checkbox"/> Strong <input type="checkbox"/> Weak <input type="checkbox"/> Thready <input type="checkbox"/> Murmur <input type="checkbox"/> Other _____ Edema: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Location _____ <input type="checkbox"/> 1+ <input type="checkbox"/> 2+ <input type="checkbox"/> 3+ <input type="checkbox"/> 4+ Capillary Refill: <input type="checkbox"/> < 2 sec <input type="checkbox"/> > 2 sec Pulses: Upper R <u>3+</u> L <u>3+</u> Lower R <u>3+</u> L <u>3+</u> 4+ Bounding 3+ Strong 2+ Weak 1+ Intermittent 0 None	Social Status: <input checked="" type="checkbox"/> Calm/Relaxed <input type="checkbox"/> Quiet <input checked="" type="checkbox"/> Friendly <input type="checkbox"/> Cooperative <input type="checkbox"/> Crying <input type="checkbox"/> Uncooperative <input type="checkbox"/> Restless <input type="checkbox"/> Withdrawn <input type="checkbox"/> Hostile/Anxious Social/emotional bonding with family: <input checked="" type="checkbox"/> Present <input type="checkbox"/> Absent
NEUROLOGICAL LOC: <input checked="" type="checkbox"/> Alert <input type="checkbox"/> Confused <input type="checkbox"/> Restless <input type="checkbox"/> Sedated <input type="checkbox"/> Unresponsive Oriented to: <input type="checkbox"/> Person <input type="checkbox"/> Place <input type="checkbox"/> Time/Event <input checked="" type="checkbox"/> Appropriate for Age Pupil Response: <input checked="" type="checkbox"/> Equal <input type="checkbox"/> Unequal <input checked="" type="checkbox"/> Reactive to Light <input type="checkbox"/> Size <u>mm-3</u> Fontanel: (Pt < 2 years) <input checked="" type="checkbox"/> Soft <input type="checkbox"/> Flat <input type="checkbox"/> Bulging <input type="checkbox"/> Sunken <input type="checkbox"/> Closed Extremities: <input checked="" type="checkbox"/> Able to move all extremities <input checked="" type="checkbox"/> Symmetrically <input checked="" type="checkbox"/> Asymmetrically Grips: Right <u>S</u> Left <u>S</u> Pushes: Right <u>S</u> Left <u>S</u> S=Strong W=Weak N=None EVD Drain: <input type="checkbox"/> Yes <input type="checkbox"/> No Level _____ Seizure Precautions: <input type="checkbox"/> Yes <input type="checkbox"/> No	ELIMINATION Urine Appearance: _____ Stool Appearance: _____ <input type="checkbox"/> Diarrhea <input type="checkbox"/> Constipation <input type="checkbox"/> Bloody <input type="checkbox"/> Colostomy	IV ACCESS Site: _____ <input type="checkbox"/> INT <input checked="" type="checkbox"/> None <input type="checkbox"/> Central Line Type/Location: <u>Removed</u> Appearance: <input checked="" type="checkbox"/> No Redness/Swelling <input type="checkbox"/> Red <input type="checkbox"/> Swollen <input type="checkbox"/> Patent <input type="checkbox"/> Blood return Dressing Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No Fluids: _____
RESPIRATORY Respirations: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Retractions (type) _____ <input type="checkbox"/> Labored Breath Sounds: Clear <input type="checkbox"/> Right <input checked="" type="checkbox"/> Left Crackles <input type="checkbox"/> Right <input type="checkbox"/> Left Wheezes <input type="checkbox"/> Right <input type="checkbox"/> Left Diminished <input type="checkbox"/> Right <input type="checkbox"/> Left <input checked="" type="checkbox"/> Absent <input type="checkbox"/> Right <input type="checkbox"/> Left <input checked="" type="checkbox"/> Room Air <input type="checkbox"/> Oxygen Oxygen Delivery: <input type="checkbox"/> Nasal Cannula: _____ L/min <input type="checkbox"/> BiPap/CPAP: _____ <input type="checkbox"/> Vent: ETT size _____ @ _____ cm <input type="checkbox"/> Other: _____ Trach: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size _____ Type _____ Obturator at Bedside <input type="checkbox"/> Yes <input type="checkbox"/> No Cough: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Productive <input type="checkbox"/> Nonproductive Secretions: Color _____ Consistency _____ Suction: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Pulse Ox Site _____ Oxygen Saturation: _____	GASTROINTESTINAL Abdomen: <input checked="" type="checkbox"/> Soft <input type="checkbox"/> Firm <input type="checkbox"/> Flat <input type="checkbox"/> Distended <input type="checkbox"/> Guarded Bowel Sounds: <input checked="" type="checkbox"/> Present X <u>4</u> quads <input checked="" type="checkbox"/> Active <input type="checkbox"/> Hypo <input type="checkbox"/> Hyper <input type="checkbox"/> Absent Nausea: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Vomiting: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Passing Flatus: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Tube: <input type="checkbox"/> Yes <input type="checkbox"/> No Type _____ Location _____ Inserted to _____ cm <input type="checkbox"/> Suction Type: _____	SKIN Color: <input checked="" type="checkbox"/> Pink <input type="checkbox"/> Flushed <input type="checkbox"/> Jaundiced <input type="checkbox"/> Cyanotic <input checked="" type="checkbox"/> Pale <input checked="" type="checkbox"/> Natural for Pt Condition: <input checked="" type="checkbox"/> Warm <input type="checkbox"/> Cool <input type="checkbox"/> Dry <input type="checkbox"/> Diaphoretic Turgor: <input checked="" type="checkbox"/> < 5 seconds <input type="checkbox"/> > 5 seconds Skin: <input checked="" type="checkbox"/> Intact <input type="checkbox"/> Bruises <input type="checkbox"/> Lacerations <input type="checkbox"/> Tears <input type="checkbox"/> Rash <input type="checkbox"/> Skin Breakdown Location/Description: _____ Mucous Membranes: Color: <u>Pink</u> <input checked="" type="checkbox"/> Moist <input type="checkbox"/> Dry <input type="checkbox"/> Ulceration
	NUTRITIONAL Diet/Formula: <u>Similac Alimentum</u> Amount/Schedule: <u>when hungry</u> Chewing/Swallowing difficulties: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PAIN Scale Used: <input type="checkbox"/> Numeric <input checked="" type="checkbox"/> FLACC <input type="checkbox"/> Faces Location: <u>All</u> Type: _____ Pain Score: 0800 _____ 1200 _____ 1600 _____
	MUSCULOSKELETAL <input type="checkbox"/> Pain <input type="checkbox"/> Joint Stiffness <input type="checkbox"/> Swelling <input type="checkbox"/> Contracted <input type="checkbox"/> Weakness <input type="checkbox"/> Cramping <input type="checkbox"/> Spasms <input type="checkbox"/> Tremors Movement: <input type="checkbox"/> RA <input type="checkbox"/> LA <input type="checkbox"/> RL <input type="checkbox"/> LL <input checked="" type="checkbox"/> All Brace/Appliances: <input checked="" type="checkbox"/> None Type: _____	WOUND/INCISION <input checked="" type="checkbox"/> None Type: _____ Location: _____ Description: _____ Dressing: _____
	MOBILITY <input type="checkbox"/> Ambulatory <input type="checkbox"/> Crawl <input checked="" type="checkbox"/> In Arms <input type="checkbox"/> Ambulatory with assist _____ Assistive Device: <input type="checkbox"/> Crutch <input type="checkbox"/> Walker <input type="checkbox"/> Brace <input type="checkbox"/> Wheelchair <input type="checkbox"/> Bedridden	TUBES/DRAINS <input checked="" type="checkbox"/> None <input type="checkbox"/> Drain/Tube Site: _____ Type: _____ Dressing: _____ Suction: _____ Drainage amount: _____ Drainage color: _____

Pediatric Floor Patient #2

Discharged

INTAKE/OUTPUT													
PO/Enteral Intake	07	08	09	10	11	12	13	14	15	16	17	18	Total
PO Intake													
Intake – PO Meds													
Enteral Tube Feeding													
Enteral Flush													
Free Water													
IV INTAKE	07	08	09	10	11	12	13	14	15	16	17	18	Total
IV Fluid													
IV Meds/Flush													
OUTPUT	07	08	09	10	11	12	13	14	15	16	17	18	Total
Urine													
# of immeasurable													
Stool													
Urine/Stool mix													
Emesis													
Other													

Children's Hospital Early Warning Score (CHEWS)	
(See CHEWS Scoring and Escalation Algorithm to score each category)	
Behavior/Neuro	Circle the appropriate score for this category: <input checked="" type="radio"/> 0 1 2 3
Cardiovascular	Circle the appropriate score for this category: <input checked="" type="radio"/> 0 1 2 3
Respiratory	Circle the appropriate score for this category: <input checked="" type="radio"/> 0 1 2 3
Staff Concern	1 pt - Concerned
Family Concern	1 pt – Concerned or absent
CHEWS Total Score	
CHEWS Total Score	Total Score (points) <u>0</u>
	Score 0-2 (Green) – Continue routine assessments
	Score 3-4 (Yellow) – Notify charge nurse or LIP, Discuss treatment plan with team, Consider higher level of care, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications
	Score 5-11 (Red) – Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation, Notify attending physician, Discuss treatment plan with team, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications

Student Name: Xavier Brisero

Unit: PEDI

Pt. Initials: WU

Date: 11/14/23

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies: Toradol (Ketorolac)

385

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Therapeutic Range?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				Is med in therapeutic range?			
				If not, why?			
Ibuprofen (Motrin)	Analgesic NSAID	Analgesic	400mg 2/100mg tabs	4-10mg/kg/dose Not in range lower starting dose (Fixed Dose)		Bleeding MI/Stroke risk Stomach/Bowel Ulcers	1. Stool assessment 2. Nausea/Vomiting bleeding 3. Abdominal assessment 4. Dizziness
Docusate-Senna (Seno-Kot-S)	Laxative	Constipation	2 tabs 50mg/tab 100mg/dose	initial 100mg yes		Rectal bleeding	1. Don't give other laxatives 2. I/E No BM after medication tell DR 3. take the full glass of water 4. Assess Bowel habits before Admin
							1. 2. 3. 4.
							1. 2. 3. 4.
							1. 2. 3. 4.

Student Name: Kawser Briseno

Unit: DEDI

Pt. Initials: LN

Date: 11/14/23

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies: NKDA

377

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
D5 1/2 NS 15ml/hr	Isotonic/ Hypotonic/ <u>Hypertonic</u>	Maintenance fluid req.	Na Blood Glucose	Hypervolemia

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Therapeutic Range?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				Is med in therapeutic range?			
				If not, why?			
							1. 2. 3. 4.
							1. 2. 3. 4.
							1. 2. 3. 4.
							1. 2. 3. 4.
							1. 2. 3. 4.

Xavier

Pediatric ED Reflection Questions

- ① What types of patients (diagnoses) did you see in the PED?
Seizures / Asthma / Hemophilia
- ② The majority of the patients who came in to the PED were from which age group? Was this what you expected?
17mo 2y, 3y, 4y, 5y, 6y, 5, 11 I expected school age due to the high population.
School age was the most common age.
- ③ Was your overall experience different than what you expected? Please give examples.
I expected a designated trauma nurse and there is not one.
4. How did growth and development come into play when caring for patients (both in triage and in treatment rooms)?
5. What types of procedures did you observe or assist with?
IV removal / IV start / sutures / Xray
6. What community acquired diseases are trending currently?
7. What community mental health trends are being seen in the pediatric population?
8. What patient population is the most vulnerable?
9. What is the process for debriefing after a traumatic event?
10. If someone donated \$100 million to the PED, what would you change?
New TVs / New floors / General Re-model
11. What is the process for triaging patients in the PED?
12. What role does the Child Life Specialist play in the PED?