

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
Click here to enter text.	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Click here to enter text.	Click here to enter text.	Click here to enter text.

Student Name: Jazmine Salazar		Unit: IM6	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Hydroxyzine pamoate	Antihistamine	Anxiety	25mg PO PRN q6	Yes Click here to enter text.	Click here to enter text.	Drowsiness, Headache, Dry mouth	1. Avoid activities requiring alertness 2. May be taken with or without food 3. Avoid alcohol 4. Avoid if pregnant or trying to get pregnant
lorazepam	Benzodiazepine	Alcohol withdrawal / anxiety	1-2 mg PO PRN q4 hours	Yes Choose an item. Click here to enter text.	Click here to enter text.	Drowsiness, Dizziness, Weakness, feeling unsteady	1. BBW: asses abuse, misuse, addiction 2. Avoid alcohol enhance SE 3. Do not stop suddenly, withdrawal 4. Monitor for respiratory depression
haldol	antipsychotic	for psychotic symptoms/agitation	10 mg IM PRN q8	Yes Choose an item. Click here to enter text.	Click here to enter text.	Hyperactivity, Increased muscle tone, Drowsy, Tremor	1. BBW: Increase mortality, dementia related psychosis 2. Monitor VS, mental status 3. Stay hydrated 4. Avoid strenuous activity

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Jazmine Salazar		Unit: IM6	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
diphenhydramine	antihistamine	management of cholinergic effects of antipsychotic	50 mg IM q8 PRN psychotic symptoms	Choose an item. Yes		Dry mouth, Drowsiness, Dizziness	1. Avoid activities requiring alertness 2. Chew gum with dry mouth 3. Increase fluid intake 4. Avoid alcohol
acetaminophen	Analgesic/antipyretic	Mild-moderate pain	500 mg PO q6 for pain of 1-4 on pain scale	Yes Click here to enter text.	Click here to enter text.	N/V, Constipation, Headache, Insomnia, Agitation	1. May be taken without food 2. Do not exceed 4000mg in 24hrs 3. Avoid alcohol due to liver toxicity 4. Watch for dark urine or clay stool
olanzapine	antipsychotic	Agitation/psychotic behavior	5 mg PO q6 for agitation	Yes Click here to enter text.	Click here to enter text.	Orthostatic hypotension, Wt gain, Personality disorder	1. BBW: Increase mortality, dementia related psychosis 2. Stay hydrated 3. Increases appetite 4. Avoid alcohol
ibuprofen	NSAID	Mild-moderate pain	400 mg PO q6 for pain of 1-4 on pain scale	Yes Choose an item. Click here to enter text.	Click here to enter text.	Dizziness, Headache	1. Report any bleeding 2. Avoid Aspirin or other NSAIDs 3. Do not drink or smoke 4. Do not take if pregnant

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Jazmine Salazar		Unit: IM6	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
risperdal	antipsychotic	Psychotic behavior/bipolar mania	1 mg tablet PO BID	Yes Click here to enter text.	Click here to enter text.	Anxiety, Weight gain, Constipation, N/V	1. BBW: increase mortality, dementia related psychosis 2. Stay hydrated 3. Avoid strenuous activity 4. Avoid alcohol
Nicotine patch	Stimulant	Nicotine replacement	21 mg transdermal patch daily	Yes Choose an item. Click here to enter text.	Click here to enter text.	Skin irritation, Headache, Insomnia	1. Remove previous patch 2. Apply on dry, clean, hairless skin 3. If any sleep issues, report to Dr. 4. Do not use any other source of nicotine
ziprasidone	antipsychotic	Psychotic behavior/bipolar disorder/mania	40 mg PO BID	Yes Click here to enter text.	Click here to enter text.	Agitation, Anxiety, Dizziness, Weakness, HA	1. BBW: Increase mortality, demntia related psychosis 2. Take with food 3. Do not get up too quickly 4. Avoid alcohol
prazosin	Alpha-blocker	Nightmares	1 mg PO QHS	Yes Choose an item. Click here to enter text.	Click here to enter text.	Weakness Dizziness, Headache, orthostatic hypotension, palpitations	1. Report rapid heartbeat 2. Rise slowly 3. May cause fainting 4. Avoid alcohol

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Jazmine Salazar		Unit: IM6	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Nicotine inhaler	Stimulant	Nicotine replacement	10 mg cartridge for inhalation Q2	Yes Click here to enter text.	Click here to enter text.	Dizziness, HA, Insomnia	<ol style="list-style-type: none"> 1. Report rapid heartbeat 2. Should not be used >6 months 3. Use regularly during 1st week 4. Remove/ discard used cartridge
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.