

Adult/Geriatric Medication Worksheet - Current Medications & PRN from 0700-1400 current day

Generic Name	Dosage with route and schedule	IVP-List diluent solution, volume, and rate of administration IVPB- List concentration and rate of administration	Patient specific therapeutic reasoning	Patient specific teaching with reasoning
Ondansetron	16mg / Oral / Take 1 hour before anesthesia.		Nausea and Vomiting	<ol style="list-style-type: none"> 1. Notify the nurse before you get up from bed. 2. Notify your HCP if you are experiencing any blurred vision or vision loss. 3. Do not swallow the tablet, instead let it dissolve in your mouth without chewing. 4. Be careful if you plan on driving after taking the medication since it can impair thinking and reactions.
Metoprolol	100mg / Oral / QD		Hypertension	<ol style="list-style-type: none"> 1. Notify your HCP if you start developing a cold feeling in your hands and feet. 2. Do not stop abruptly 3. Notify your HCP if you are pregnant or plan to become pregnant. 4. Take the medication at the same time each day and if you miss a dose then take as soon as possible up to 8hr before next dose.
Levofloxacin	500 mg/ Oral / QD		Bacterial Infections	<ol style="list-style-type: none"> 1. Notify your HCP if you have any pain near or behind your ankle. 2. Notify your HCP if you start feeling any numbness or tingling

Adult/Geriatric Medication Worksheet - Current Medications & PRN from 0700-1400 current day

				<p>in your hands, arms, legs, or feet.</p> <ol style="list-style-type: none"> 3. Make sure to take 1 hour before or 2 hours after eating. 4. Wear protective clothing due to increased photosensitivity.
Vancomycin	250 mg / Oral / QID		Staphylococcus aureus (Staph) infections	<ol style="list-style-type: none"> 1. Notify your HCP if you have a distorted sense of taste. 2. Do not stop taking vancomycin even if you feel better. 3. Notify your HCP if you are experiencing decreased urination and any swelling and any unusual tiredness or weakness. 4. Notify your HCP if you are having any leg cramps.
Prednisone	60 mg / Oral / QD		Inflammation	<ol style="list-style-type: none"> 1. Notify your HCP if you think you may have been around someone who had chicken pox or measles. 2. Notify your HCP if you are experiencing shaking of the hands that you cannot control. 3. Notify your HCP if you are having any vision problems. 4. Notify your HCP if you are having difficulty falling asleep or staying asleep.

Adult/Geriatric Medication Worksheet - Current Medications & PRN from 0700-1400 current day

				1. 2. 3. 4.

Allergies:

Primary IV fluid and rate:

Patient specific reasoning for IV fluids (including type isotonic, hypotonic, hypertonic):

Medication reference: Drugs.com (App, and Website), and the National Library of Medicine, and Nursing Central, and MedlinePlus and Lecture.