

Student Name: Jarrett Evans

Unit: Pedi

Pt. Initials: NG

Date: 2/13/24

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies: NKDA

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
D5NS+ 20 mEq KCL	<u>Isotonic</u> Hypotonic/ Hypertonic	Hydration	K+, Na+, BG	Hyperkalemia

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Therapeutic Range?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				Is med in therapeutic range?			
				If not, why?			
Ketorolac (Toradol)	NSAID Analgesic	Moderate Pain	21.6 mg IV PRN q6hrs	15 mg q6hrs No, too high	IVP Undiluted Pushed over 5 mins	Increase bleeding risk	1. Not used for long term use <5 days 2. May cause fluid retention- I&Os 3. Watch out for bleeding- look at stools 4. Look at kidney labs- don't use w/ renal issues
							1. 2. 3. 4.
							1. 2. 3. 4.
							1. 2. 3. 4.
							1. 2. 3. 4.

Student Name: _____

Unit: _____

Pt. Initials: _____

Date: _____

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies: _____

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Therapeutic Range?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				Is med in therapeutic range?			
				If not, why?			
							1. 2. 3. 4.
							1. 2. 3. 4.
							1. 2. 3. 4.
							1. 2. 3. 4.
							1. 2. 3. 4.

IM5 Clinical Worksheet – Pediatric Floor

Student Name: Jarrett Evans Date: 2/13/24	Patient Age: 3 Years Patient Weight: 13 kg
1. Admitting Diagnosis: RSV	2. Priority Focused Assessment You Will Perform Related to the Diagnosis: Respiratory Assessments
3. Signs and Symptoms: Runny Nose, Fever, Sore Throat, Congestion Cough, Nasal drainage, Dyspnea, Tachypnea Wheezing	4. Diagnostic Tests Pertinent to or Confirming of Diagnosis: Rapid RSV antigen test
5. Lab Values That May Be Affected: Low serum levels- dehydration Increased WBC- secondary infections	6. Current Treatment (Include Procedures): Supplemental O ₂ Antibiotics- for pneumonia (secondary infection) Antipyretics
7. Pain & Discomfort Management: List 2 Developmentally Appropriate Non-Pharmacologic Interventions Related to Pain & Discomfort for This Patient. <ol style="list-style-type: none"> 1. Allowing the brother to play with patient (Family centered care) 2. humidified oxygen to thin secretions to make breathing easier 	8. Patient/Caregiver Teaching: <ol style="list-style-type: none"> 1. Keep vaccinations up to date 2. Hand hygiene 3. Encourage soft foods and fluid diet Any Safety Issues identified:

Student Name: Date:	Patient Age: Patient Weight: kg
9. Calculate the Maintenance Fluid Requirement (Show Your Work): $10 \times 100 = 1000$ $(1000 + 150) / 24 =$ $3 \times 50 = 150$ 47.9 mL/hr Actual Pt MIVF Rate: No IVF running, we were encouraging ORT. 88.5 mL/hr Is There a Significant Discrepancy Between Calculated and Actual Rate? No If Yes, Why is There a Discrepancy?	10. Calculate the Minimum Acceptable Urine Output Requirement (Show Your Work): $13 \times 5 = 6.5 \text{ mL/hr}$ Actual Urine Output During Your Shift (mL/hr): 23.6 mL/hr
11. Growth & Development: *List the Developmental Stage of Your Patient For Each Theorist Below. *Document 2 OBSERVED Developmental Behaviors for Each Theorist. *If Developmentally Delayed, Identify the Stage You Would Classify the Patient: Erickson Stage: <i>Autonomy Vs. Shame and doubt</i> 1. The patient was able to eat by himself without help 2. The patient picked out what show he wanted to watch on his iPad Piaget Stage: <i>Preoperational</i> 1. <i>Magical thought- he was watching a show with talking construction machines</i> 2. <i>Egocentrism- I had some difficulty doing my assessment because it interfered with him watching his show</i>	
Please list any medications you administered or procedures you performed during your shift: <i>I didn't give any medication or do any procedures for this patient during my 5 hours</i>	

Pediatric Floor Patient #1

GENERAL APPEARANCE	CARDIOVASCULAR	PSYCHOSOCIAL
Appearance: <input checked="" type="checkbox"/> Healthy/Well Nourished <input type="checkbox"/> Neat/Clean <input type="checkbox"/> Emaciated <input type="checkbox"/> Unkept Developmental age: <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Delayed	Pulse: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input checked="" type="checkbox"/> Strong <input type="checkbox"/> Weak <input type="checkbox"/> Thready <input type="checkbox"/> Murmur <input type="checkbox"/> Other _____ Edema: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Location _____ <input type="checkbox"/> 1+ <input type="checkbox"/> 2+ <input type="checkbox"/> 3+ <input type="checkbox"/> 4+ Capillary Refill: <input checked="" type="checkbox"/> < 2 sec <input type="checkbox"/> > 2 sec	Social Status: <input checked="" type="checkbox"/> Calm/Relaxed <input type="checkbox"/> Quiet <input checked="" type="checkbox"/> Friendly <input type="checkbox"/> Cooperative <input type="checkbox"/> Crying <input type="checkbox"/> Uncooperative <input type="checkbox"/> Restless <input checked="" type="checkbox"/> Withdrawn <input type="checkbox"/> Hostile/Anxious Social/emotional bonding with family: <input checked="" type="checkbox"/> Present <input type="checkbox"/> Absent
NEUROLOGICAL	ELIMINATION	IV ACCESS
LOC: <input checked="" type="checkbox"/> Alert <input type="checkbox"/> Confused <input type="checkbox"/> Restless <input type="checkbox"/> Sedated <input type="checkbox"/> Unresponsive Oriented to: <input checked="" type="checkbox"/> Person <input checked="" type="checkbox"/> Place <input checked="" type="checkbox"/> Time/Event <input checked="" type="checkbox"/> Appropriate for Age Pupil Response: <input checked="" type="checkbox"/> Equal <input type="checkbox"/> Unequal <input type="checkbox"/> Reactive to Light <input type="checkbox"/> Size <u>4mm</u> Fontanel: (Pt < 2 years) <input type="checkbox"/> Soft <input type="checkbox"/> Flat <input type="checkbox"/> Bulging <input type="checkbox"/> Sunken <input type="checkbox"/> Closed Extremities: <input checked="" type="checkbox"/> Able to move all extremities <input checked="" type="checkbox"/> Symmetrically <input type="checkbox"/> Asymmetrically Grips: Right <u>S</u> Left <u>S</u> Pushes: Right <u>S</u> Left <u>S</u> S=Strong W=Weak N=None EVD Drain: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Level _____ Seizure Precautions: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pulses: Upper R <u>3+</u> L <u>3+</u> Lower R <u>2+</u> L <u>3+</u> 4+ Bounding 3+ Strong 2+ Weak 1+ Intermittent 0 None	Site: <u>Not IV</u> <input type="checkbox"/> INT <input type="checkbox"/> None <input type="checkbox"/> Central Line Type/Location: _____ Appearance: <input type="checkbox"/> No Redness/Swelling <input type="checkbox"/> Red <input type="checkbox"/> Swollen <input type="checkbox"/> Patent <input type="checkbox"/> Blood return Dressing Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No Fluids: _____
RESPIRATORY	GASTROINTESTINAL	SKIN
Respirations: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Retractions (type) _____ <input type="checkbox"/> Labored Breath Sounds: Clear <input type="checkbox"/> Right <input checked="" type="checkbox"/> Left Crackles <input type="checkbox"/> Right <input type="checkbox"/> Left Wheezes <input type="checkbox"/> Right <input type="checkbox"/> Left Diminished <input checked="" type="checkbox"/> Right <input type="checkbox"/> Left Absent <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Room Air <input type="checkbox"/> Oxygen Oxygen Delivery: <input checked="" type="checkbox"/> Nasal Cannula: <u>3</u> L/min <input type="checkbox"/> BiPap/CPAP: _____ <input type="checkbox"/> Vent: ETT size _____ @ _____ cm <input type="checkbox"/> Other: _____ Trach: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size _____ Type _____ Obturator at Bedside <input type="checkbox"/> Yes <input type="checkbox"/> No Cough: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Productive <input checked="" type="checkbox"/> Nonproductive Secretions: Color _____ Consistency _____ Suction: <input type="checkbox"/> Yes <input type="checkbox"/> No Type _____ Pulse Ox Site: <u>Rt Ft</u> Oxygen Saturation: <u>95</u>	Urine Appearance: <u>Yellow</u> Stool Appearance: <u>Brown, solid</u> <input type="checkbox"/> Diarrhea <input type="checkbox"/> Constipation <input type="checkbox"/> Bloody <input type="checkbox"/> Colostomy	Color: <input checked="" type="checkbox"/> Pink <input type="checkbox"/> Flushed <input type="checkbox"/> Jaundiced <input type="checkbox"/> Cyanotic <input type="checkbox"/> Pale <input checked="" type="checkbox"/> Natural for Pt Condition: <input type="checkbox"/> Warm <input type="checkbox"/> Cool <input type="checkbox"/> Dry <input type="checkbox"/> Diaphoretic Turgor: <input checked="" type="checkbox"/> < 5 seconds <input type="checkbox"/> > 5 seconds Skin: <input checked="" type="checkbox"/> Intact <input type="checkbox"/> Bruises <input type="checkbox"/> Lacerations <input type="checkbox"/> Tears <input type="checkbox"/> Rash <input type="checkbox"/> Skin Breakdown Location/Description: _____ Mucous Membranes: Color: _____ <input checked="" type="checkbox"/> Moist <input type="checkbox"/> Dry <input type="checkbox"/> Ulceration
	NUTRITIONAL	PAIN
	Abdomen: <input checked="" type="checkbox"/> Soft <input type="checkbox"/> Firm <input type="checkbox"/> Flat <input type="checkbox"/> Distended <input type="checkbox"/> Guarded Bowel Sounds: <input checked="" type="checkbox"/> Present X <u>4</u> quads <input type="checkbox"/> Active <input type="checkbox"/> Hypo <input type="checkbox"/> Hyper <input type="checkbox"/> Absent Nausea: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Vomiting: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Passing Flatus: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Tube: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Location _____ Inserted to _____ cm <input type="checkbox"/> Suction Type: _____	Scale Used: <input type="checkbox"/> Numeric <input checked="" type="checkbox"/> PLACC <input type="checkbox"/> Faces Location: _____ Type: _____ Pain Score: 0800 _____ 1200 <u>0</u> 1600 <u>0</u>
RESPIRATORY	MUSCULOSKELETAL	WOUND/INCISION
	Diet/Formula: _____ Amount/Schedule: <u>3x/day w/</u> Chewing/Swallowing difficulties: <u>Snacks</u> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> None Type: _____ Location: _____ Description: _____ Dressing: _____
RESPIRATORY	MOBILITY	TUBES/DRAINS
	<input type="checkbox"/> Pain <input type="checkbox"/> Joint Stiffness <input type="checkbox"/> Swelling <input type="checkbox"/> Contracted <input type="checkbox"/> Weakness <input type="checkbox"/> Cramping <input type="checkbox"/> Spasms <input type="checkbox"/> Tremors Movement: <input type="checkbox"/> RA <input type="checkbox"/> LA <input type="checkbox"/> RL <input type="checkbox"/> LL <input checked="" type="checkbox"/> All Brace/Appliances: <input checked="" type="checkbox"/> None Type: _____	<input checked="" type="checkbox"/> None Drain/Tube Site: _____ Type: _____ Dressing: _____ Suction: _____ Drainage amount: _____ Drainage color: _____

Pediatric Floor Patient #1

INTAKE/OUTPUT													
PO/Enteral Intake	07	08	09	10	11	12	13	14	15	16	17	18	Total
PO Intake													
Intake – PO Meds													
Enteral Tube Feeding													
Enteral Flush													
Free Water							237		118				
IV INTAKE	07	08	09	10	11	12	13	14	15	16	17	18	Total
IV Fluid													
IV Meds/Flush													
OUTPUT	07	08	09	10	11	12	13	14	15	16	17	18	Total
Urine								118					
# of immeasurable													
Stool													
Urine/Stool mix													
Emesis													
Other													

Children's Hospital Early Warning Score (CHEWS)	
(See CHEWS Scoring and Escalation Algorithm to score each category)	
Behavior/Neuro	Circle the appropriate score for this category: <input checked="" type="radio"/> 0 1 2 3
Cardiovascular	Circle the appropriate score for this category: <input checked="" type="radio"/> 0 1 2 3
Respiratory	Circle the appropriate score for this category: <input checked="" type="radio"/> 0 1 2 3
Staff Concern	1 pt – Concerned
Family Concern	1 pt – Concerned or absent
CHEWS Total Score	
CHEWS Total Score	Total Score (points) <input type="text" value="0"/>
	Score 0-2 (Green) – Continue routine assessments
	Score 3-4 (Yellow) – Notify charge nurse or LIP, Discuss treatment plan with team, Consider higher level of care, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications
	Score 5-11 (Red) – Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation, Notify attending physician, Discuss treatment plan with team, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications

Pediatric Floor Patient #2

GENERAL APPEARANCE	CARDIOVASCULAR	PSYCHOSOCIAL
Appearance: <input checked="" type="checkbox"/> Healthy/Well Nourished <input type="checkbox"/> Neat/Clean <input type="checkbox"/> Emaciated <input type="checkbox"/> Unkept Developmental age: <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Delayed	Pulse: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Strong <input type="checkbox"/> Weak <input type="checkbox"/> Thready <input type="checkbox"/> Murmur <input type="checkbox"/> Other _____ Edema: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Location _____ <input type="checkbox"/> 1+ <input type="checkbox"/> 2+ <input type="checkbox"/> 3+ <input type="checkbox"/> 4+ Capillary Refill: <input checked="" type="checkbox"/> < 2 sec <input type="checkbox"/> > 2 sec	Social Status: <input checked="" type="checkbox"/> Calm/Relaxed <input type="checkbox"/> Quiet <input checked="" type="checkbox"/> Friendly <input type="checkbox"/> Cooperative <input type="checkbox"/> Crying <input type="checkbox"/> Uncooperative <input type="checkbox"/> Restless <input type="checkbox"/> Withdrawn <input type="checkbox"/> Hostile/Anxious Social/emotional bonding with family: <input checked="" type="checkbox"/> Present <input type="checkbox"/> Absent
NEUROLOGICAL	ELIMINATION	IV ACCESS
LOC: <input checked="" type="checkbox"/> Alert <input type="checkbox"/> Confused <input type="checkbox"/> Restless <input type="checkbox"/> Sedated <input type="checkbox"/> Unresponsive Oriented to: <input checked="" type="checkbox"/> Person <input checked="" type="checkbox"/> Place <input checked="" type="checkbox"/> Time/Event <input checked="" type="checkbox"/> Appropriate for Age Pupil Response: <input checked="" type="checkbox"/> Equal <input type="checkbox"/> Unequal <input type="checkbox"/> Reactive to Light <input type="checkbox"/> Size <u>4mm</u> Fontanel: (Pt < 2 years) <input type="checkbox"/> Soft <input type="checkbox"/> Flat <input type="checkbox"/> Bulging <input type="checkbox"/> Sunken <input type="checkbox"/> Closed Extremities: <input checked="" type="checkbox"/> Able to move all extremities <input checked="" type="checkbox"/> Symmetrically <input type="checkbox"/> Asymmetrically Grips: Right <u>3</u> Left <u>3</u> Pushes: Right <u>3</u> Left <u>3</u> S=Strong W=Weak N=None EVD Drain: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Level _____ Seizure Precautions: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pulses: Upper R <u>3+</u> <u>3+</u> Lower R <u>3+</u> L <u>3+</u> 4+ Bounding 3+ Strong 2+ Weak 1+ Intermittent 0 None	Site: <u>L FA</u> <input type="checkbox"/> INT <input type="checkbox"/> None <input type="checkbox"/> Central/Line Type/Location: <u>2/9</u> Appearance: <input type="checkbox"/> No Redness/Swelling <input type="checkbox"/> Red <input type="checkbox"/> Swollen <input type="checkbox"/> Patent <input type="checkbox"/> Blood return Dressing Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Fluids: <u>D5NS 2 20ml</u>
RESPIRATORY	GASTROINTESTINAL	SKIN
Respirations: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Retractions (type) _____ <input type="checkbox"/> Labored Breath Sounds: Clear <input checked="" type="checkbox"/> Right <input checked="" type="checkbox"/> Left Crackles <input type="checkbox"/> Right <input type="checkbox"/> Left Wheezes <input type="checkbox"/> Right <input type="checkbox"/> Left Diminished <input type="checkbox"/> Right <input type="checkbox"/> Left Absent <input type="checkbox"/> Right <input type="checkbox"/> Left <input checked="" type="checkbox"/> Room Air <input type="checkbox"/> Oxygen	Urine Appearance: <u>Yellow</u> Stool Appearance: <u>Brown</u> <input type="checkbox"/> Diarrhea <input type="checkbox"/> Constipation <input type="checkbox"/> Bloody <input type="checkbox"/> Colostomy <u>LBA 2/11</u>	Color: <input checked="" type="checkbox"/> Pink <input type="checkbox"/> Flushed <input type="checkbox"/> Jaundiced <input type="checkbox"/> Cyanotic <input type="checkbox"/> Pale <input checked="" type="checkbox"/> Natural for Pt Condition: <input checked="" type="checkbox"/> Warm <input type="checkbox"/> Cool <input type="checkbox"/> Dry <input type="checkbox"/> Diaphoretic Turgor: <input checked="" type="checkbox"/> < 5 seconds <input type="checkbox"/> > 5 seconds Skin: <input checked="" type="checkbox"/> Intact <input type="checkbox"/> Bruises <input type="checkbox"/> Lacerations <input type="checkbox"/> Tears <input type="checkbox"/> Rash <input type="checkbox"/> Skin Breakdown Location/Description: _____ Mucous Membranes: Color: _____ <input checked="" type="checkbox"/> Moist <input type="checkbox"/> Dry <input type="checkbox"/> Ulceration
NUTRITIONAL	MUSCULOSKELETAL	PAIN
Respirations: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Retractions (type) _____ <input type="checkbox"/> Labored Breath Sounds: Clear <input checked="" type="checkbox"/> Right <input checked="" type="checkbox"/> Left Crackles <input type="checkbox"/> Right <input type="checkbox"/> Left Wheezes <input type="checkbox"/> Right <input type="checkbox"/> Left Diminished <input type="checkbox"/> Right <input type="checkbox"/> Left Absent <input type="checkbox"/> Right <input type="checkbox"/> Left <input checked="" type="checkbox"/> Room Air <input type="checkbox"/> Oxygen Oxygen Delivery: <input type="checkbox"/> Nasal Cannula: _____ L/min <input type="checkbox"/> BiPap/CPAP: _____ <input type="checkbox"/> Vent: ETT size _____ @ _____ cm <input type="checkbox"/> Other: _____ Trach: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size _____ Type _____ Obturator at Bedside <input type="checkbox"/> Yes <input type="checkbox"/> No Cough: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Productive <input type="checkbox"/> Nonproductive Secretions: Color _____ Consistency _____ Suction: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Pulse Ox Site: <u>Rx hand</u> Oxygen Saturation: <u>95</u>	Abdomen: <input type="checkbox"/> Soft <input type="checkbox"/> Firm <input type="checkbox"/> Flat <input type="checkbox"/> Distended <input type="checkbox"/> Guarded Bowel Sounds: <input type="checkbox"/> Present X _____ quads <input type="checkbox"/> Active <input type="checkbox"/> Hypo <input type="checkbox"/> Hyper <input checked="" type="checkbox"/> Absent Nausea: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Vomiting: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Passing Flatus: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Tube: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Location _____ Inserted to _____ cm <input type="checkbox"/> Suction Type: _____	Scale Used: <input type="checkbox"/> Numeric <input type="checkbox"/> FLACC <input type="checkbox"/> Faces Location: <u>Surgical site</u> Type: <u>Soreness</u> Pain Score: 0800 _____ 1200 <u>7</u> 1600 <u>3</u>
MOBILITY	TUBES/DRAINS	WOUND/INCISION
<input checked="" type="checkbox"/> Ambulatory <input type="checkbox"/> Crawl <input type="checkbox"/> In Arms <input type="checkbox"/> Ambulatory with assist _____ Assistive Device: <input type="checkbox"/> Crutch <input type="checkbox"/> Walker <input type="checkbox"/> Brace <input type="checkbox"/> Wheelchair <input type="checkbox"/> Bedridden	None Drain/Tube Site: _____ Type: _____ Dressing: _____ Suction: _____ Drainage amount: _____ Drainage color: _____	<input type="checkbox"/> None Type: <u>Surgical</u> Location: <u>Umbilicus, LUQ, LLQ</u> Description: <u>3 trocar site</u> Dressing: <u>Cotton ball, cloth dressing</u>

Pediatric Floor Patient #2

INTAKE/OUTPUT													
PO/Enteral Intake	07	08	09	10	11	12	13	14	15	16	17	18	Total
PO Intake													
Intake – PO Meds													
Enteral Tube Feeding													
Enteral Flush													
Free Water													
IV INTAKE	07	08	09	10	11	12	13	14	15	16	17	18	Total
IV Fluid						40	80						
IV Meds/Flush							10.72						
<i>Not watching output</i>													
OUTPUT	07	08	09	10	11	12	13	14	15	16	17	18	Total
Urine													
# of immeasurable													
Stool													
Urine/Stool mix													
Emesis													
Other													

Children's Hospital Early Warning Score (CHEWS) (See CHEWS Scoring and Escalation Algorithm to score each category)	
Behavior/Neuro	Circle the appropriate score for this category: <input checked="" type="radio"/> 0 1 2 3
Cardiovascular	Circle the appropriate score for this category: <input checked="" type="radio"/> 0 1 2 3
Respiratory	Circle the appropriate score for this category: <input checked="" type="radio"/> 0 1 2 3
Staff Concern	1 pt - Concerned
Family Concern	1 pt – Concerned or absent
CHEWS Total Score	
CHEWS Total Score	Total Score (points) <input type="checkbox"/>
	Score 0-2 (Green) – Continue routine assessments
	Score 3-4 (Yellow) – Notify charge nurse or LIP, Discuss treatment plan with team, Consider higher level of care, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications
	Score 5-11 (Red) – Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation, Notify attending physician, Discuss treatment plan with team, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications

CHEWS Scoring and Escalation Algorithm

	0	1	2	3
Behavior/Neuro	<ul style="list-style-type: none"> - Playing/sleeping appropriately OR - Alert, at patient's baseline 	<ul style="list-style-type: none"> - Sleepy, somnolent when not disturbed 	<ul style="list-style-type: none"> - Irritable, difficult to console OR - Increase in patient's baseline seizure activity 	<ul style="list-style-type: none"> - Lethargic, confused, floppy OR - Reduced response to pain OR - Prolonged or frequent seizures OR - Pupils asymmetrical or sluggish
Cardiovascular	<ul style="list-style-type: none"> - Skin tone appropriate for patient - Capillary refill ≤ 2 seconds 	<ul style="list-style-type: none"> - Pale OR - Capillary refill 3-4 seconds OR - Mild tachycardia OR - Intermittent ectopy or irregular HR (not new) 	<ul style="list-style-type: none"> - Grey OR - Capillary refill 4-5 seconds OR - Moderate tachycardia 	<ul style="list-style-type: none"> - Grey and mottled OR - Capillary refill > 5 seconds OR - Severe tachycardia OR - New onset bradycardia OR - New onset/increase in ectopy, irregular HR or heart block
Respiratory	<ul style="list-style-type: none"> - Within normal parameters - No retractions 	<ul style="list-style-type: none"> - Mild tachypnea/increased WOB (flaring, retracting) OR - Up to 40% supplemental oxygen OR - Up to 1L NC $>$ patient's baseline need OR - Mild desaturations $<$ patient's baseline OR - Intermittent apnea self-resolving 	<ul style="list-style-type: none"> - Moderate tachypnea/increased WOB (i.e. flaring, retracting, grunting, use of accessory muscles) OR - 40-60% oxygen via mask OR - 1-2 L NC $>$ patient's baseline need OR - Nebs Q 1-2 hour OR - Moderate desaturations $<$ patient's baseline OR - Apnea requiring repositioning or stimulation 	<ul style="list-style-type: none"> - Severe tachypnea OR - RR $<$ normal for age OR - Severe increased WOB (i.e. head bobbing, paradoxical breathing) OR - $> 60\%$ oxygen via mask OR - > 2 L NC more than patient's baseline need OR - Nebs Q 30 minutes – 1 hour OR - Severe desaturations $<$ patient's baseline OR - Apnea requiring interventions other than repositioning or stimulation
Staff Concern		- Concerned		
Family Concern		- Concerned or absent		

Green = Score 0-2	Yellow = Score 3-4	Red = Score 5-11
<ul style="list-style-type: none"> - Continue Routine Assessments 	<ul style="list-style-type: none"> - Notify charge nurse or LIP - Discuss treatment plan with team - Consider higher level of care - Increase frequency of vital signs / CHEWS / assessments - Document interventions and notifications 	<ul style="list-style-type: none"> - Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation - Notify attending physician - Discuss treatment plan with team - Increase frequency of vital signs / CHEWS / assessments - Document interventions and notifications

A PEDIATRIC CODE CAN BE ACTIVATED AT ANYTIME BY ANYONE
Use SBAR communication

Reference: McLellan, M.C., et al., Validation of the Children's Hospital Early Warning System for Critical Deterioration Recognition, Journal of Pediatric Nursing (2016), <http://dx.doi.org/10.1016/j.pedn.2016.10.005>

Pediatric ED Reflection Questions

1. What types of patients (diagnoses) did you see in the PED?

2. The majority of the patients who came in to the PED were from which age group? Was this what you expected?

3. Was your overall experience different than what you expected? Please give examples.

4. How did growth and development come into play when caring for patients (both in triage and in treatment rooms)?

5. What types of procedures did you observe or assist with?

6. What community acquired diseases are trending currently?

7. What community mental health trends are being seen in the pediatric population?

8. What patient population is the most vulnerable?

9. What is the process for debriefing after a traumatic event?

10. If someone donated \$100 million to the PED, what would you change?

11. What is the process for triaging patients in the PED?

12. What role does the Child Life Specialist play in the PED?

1. I saw patients with Chest pain, Leg Fx, Leg Laceration, Trouble breathing

2. School-age child and adolescents were the age groups that I mainly saw. I was expecting the full spectrum of pediatric age range

3. I was excited going to the emergency room. It is something I am interested in working when I graduate. I got to see a variety of kids and a variety of issues. It was slower and smaller than I thought it would be.

4. Most of the kids I saw were older school aged kids and adolescents. A adolescent girl came in for a big leg laceration, so as she changed into a gown, we respected her privacy and left the room. With the older kids, we talked to them more than the parent- to make them more in charge of their body and their care

11. The triage process- first the patient checks in and the registration person puts them in the system. Next, we call the patient back, and we get a height/weight, and take them to a triage room. While in the room, we assess the patient based on signs and symptoms and get a set of vital signs. We interview the patient on past medical histories, current medications. After the assessment and the interview and took them back to a different emergency room and gave report to another nurse.