

Adult/Geriatric Medication Worksheet – Current Medications & PRN from 12pm prior day to 12pm current day

Allergies: ace inhibitors

Primary IV fluid and rate: NS 0.9% 100ml/hr – continuous

Patient specific reasoning for IV fluids (including type isotonic, hypotonic, hypertonic):

Isotonic. Provide fluids for urinary infection.

Generic Name	Dosage with route and schedule	IVP-List diluent solution, volume, and rate of administration IVPB- List concentration and rate of administration	Patient specific therapeutic reasoning	Patient specific teaching with reasoning
Ceftriaxone	1g QD IVP	IVP- 10ml sterile water 2min push	Broad spectrum antibiotic for bacterial infections	<ol style="list-style-type: none"> 1. black tarry stool. notify dr- could indicate gi bleed 2. Diarrhea- too much antibiotic could indicate c-diff 3. painful or difficult urination – issues with kidneys
Enoxaparin	0.3ml QD Sub-q	n/a	Anticoagulant that helps with prevention of blood clots from lying in bed while staying in the hospital	<ol style="list-style-type: none"> 1. Numbness or muscle weakness in your lower body could be the cause of spinal blood clot 2. itching or burning skin- allergic reaction to medication 3. unusual bleeding, bleeding that won't stop. – platelet levels need to be checked. platelets help the blood clot.

Adult/Geriatric Medication Worksheet – Current Medications & PRN from 12pm prior day to 12pm current day

Allergies: ace inhibitors

Primary IV fluid and rate: NS 0.9% 100ml/hr – continuous

Patient specific reasoning for IV fluids (including type isotonic, hypotonic, hypertonic):

Isotonic. Provide fluids for urinary infection.

Levothyroxine	QD 75mcg PO	n/a	Used to treat hypothyroidism	<ol style="list-style-type: none">1. BB: should not be used to lose weight- could be life threatening2. Dilated neck veins- dose is too much and should be readjusted with dr.3. Heat intolerance- too much thyroid hormone is in the body and dosage should be adjusted with hcp.
Pantoprazole	40mg QD PO	N/a	Used to treat GERD	<ol style="list-style-type: none">1. Heartburn- could be sign of a heart attack which could also be accompanied by pain spreading to the arm or shoulder.2. urinating less or blood in urine can be a sign of kidney issues.3. fast or irregular heart rate- magnesium levels should be checked by hcp this could send your heart into fatal rhythm.

Adult/Geriatric Medication Worksheet – Current Medications & PRN from 12pm prior day to 12pm current day

Allergies: ace inhibitors

Primary IV fluid and rate: NS 0.9% 100ml/hr – continuous

Patient specific reasoning for IV fluids (including type isotonic, hypotonic, hypertonic):

Isotonic. Provide fluids for urinary infection.

Generic Name	Dosage with route and schedule	IVP-List diluent solution, volume, and rate of administration IVPB- List concentration and rate of administration	Patient specific therapeutic reasoning	Patient specific teaching with reasoning
Acetaminophen	500 mg PO PRN	N/a	Used for fever reducer	1. black, tarry stools could indicate gi bleed. 2. Diarrhea- could be a sign of overdose 3. Yellow eyes or skin- too much Tylenol could cause liver damage.
				1. 2. 3.
				1. 2. 3.

Adult/Geriatric Medication Worksheet – Current Medications & PRN from 12pm prior day to 12pm current day

Allergies: ace inhibitors

Primary IV fluid and rate: NS 0.9% 100ml/hr – continuous

Patient specific reasoning for IV fluids (including type isotonic, hypotonic, hypertonic):

Isotonic. Provide fluids for urinary infection.

				1. 2. 3.
Generic Name	Dosage with route and schedule	IVP-List diluent solution, volume, and rate of administration IVPB- List concentration and rate of administration	Patient specific therapeutic reasoning	Patient specific teaching with reasoning
				1. 2. 3.
				1. 2. 3.

Medication reference:

*Drugs.com [Internet]. Drugs.com; 2000-2024; [Updated: 4 January 2024; Cited: 3 April 2024].
<https://www.drugs.com/>*