

Priscilla Garcia

PICU

GENERAL APPEARANCE	CARDIOVASCULAR	PSYCHOSOCIAL <input checked="" type="checkbox"/>
Appearance: <input checked="" type="checkbox"/> Healthy/Well Nourished <input type="checkbox"/> Neat/Clean <input type="checkbox"/> Emaciated <input type="checkbox"/> Unkept Developmental age: <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Delayed	Pulse: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input checked="" type="checkbox"/> Strong <input type="checkbox"/> Weak <input type="checkbox"/> Thready <input type="checkbox"/> Murmur <input type="checkbox"/> Other _____ Edema: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Location _____ <input type="checkbox"/> 1+ <input type="checkbox"/> 2+ <input type="checkbox"/> 3+ <input type="checkbox"/> 4+ Capillary Refill: <input checked="" type="checkbox"/> < 2 sec <input type="checkbox"/> > 2 sec Pulses: Upper R <u>3+</u> L <u>3+</u> Lower R _____ L _____ 4+ Bounding (<u>3+ Strong</u>) 2+ Weak 1+ Intermittent 0 None	Social Status: <input type="checkbox"/> Calm/Relaxed <input type="checkbox"/> Quiet <input type="checkbox"/> Friendly <input type="checkbox"/> Cooperative <input type="checkbox"/> Crying <input type="checkbox"/> Uncooperative <input type="checkbox"/> Restless <input type="checkbox"/> Withdrawn <input type="checkbox"/> Hostile/Anxious Social/emotional bonding with family: <input type="checkbox"/> Present <input type="checkbox"/> Absent
NEUROLOGICAL	ELIMINATION	IV ACCESS
LOC: <input type="checkbox"/> Alert <input type="checkbox"/> Confused <input type="checkbox"/> Restless <input checked="" type="checkbox"/> Sedated <input type="checkbox"/> Unresponsive Oriented to: <input type="checkbox"/> Person <input type="checkbox"/> Place <input type="checkbox"/> Time/Event <input type="checkbox"/> Appropriate for Age Pupil Response: <input type="checkbox"/> Equal <input type="checkbox"/> Unequal <input type="checkbox"/> Reactive to Light <input type="checkbox"/> Size _____ Fontanel: (Pt < 2 years) <input type="checkbox"/> Soft <input type="checkbox"/> Flat <input type="checkbox"/> Bulging <input type="checkbox"/> Sunken <input type="checkbox"/> Closed Extremities: <input type="checkbox"/> Able to move all extremities <input type="checkbox"/> Symmetrically <input type="checkbox"/> Asymmetrically Grips: Right _____ Left _____ Pushes: Right _____ Left _____ S=Strong W=Weak N=None EVD Drain: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Level _____ Seizure Precautions: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Urine Appearance: _____ Stool Appearance: _____ <input type="checkbox"/> Diarrhea <input type="checkbox"/> Constipation <input type="checkbox"/> Bloody <input type="checkbox"/> Colostomy <u>Foley catheter</u>	Site: <u>R</u> <input checked="" type="checkbox"/> INT <input type="checkbox"/> None <input type="checkbox"/> Central Line Type/Location: _____ Appearance: <input checked="" type="checkbox"/> No Redness/Swelling <input type="checkbox"/> Red <input type="checkbox"/> Swollen <input type="checkbox"/> Patent <input type="checkbox"/> Blood return Dressing Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Fluids: _____
RESPIRATORY	GASTROINTESTINAL	SKIN
Respirations: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Retractions (type) _____ <input type="checkbox"/> Labored Breath Sounds: Clear <input type="checkbox"/> Right <input type="checkbox"/> Left Crackles <input type="checkbox"/> Right <input type="checkbox"/> Left Wheezes <input type="checkbox"/> Right <input type="checkbox"/> Left Diminished <input type="checkbox"/> Right <input type="checkbox"/> Left Absent <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Room Air <input type="checkbox"/> Oxygen Oxygen Delivery: <input type="checkbox"/> Nasal Cannula: _____ L/min <input type="checkbox"/> BiPap/CPAP: _____ <input checked="" type="checkbox"/> Vent: ETT size <u>4.5</u> @ _____ cm <input type="checkbox"/> Other: _____ Trach: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size _____ Type _____ Obturator at Bedside <input type="checkbox"/> Yes <input type="checkbox"/> No Cough: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Productive <input type="checkbox"/> Nonproductive Secretions: Color _____ Consistency _____ Suction: <input type="checkbox"/> Yes <input type="checkbox"/> No Type _____ Pulse Ox Site: <u>L index finger</u> Oxygen Saturation: <u>90%</u>	Abdomen: <input type="checkbox"/> Soft <input type="checkbox"/> Firm <input type="checkbox"/> Flat <input checked="" type="checkbox"/> Distended <input type="checkbox"/> Guarded Bowel Sounds: <input type="checkbox"/> Present X _____ quads <input type="checkbox"/> Active <input type="checkbox"/> Hypo <input type="checkbox"/> Hyper <input type="checkbox"/> Absent Nausea: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Vomiting: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Passing Flatus: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Tube: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Location _____ Inserted to _____ cm <input type="checkbox"/> Suction Type: _____	Color: <input type="checkbox"/> Pink <input type="checkbox"/> Flushed <input type="checkbox"/> Jaundiced <input type="checkbox"/> Cyanotic <input type="checkbox"/> Pale <input checked="" type="checkbox"/> Natural for Pt Condition: <input checked="" type="checkbox"/> Warm <input type="checkbox"/> Cool <input checked="" type="checkbox"/> Dry <input type="checkbox"/> Diaphoretic Turgor: <input checked="" type="checkbox"/> < 5 seconds <input type="checkbox"/> > 5 seconds Skin: <input checked="" type="checkbox"/> Intact <input type="checkbox"/> Bruises <input type="checkbox"/> Lacerations <input type="checkbox"/> Tears <input type="checkbox"/> Rash <input checked="" type="checkbox"/> Skin Breakdown Location/Description: <u>LEAD</u> Mucous Membranes: Color: _____ <input type="checkbox"/> Moist <input type="checkbox"/> Dry <input type="checkbox"/> Ulceration
	NUTRITIONAL	PAIN
	Diet/Formula: <u>Suplena 9Kcal</u> Amount/Schedule: <u>53ml/hr</u> Chewing/Swallowing difficulties: <input type="checkbox"/> Yes <input type="checkbox"/> No <u>TPT</u>	Scale Used: <input type="checkbox"/> Numeric <input checked="" type="checkbox"/> FLACC <input type="checkbox"/> Faces Location: _____ Type: <u>CP</u> Pain Score: 0800 _____ 1200 _____ 1600 _____
	MUSCULOSKELETAL <input checked="" type="checkbox"/>	WOUND/INCISION <input checked="" type="checkbox"/>
	<input type="checkbox"/> Pain <input type="checkbox"/> Joint Stiffness <input type="checkbox"/> Swelling <input type="checkbox"/> Contracted <input type="checkbox"/> Weakness <input type="checkbox"/> Cramping <input type="checkbox"/> Spasms <input type="checkbox"/> Tremors Movement: <input type="checkbox"/> RA <input type="checkbox"/> LA <input type="checkbox"/> RL <input type="checkbox"/> LL <input type="checkbox"/> All Brace/Appliances: <input type="checkbox"/> None Type: _____	<input type="checkbox"/> None Type: _____ Location: _____ Description: _____ Dressing: _____
	MOBILITY <input checked="" type="checkbox"/>	TUBES/DRAINS
	<input type="checkbox"/> Ambulatory <input type="checkbox"/> Crawl <input type="checkbox"/> In Arms <input type="checkbox"/> Ambulatory with assist Assistive Device: <input type="checkbox"/> Crutch <input type="checkbox"/> Walker <input type="checkbox"/> Brace <input type="checkbox"/> Wheelchair <input checked="" type="checkbox"/> Bedridden	<input type="checkbox"/> None <input checked="" type="checkbox"/> Drain/Tube Site: <u>R</u> Type: <u>chest tube</u> Dressing: <u>occlusive gauze</u> Suction: _____ Drainage amount: _____ Drainage color: _____

* NO lung/bowel sounds heard due to pt being on oscillator vent
 * CPOT pain assessment - Q1-
 * NG - TPT - stomach → small intestine - less chance of aspiration

4/2/24

IM5 Clinical Worksheet – PICU

<p>Student Name: Priscilla Garcia Date: 4/2/24</p>	<p>Patient Age: 12yo Patient Weight: 55.2 kg</p>
<p>1. Admitting Diagnosis: ⊕ flu B. necrotizing pneumonia, bilateral tension pneumonia AKI w kidney induced HTN ⊕ OG corona</p>	<p>2. Priority Focused Assessment R/T Diagnosis: respiratory</p>
<p>3. Signs and Symptoms:</p>	<p>4. Diagnostic Tests Pertinent to or Confirming of Diagnosis: Chest xray</p>
<p>5. Lab Values That May Be Affected: • Blood gas • WBC's</p>	<p>6. Current Treatment (Include Procedures): antibiotics, pain meds, Chest tube, intubated w suction @ 3l. Stool softeners</p>
<p>7. Pain & Discomfort Management: List 2 Developmentally Appropriate Non-Pharmacologic Interventions Related to Pain & Discomfort for This Patient. 1. playing music 2. holding hand + pr talking to pt.</p>	<p>8. Patient/Caregiver Teaching: 1. we would want to change positions frequently to avoid pressure ulcers 2. we will frequently use sco's to help prevent DVT's. 3. Any Safety Issues Identified: NA.</p>
<p>9. Calculate the Maintenance Fluid Requirement (Show Your Work): $10 \times 100 = 1000$ $10 \times 50 = 500 = 2204$ $35.2 \times 20 = 704$ 92ml/hr Combined Total Intake for Your Pt (mL/hr): 78.6mL/hr 92ml/hr 179mL/hr</p>	<p>10. Calculate the Minimum Acceptable Urine Output Requirement (Show Your Work): $0.5 \text{ml} \times 55.2 \text{kg} = 27.6$ $\times 5 \text{(hrs)}$ $= 138 \text{ml/hr}$ Actual Urine Output During Your Shift (mL/hr): 138mL</p>
<p>Please list any medications you administered or procedures you performed during your shift:</p>	

Priscilla Garcia

PICU

INTAKE/OUTPUT													
PO/Enteral Intake	07	08	09	10	11	12	13	14	15	16	17	18	Total
PO Intake													
Intake - PO Meds													
Enteral Tube Feeding						53	53	53	53	53			245ml
Enteral Flush													
Free Water													
IV INTAKE	07	08	09	10	11	12	13	14	15	16	17	18	Total
IV Fluid						1ml	2ml	1ml	1ml	1ml			5ml
IV Meds/Flush						24.6	24.6	24.4	24.6	24.6			123ml
OUTPUT	07	08	09	10	11	12	13	14	15	16	17	18	Total
Urine						1ml	60	63	64	75			138ml
# of immeasurable													
Stool													
Urine/Stool mix													
Emesis													
Other													

Children's Hospital Early Warning Score (CHEWS)	
(See CHEWS Scoring and Escalation Algorithm to score each category)	
Behavior/Neuro	Circle the appropriate score for this category: 0 1 2 (3)
Cardiovascular	Circle the appropriate score for this category: (0) 1 2 3
Respiratory	Circle the appropriate score for this category: 0 (1) 2 3
Staff Concern	1 pt - Concerned
Family Concern	1 pt - Concerned or absent
CHEWS Total Score	
CHEWS Total Score	Total Score (points) <u>4</u>
	Score 0-2 (Green) - Continue routine assessments
	Score 3-4 (Yellow) - Notify charge nurse or LIP, Discuss treatment plan with team, Consider higher level of care, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications
	Score 5-11 (Red) - Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation, Notify attending physician, Discuss treatment plan with team, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications

Student Name: Discilla Garcia

Unit: _____

Pt. Initials: _____

Date: _____

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Allergies: NKDA

94.10 kg

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
DSNS + KCl 20	Isotonic/Hypotonic/Hypertonic			
134ml/hr				

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Therapeutic Range?		IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (precautions/contraindications, Etc.)
				Is med in therapeutic range?	If not, why?			
gabapentin	gamma aminobutyric acid	PAIN	300mg 1cap 3x/day	10-15mg/kg 3doks yes		IVPB 100ml/hr	<ul style="list-style-type: none"> Weight gain Suicidal thoughts Stevens-Johnson syndrome Hepatotoxicity 	<ol style="list-style-type: none"> 1. may cause dizziness + drowsiness, call nurse 2. watch signs of renal depression, especially if renal w/ chronic kidney disease 3. inform on suicidal thoughts + how to reach out 4. don't smoke alcohol
oxycodone	opioid	PAIN	1000mg q4	15mg/kg every 4hr NO USFDA			<ul style="list-style-type: none"> respiratory depression Stevens-Johnson syndrome rash 	<ol style="list-style-type: none"> 1. assess s/s of GI bleed. 2. assess for rash 3. notify of rash, itching, edema 4. may cause drowsiness/dizziness
ibuprofen	non-steroidal anti-inflammatory	PAIN	400mg 2caps q6	30-50mg/kg 3-4/day yes			<ul style="list-style-type: none"> Stevens-Johnson syndrome Stroke Seizures Anaphylaxis Rash 	<ol style="list-style-type: none"> 1. may cause drowsiness, + dizziness 2. Change positions slowly - orthostatic 3. urine may be black, brown, green 4. may cause itching, rash, fever
Robaxin	skeletal muscle relaxant	PAIN	750mg 1TAB 4x/day	1.5g 4/day yes			<ul style="list-style-type: none"> Anaphylaxis Stevens-Johnson syndrome 	<ol style="list-style-type: none"> 1. report tremors, vertigo, ringing ears 2. well monitor BP during infusion 3. well monitor intake/output 4. ut us know if IV site starts to hurt/burn
vancomycin	anti-infective	for read location	250ml q8hr	5-20mg/day yes				

4/3/24

IM5 Clinical Worksheet - Pediatric Floor

Student Name: Priscilla Garcia Date: 4/3/24	Patient Age: 10 Patient Weight: 50.3 kg
1. Admitting Diagnosis: Ⓛ Kidney stone	2. Priority Focused Assessment You Will Perform Related to the Diagnosis: * abdominal pain, 1/0.
3. Signs and Symptoms: N/V, Ⓛ abd. pain, lethargic pain w/urination	4. Diagnostic Tests Pertinent to or Confirming of Diagnosis: • urine culture • ct abdomen
5. Lab Values That May Be Affected: - GFR, Creatinine,	6. Current Treatment (Include Procedures): • higher rate fluids - strain • ureteroscopy w laser lithotripsy ^{urine} • possible stent - procedure done @ 1100. not sure of results.
7. Pain & Discomfort Management: List 2 Developmentally Appropriate Non-Pharmacologic Interventions Related to Pain & Discomfort for This Patient. 1. videogames to normalize environment 2. going for walk outside for fresh air.	8. Patient/Caregiver Teaching: 1. The need for excessive fluids 2. The need to ambulate often to reduce risk of blood clots 3. to remain rituals for comfort Any Safety Issues identified: NA.

Student Name: Priscilla Garcia Date: 4/3/24	Patient Age: 10 Patient Weight: kg 50.3
9. Calculate the Maintenance Fluid Requirement (Show Your Work): $10 \times 100 = 1000$ $10 \times 50 = 500$ $30.3 \times 20 = \underline{606}$ Actual Pt MIVF Rate: 88 mL/hr 150 mL/hr Is There a Significant Discrepancy Between Calculated and Actual Rate? yes. If Yes, Why is There a Discrepancy? To attempt for stones to pass w/o other interventions.	10. Calculate the Minimum Acceptable Urine Output Requirement (Show Your Work): $0.5 / 50.3 \text{ kg} / 5 \text{ hrs}$ $= 125.75 \text{ mL} / \text{shift (5hrs)}$ Actual Urine Output During Your Shift (mL/hr): 850 mL / shift
11. Growth & Development: 10 yo *List the Developmental Stage of Your Patient For Each Theorist Below. *Document 2 OBSERVED Developmental Behaviors for Each Theorist. *If Developmentally Delayed, Identify the Stage You Would Classify the Patient: Erickson Stage: industry vs. inferiority 1. I observed patient making goals with mom on what he wanted to do when he was released from hospital. 2. Piaget Stage: concrete operational 1. I observed my patient many times talking to friends on the phone. 2. patient was pretty skeptical of me at first.	
Please list any medications you administered or procedures you performed during your shift: No meds, pt was NPO.	

* I was only able to observe one development behavior

67

Pediatric Floor Patient #1

GENERAL APPEARANCE	CARDIOVASCULAR	PSYCHOSOCIAL
Appearance: <input checked="" type="checkbox"/> Healthy/Well Nourished <input checked="" type="checkbox"/> Neat/Clean <input type="checkbox"/> Emaciated <input type="checkbox"/> Unkept Developmental age: <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Delayed	Pulse: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input checked="" type="checkbox"/> Strong <input type="checkbox"/> Weak <input type="checkbox"/> Thready <input type="checkbox"/> Murmur <input type="checkbox"/> Other _____ Edema: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Location _____ <input type="checkbox"/> 1+ <input type="checkbox"/> 2+ <input type="checkbox"/> 3+ <input type="checkbox"/> 4+ Capillary Refill: <input checked="" type="checkbox"/> < 2 sec <input type="checkbox"/> > 2 sec Pulses: Upper R <u>3+</u> L <u>3+</u> Lower R <u>3+</u> L <u>3+</u> 4+ Bounding 3+ Strong 2+ Weak 1+ Intermittent 0 None	Social Status: <input checked="" type="checkbox"/> Calm/Relaxed <input checked="" type="checkbox"/> Quiet <input type="checkbox"/> Friendly <input checked="" type="checkbox"/> Cooperative <input type="checkbox"/> Crying <input type="checkbox"/> Uncooperative <input type="checkbox"/> Restless <input type="checkbox"/> Withdrawn <input type="checkbox"/> Hostile/Anxious Social/emotional bonding with family: <input checked="" type="checkbox"/> Present <input type="checkbox"/> Absent
NEUROLOGICAL	ELIMINATION	IV ACCESS
LOC: <input checked="" type="checkbox"/> Alert <input type="checkbox"/> Confused <input type="checkbox"/> Restless <input type="checkbox"/> Sedated <input type="checkbox"/> Unresponsive Oriented to: <input checked="" type="checkbox"/> Person <input checked="" type="checkbox"/> Place <input checked="" type="checkbox"/> Time/Event <input checked="" type="checkbox"/> Appropriate for Age Pupil Response: <input checked="" type="checkbox"/> Equal <input type="checkbox"/> Unequal <input checked="" type="checkbox"/> Reactive to Light <input type="checkbox"/> Size <u>3mm</u> Fontanel: (Pt < 2 years) <input type="checkbox"/> Soft <input type="checkbox"/> Flat <input type="checkbox"/> Bulging <input type="checkbox"/> Sunken <input type="checkbox"/> Closed Extremities: <input checked="" type="checkbox"/> Able to move all extremities <input checked="" type="checkbox"/> Symmetrically <input type="checkbox"/> Asymmetrically Grips: Right <u>S</u> Left <u>S</u> Pushes: Right <u>S</u> Left <u>S</u> S=Strong W=Weak N=None EVD Drain: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Level _____ Seizure Precautions: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Urine Appearance: <u>Clear yellow</u> Stool Appearance: <u>Not observed</u> <input type="checkbox"/> Diarrhea <input type="checkbox"/> Constipation <input type="checkbox"/> Bloody <input type="checkbox"/> Colostomy	Site: <u>R antecubital</u> <input type="checkbox"/> INT <input type="checkbox"/> None <input type="checkbox"/> Central Line Type/Location: <u>Periphera IV</u> Appearance: <input type="checkbox"/> No Redness/Swelling <input type="checkbox"/> Red <input type="checkbox"/> Swollen <input type="checkbox"/> Patent <input type="checkbox"/> Blood return Dressing Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Fluids: <u>DS NaCl w KCL 20</u> <u>150ml/hr</u>
RESPIRATORY	GASTROINTESTINAL	SKIN
Respirations: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Retractions (type) _____ <input type="checkbox"/> Labored Breath Sounds: Clear <input checked="" type="checkbox"/> Right <input checked="" type="checkbox"/> Left Crackles <input type="checkbox"/> Right <input type="checkbox"/> Left Wheezes <input type="checkbox"/> Right <input type="checkbox"/> Left Diminished <input type="checkbox"/> Right <input type="checkbox"/> Left <input checked="" type="checkbox"/> Absent <input type="checkbox"/> Right <input type="checkbox"/> Left <input checked="" type="checkbox"/> Room Air <input type="checkbox"/> Oxygen Oxygen Delivery: <input type="checkbox"/> Nasal Cannula: _____ L/min <input type="checkbox"/> BiPap/CPAP: _____ <input type="checkbox"/> Vent: ETT size _____ @ _____ cm <input type="checkbox"/> Other: _____ Trach: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size _____ Type _____ Obturator at Bedside <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cough: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Productive <input type="checkbox"/> Nonproductive Secretions: Color _____ Consistency _____ Suction: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Pulse Ox Site <u>Left index</u> Oxygen Saturation: <u>98%</u>	Abdomen: <input checked="" type="checkbox"/> Soft <input type="checkbox"/> Firm <input type="checkbox"/> Flat <input type="checkbox"/> Distended <input type="checkbox"/> Guarded Bowel Sounds: <input checked="" type="checkbox"/> Present X <u>4</u> quads <input type="checkbox"/> Active <input checked="" type="checkbox"/> Hypo <input type="checkbox"/> Hyper <input type="checkbox"/> Absent Nausea: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Vomiting: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Passing Flatus: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Tube: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Location _____ Inserted to _____ cm <input type="checkbox"/> Suction Type: _____	Color: <input type="checkbox"/> Pink <input type="checkbox"/> Flushed <input type="checkbox"/> Jaundiced <input type="checkbox"/> Cyanotic <input type="checkbox"/> Pale <input checked="" type="checkbox"/> Natural for Pt Condition: <input checked="" type="checkbox"/> Warm <input type="checkbox"/> Cool <input type="checkbox"/> Dry <input type="checkbox"/> Diaphoretic Turgor: <input checked="" type="checkbox"/> < 5 seconds <input type="checkbox"/> > 5 seconds Skin: <input checked="" type="checkbox"/> Intact <input type="checkbox"/> Bruises <input type="checkbox"/> Lacerations <input type="checkbox"/> Tears <input type="checkbox"/> Rash <input type="checkbox"/> Skin Breakdown Location/Description: _____ Mucous Membranes: Color: _____ <input checked="" type="checkbox"/> Moist <input type="checkbox"/> Dry <input type="checkbox"/> Ulceration
	NUTRITIONAL	PAIN
	Diet/Formulas: _____ Amount/Schedule: _____ Chewing/Swallowing difficulties: <input type="checkbox"/> Yes <input type="checkbox"/> No <u>NPO</u>	Scale Used: <input checked="" type="checkbox"/> Numeric <input type="checkbox"/> FLACC <input type="checkbox"/> Faces Location: <u>abdomen</u> Type: _____ Pain Score: 0800 _____ 1200 <u>4</u> 1600 _____
	MUSCULOSKELETAL	WOUND/INCISION X
	<input type="checkbox"/> Pain <input type="checkbox"/> Joint Stiffness <input type="checkbox"/> Swelling <input type="checkbox"/> Contracted <input type="checkbox"/> Weakness <input type="checkbox"/> Cramping <input type="checkbox"/> Spasms <input type="checkbox"/> Tremors Movement: <input type="checkbox"/> RA <input type="checkbox"/> LA <input type="checkbox"/> RL <input type="checkbox"/> LL <input checked="" type="checkbox"/> All Brace/Appliances: <input checked="" type="checkbox"/> None Type: _____	<input type="checkbox"/> None Type: _____ Location: _____ Description: _____ Dressing: _____
	MOBILITY	TUBES/DRAINS X
	<input checked="" type="checkbox"/> Ambulatory <input type="checkbox"/> Crawl <input type="checkbox"/> In Arms <input type="checkbox"/> Ambulatory with assist _____ Assistive Device: <input type="checkbox"/> Crutch <input type="checkbox"/> Walker <input type="checkbox"/> Brace <input type="checkbox"/> Wheelchair <input type="checkbox"/> Bedridden	<input type="checkbox"/> None <input type="checkbox"/> Drain/Tube Site: _____ Type: _____ Dressing: _____ Suction: _____ Drainage amount: _____ Drainage color: _____

Pediatric Floor Patient #1

INTAKE/OUTPUT													
PO/Enteral Intake	07	08	09	10	11	12	13	14	15	16	17	18	Total
PO Intake						150	150						
Intake - PO Meds													
Enteral Tube Feeding													
Enteral Flush													
Free Water													
IV INTAKE	07	08	09	10	11	12	13	14	15	16	17	18	Total
IV Fluid						150	150	150					450
IV Meds/Flush													
OUTPUT	07	08	09	10	11	12	13	14	15	16	17	18	Total
Urine						170	170	170	170	170			850
# of immeasurable													
Stool													
Urine/Stool mix													
Emesis													
Other													

Children's Hospital Early Warning Score (CHEWS)	
(See CHEWS Scoring and Escalation Algorithm to score each category)	
Behavior/Neuro	Circle the appropriate score for this category: 0 1 2 3
Cardiovascular	Circle the appropriate score for this category: 0 1 2 3
Respiratory	Circle the appropriate score for this category: 0 1 2 3
Staff Concern	1 pt - Concerned
Family Concern	1 pt - Concerned or absent
CHEWS Total Score	
CHEWS Total Score	Total Score (points) 0
	Score 0-2 (Green) - Continue routine assessments
	Score 3-4 (Yellow) - Notify charge nurse or LIP, Discuss treatment plan with team, Consider higher level of care, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications
	Score 5-11 (Red) - Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation, Notify attending physician, Discuss treatment plan with team, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications

68

Pediatric Floor Patient #2

GENERAL APPEARANCE	CARDIOVASCULAR	PSYCHOSOCIAL
Appearance: <input checked="" type="checkbox"/> Healthy/Well Nourished <input checked="" type="checkbox"/> Neat/Clean <input type="checkbox"/> Emaciated <input type="checkbox"/> Unkept Developmental age: <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Delayed	Pulse: <input type="checkbox"/> Regular <input type="checkbox"/> Irregular <input checked="" type="checkbox"/> Strong <input type="checkbox"/> Weak <input type="checkbox"/> Thready <input type="checkbox"/> Murmur <input type="checkbox"/> Other _____ Edema: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Location _____ <input type="checkbox"/> 1+ <input type="checkbox"/> 2+ <input type="checkbox"/> 3+ <input type="checkbox"/> 4+ Capillary Refill: <input checked="" type="checkbox"/> < 2 sec <input type="checkbox"/> > 2 sec Pulses: Upper R <u>3+</u> L <u>3+</u> Lower R <u>3+</u> L <u>3+</u> 4+ Bounding 3+ Strong 2+ Weak 1+ Intermittent 0 None	Social Status: <input type="checkbox"/> Calm/Relaxed <input checked="" type="checkbox"/> Quiet <input type="checkbox"/> Friendly <input checked="" type="checkbox"/> Cooperative <input type="checkbox"/> Crying <input type="checkbox"/> Uncooperative <input type="checkbox"/> Restless <input type="checkbox"/> Withdrawn <input type="checkbox"/> Hostile/Anxious Social/emotional bonding with family: <input checked="" type="checkbox"/> Present <input type="checkbox"/> Absent
NEUROLOGICAL	ELIMINATION	IV ACCESS
LOC: <input checked="" type="checkbox"/> Alert <input type="checkbox"/> Confused <input checked="" type="checkbox"/> Restless <input type="checkbox"/> Sedated <input type="checkbox"/> Unresponsive Oriented to: <input checked="" type="checkbox"/> Person <input checked="" type="checkbox"/> Place <input checked="" type="checkbox"/> Time/Event <input checked="" type="checkbox"/> Appropriate for Age Pupil Response: <input checked="" type="checkbox"/> Equal <input type="checkbox"/> Unequal <input checked="" type="checkbox"/> Reactive to Light <input type="checkbox"/> Size <u>4mm</u> Fontanel: (Pt < 2 years) <input type="checkbox"/> Soft <input type="checkbox"/> Flat <input type="checkbox"/> Bulging <input type="checkbox"/> Sunken <input type="checkbox"/> Closed Extremities: <input type="checkbox"/> Able to move all extremities <input type="checkbox"/> Symmetrically <input type="checkbox"/> Asymmetrically Grips: Right <u>S</u> Left <u>S</u> Pushes: Right <u>W</u> Left <u>W</u> S=Strong W=Weak N=None EVD Drain: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Level _____ Seizure Precautions: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Urine Appearance: <u>clear yellow</u> Stool Appearance: _____ <input type="checkbox"/> Diarrhea <input type="checkbox"/> Constipation <input type="checkbox"/> Bloody <input type="checkbox"/> Colostomy	Site: <u>L Forearm</u> <input type="checkbox"/> ANT <input type="checkbox"/> None <input type="checkbox"/> Central Line Type/Location: <u>peripheral IV</u> Appearance: <input checked="" type="checkbox"/> No Redness/Swelling <input type="checkbox"/> Red <input type="checkbox"/> Swollen <input type="checkbox"/> Patent <input type="checkbox"/> Blood return Dressing Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Fluids: <u>DS NS + KCL 20</u> <u>@ 40ml/hr</u>
RESPIRATORY	GASTROINTESTINAL	SKIN
Respirations: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Retractions (type) _____ <input type="checkbox"/> Labored Breath Sounds: Clear <input type="checkbox"/> Right <input checked="" type="checkbox"/> Left Crackles <input type="checkbox"/> Right <input type="checkbox"/> Left Wheezes <input type="checkbox"/> Right <input type="checkbox"/> Left Diminished <input type="checkbox"/> Right <input type="checkbox"/> Left Absent <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Room Air <input checked="" type="checkbox"/> Oxygen Oxygen Delivery: <input checked="" type="checkbox"/> Nasal Cannula: <u>2</u> L/min <input type="checkbox"/> BiPap/CPAP: _____ <input type="checkbox"/> Vent: ETT size _____ @ _____ cm <input type="checkbox"/> Other: _____ Trach: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size _____ Type _____ Obturator at Bedside <input type="checkbox"/> Yes <input type="checkbox"/> No Cough: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Productive <input type="checkbox"/> Nonproductive Secretions: Color _____ Consistency _____ Suction: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Pulse Ox Site: <u>r index</u> Oxygen Saturation: <u>98%</u>	Abdomen: <input checked="" type="checkbox"/> Soft <input type="checkbox"/> Firm <input type="checkbox"/> Flat <input type="checkbox"/> Distended <input type="checkbox"/> Guarded Bowel Sounds: <input checked="" type="checkbox"/> Present <u>X 4</u> quads <input checked="" type="checkbox"/> Active <input checked="" type="checkbox"/> Hypo <input type="checkbox"/> Hyper <input type="checkbox"/> Absent Nausea: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Vomiting: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Passing Flatus: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Tube: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Location _____ Inserted to _____ cm <input type="checkbox"/> Suction Type: _____	Color: <input type="checkbox"/> Pink <input type="checkbox"/> Flushed <input type="checkbox"/> Jaundiced <input type="checkbox"/> Cyanotic <input type="checkbox"/> Pale <input checked="" type="checkbox"/> Natural for Pt Condition: <input checked="" type="checkbox"/> Warm <input type="checkbox"/> Cool <input type="checkbox"/> Dry <input type="checkbox"/> Diaphoretic Turgor: <input checked="" type="checkbox"/> < 5 seconds <input type="checkbox"/> > 5 seconds Skin: <input checked="" type="checkbox"/> Intact <input type="checkbox"/> Bruises <input type="checkbox"/> Ulcerations <input type="checkbox"/> Tears <input type="checkbox"/> Rash <input type="checkbox"/> Skin Breakdown Location/Description: _____ Mucous Membranes: Color: <u>pink</u> <input checked="" type="checkbox"/> Moist <input type="checkbox"/> Dry <input type="checkbox"/> Ulceration
	NUTRITIONAL	PAIN
	Diet/Formula: _____ Amount/Schedule: _____ Chewing/Swallowing difficulties: <input type="checkbox"/> Yes <input type="checkbox"/> No <u>fiber restrict</u>	Scale Used: <input checked="" type="checkbox"/> Numeric <input type="checkbox"/> FLACC <input type="checkbox"/> Faces Location: <u>whole body</u> Type: <u>constant</u> Pain Score: 0800 _____ 1200 <u>4</u> 1600 _____
	MUSCULOSKELETAL	WOUND/INCISION
	<input checked="" type="checkbox"/> Pain <input type="checkbox"/> Joint Stiffness <input type="checkbox"/> Swelling <input type="checkbox"/> Contracted <input type="checkbox"/> Weakness <input type="checkbox"/> Cramping <input type="checkbox"/> Spasms <input type="checkbox"/> Tremors Movement: <input type="checkbox"/> RA <input type="checkbox"/> LA <input type="checkbox"/> RL <input type="checkbox"/> LL <input checked="" type="checkbox"/> All Brace/Appliances: <input type="checkbox"/> None Type: <u>C-collar</u>	<input type="checkbox"/> None Type: _____ Location: _____ Description: _____ Dressing: _____
	MOBILITY	TUBES/DRAINS
	<input type="checkbox"/> Ambulatory <input type="checkbox"/> Crawl <input type="checkbox"/> In Arms <input checked="" type="checkbox"/> Ambulatory with assist <u>X 1</u> Assistive Device: <input type="checkbox"/> Crutch <input type="checkbox"/> Walker <input type="checkbox"/> Brace <input type="checkbox"/> Wheelchair <input type="checkbox"/> Bedridden	<input type="checkbox"/> None <input type="checkbox"/> Drain/Tube Site: _____ Type: _____ Dressing: _____ Suction: _____ Drainage amount: _____ Drainage color: _____

Pediatric Floor Patient #2

		INTAKE/OUTPUT												
PO/Enteral Intake	07	08	09	10	11	12	13	14	15	16	17	18	Total	
PO Intake														
Intake - PO Meds														
Enteral Tube Feeding														
Enteral Flush														
Free Water										720			720	
IV INTAKE														
IV Intake	07	08	09	10	11	12	13	14	15	16	17	18	Total	
IV Fluid						134	134	134	40	40	40		522	
IV Meds/Flush														
OUTPUT														
Output	07	08	09	10	11	12	13	14	15	16	17	18	Total	
Urine						—	950	—	900	950			2800	
# of immeasurable														
Stool														
Urine/Stool mix														
Emesis														
Other														

Children's Hospital Early Warning Score (CHEWS)	
(See CHEWS Scoring and Escalation Algorithm to score each category)	
Behavior/Neuro	Circle the appropriate score for this category: 0 (1) 2 3
Cardiovascular	Circle the appropriate score for this category: 0 1 2 3
Respiratory	Circle the appropriate score for this category: 0 1 (2) 3
Staff Concern	1 pt - Concerned
Family Concern	1 pt - Concerned or absent
CHEWS Total Score	
CHEWS Total Score	Total Score (points) <u>3</u>
	Score 0-2 (Green) - Continue routine assessments
	Score 3-4 (Yellow) - Notify charge nurse or LIP, Discuss treatment plan with team, Consider higher level of care, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications
	Score 5-11 (Red) - Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation, Notify attending physician, Discuss treatment plan with team, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications