

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
Click here to enter text.	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Click here to enter text.	Click here to enter text.	Click here to enter text.

Student Name: Nicholas Castilleja		Unit: Click here to enter text.		Patient Initials:		Date: 4/16/2024		Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)		
Hydroxyzine pamoate	Antihistamine	Anxiety	25mg PO PRN q6	Yes Click here to enter text.	Click here to enter text.	Drowsiness, hallucinations, seizures, Prolonged QT interval, Torsades de pointes	1. Tablets should be swallowed whole 2. Avoid alcohol while taking 3. Contraindicated in pregnant patients 4. Ask patient if taking other medications		
lorazepam	Benzodiazepine	Alcohol withdrawal / anxiety	1-2 mg PO PRN q4 hours	Yes Choose an item.	Click here to enter text.	Coma, Seizures, Suicidal ideation, SIADH, Chest palpitations/pain, Agranulocytosis	1. Should not be used during pregnancy 2. Monitor patient's respiratory status 3. Avoid alcohol while taking 4. Potentially fatal additive effects of combining with an opioid		
haldol	antipsychotic	for psychotic symptoms/agitation	10 mg IM PRN q8	Yes Choose an item.	Click here to enter text.	Hypothermia, Ventricular Arrhythmias, Agranulocytosis, Bronchospasm	1. Monitor for Tardive dyskinesia in patients receiving long-term therapy 2. Avoid discontinuing abruptly 3. Report repetitive movements, vision changes, tremors		

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Nicholas Castilleja		Unit: Click here to enter text.	Patient Initials:		Date: 4/16/2024	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							4. If patient develops hypotension, epinephrine should not be drug of choice
diphenhydramine	antihistamine	management of cholinergic effects of antipsychotic	50 mg IM q8 PRN psychotic symptoms	Yes Click here to enter text.		Seizures, dizziness, palpitations, agranulocytosis, thrombocytopenia, photosensitivity	<ol style="list-style-type: none"> 1. Use as directed and for short-term use only 2. Avoid driving or hazardous activities while taking 3. Ask prescriber before using any other medication containing diphenhydramine 4. Avoid the use of alcohol while taking
acetaminophen	Analgesic/antipyretic	Mild-moderate pain	500 mg PO q6 for pain of 1-4 on pain scale	Yes Click here to enter text.	Click here to enter text.	Hypotension, Hepatotoxicity, atelectasis, Steven-Johnson syndrome	<ol style="list-style-type: none"> 1. Do not exceed recommended dosage 2. Report bleeding, easy bruising, and malaise 3. Monitor renal function in patient on long-term therapy 4. Contact prescriber before taking other prescription or OTC medications that may contain acetaminophen
olanzapine	antipsychotic	Agitation/psychotic behavior	5 mg PO q6 for agitation	Yes Click here to enter text.	Click here to enter text.	Suicidal Ideation, Diabetic coma, Hepatitis, Rhabdomyolysis	<ol style="list-style-type: none"> 1. Monitor patients closely for suicidal tendencies, especially when changes doses 2. Monitor lipid levels, Blood glucose levels, and CBC

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Nicholas Castilleja		Unit: Click here to enter text.	Patient Initials:		Date: 4/16/2024	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							<ul style="list-style-type: none"> 3. Implement fall precautions 4. Change positions slowly to minimize effects of orthostatic hypotension
ibuprofen	NSAID	Mild-moderate pain	400 mg PO q6 for pain of 1-4 on pain scale	Yes Choose an item. Click here to enter text.	Click here to enter text.	Aseptic Meningitis, CVA, Hepatic Failure, GI bleeding	<ul style="list-style-type: none"> 1. Should be avoided in PTs with a recent MI, alcohol use, aspirin, and corticosteroids 2. Monitor in elderly patient and caution pregnant patient against use at 20 weeks of gestation or more 3. Take with food or after meals to reduce GI distress 4. Wear sunscreen and protective clothing outdoors
risperdal	antipsychotic	Psychotic behavior/bipolar mania	1 mg tablet PO BID	Yes Click here to enter text.	Click here to enter text.	Diabetic ketoacidosis, Atrial fibrillation, hypoglycemia	<ul style="list-style-type: none"> 1. Monitor patients blood glucose and lipid levels 2. Monitor for tardive dyskinesia, especially in elderly patients 3. Avoid sudden position changes 4. Implement fall precautions
Nicotine patch	Stimulant	Nicotine replacement	21 mg transdermal patch	Yes Choose an item. Click	Click here to enter text.	Palpitations, Tachycardia, Parasthesia,	<ul style="list-style-type: none"> 1. Wash your hands after applying or removing a nicotine skin patch 2. Do not wear more than one nicotine

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Nicholas Castilleja		Unit: Click here to enter text.	Patient Initials:		Date: 4/16/2024	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
			daily	here to enter text.		Insomnia, HTN, Chest discomfort, Nausea, Diarrhea	patch at at time 3. Remove after wearing for 24 hours and replace with new one 4. Apply to clean, dry, area on skin and press firmly into place for about 10 seconds
ziprasidone	antipsychotic	Psychotic behavior/bipolar disorder/mania	40 mg PO BID	Yes Click here to enter text.	Click here to enter text.	CVA, Tongue swelling, Prolonged QT interval, serotonin syndrome, Suicidal ideation	1. Assess cardiac rhythm in patients with hypokalemia or hypomagnesemia 2. Monitor patient's blood glucose and lipid levels 3. Monitor patient closely for evidence of suicidal thinking 4. Implement fall precautions
prazosin	Alpha-blocker	Nightmares	1 mg PO QHS	Yes Choose an item. Click here to enter text.	Click here to enter text.	Bradycardia, Priapism, Insomnia, Dry mouth, Orthostatic Hypotension	1. Monitor blood pressure regularly 2. Advise patient to avoid drinking alcohol, exercising in hot weather, or standing for long periods of time 3. In male patient, report if erection lasts longer than 4 hours 4. Take as prescribed, even if symptoms improve

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Nicholas Castilleja		Unit: Click here to enter text.	Patient Initials:		Date: 4/16/2024	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Nicotine inhaler	Stimulant	Nicotine replacement	10 mg cartridge for inhalation Q2	Yes Click here to enter text.	Click here to enter text.	Arrhythmias, Bronchospasm, Diaphoresis, Dizziness, Cough, HTN	<ol style="list-style-type: none"> 1. Remove patch before patient has MRI 2. Patient must stop smoking while using replacement 3. Contact prescriber before using any other nasal sprays 4. May not be as effective if you have cold or allergy symptoms and runny nose
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.