

## Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
Click here to enter text.	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Click here to enter text.	Click here to enter text.	Click here to enter text.

<b>Student Name:</b> Click here to enter text.		<b>Unit:</b> Click here to enter text.		<b>Patient Initials:</b> Click here to enter text.		<b>Date:</b> Click here to enter a date.		<b>Allergies:</b> Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)		
Hydroxyzine pamoate	Antihistamine	Anxiety	25mg PO PRN q6	Yes		Hypersensitivity, dyspnea, seizures, heat stroke, QT prolongation, torsade de pointes	<ol style="list-style-type: none"> <li>1. Please report if you might be pregnant, chance of fetal harm</li> <li>2. Report trouble breathing</li> <li>3. Report any cardiac symptoms</li> <li>4. Stay hydrated</li> </ol>		
lorazepam	Benzodiazepine	Alcohol withdrawal / anxiety	1-2 mg PO PRN q4 hours	No  Choose an item. 2mg * 6 times a day= 12mg daily. Max dose recommended to stay under 10 mg max.		Respiratory depression, apnea, respiratory failure, dependency, abuse, seizures, suicidality tachycardia, hypotension, syncope, hypersensitivity, leukopenia,	<ol style="list-style-type: none"> <li>1. Report thoughts of suicide</li> <li>2. Report trouble breathing</li> <li>3. Report cardiac symptoms</li> <li>4. Do not discontinue this medication abruptly due to adverse affect of withdrawal possible.</li> </ol>		

## Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Click here to enter text.		Unit: Click here to enter text.	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
						agranulocytosis, pancytopenia, thrombocytopenia, CNS stimulation, withdrawal symptoms if abrupt D/C, behavioral/cognitive changes	
haldol	antipsychotic	for psychotic symptoms/agitation	10 mg IM PRN q8	Yes  Choose an item.		Extrapyramidal symptoms, tardive dyskinesia, dystonia, hyperpyrexia, heat stroke, neuroleptic malignant syndrome, pneumonia, hypotension, HTN, QT	<ol style="list-style-type: none"> <li>1. Report muscle pain or spasm</li> <li>2. Report cardiac symptoms</li> <li>3. Let someone you know you are at risk for fainting on this medication</li> <li>4. Be aware not to stop this medication on your own abruptly due to adverse affects and possible withdrawl after long term use.</li> </ol>

## Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Click here to enter text.		Unit: Click here to enter text.	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	<b>Allergies:</b> Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
						prolongation, tardisodes de pointes, arrhythmia, sudden death, hyponatremia, seizures, hepatic impairment, leukopenia, neutropenia, agranulocytosis, cataracts, retinopathy, withdrawal symptoms when abruptly D/C	
diphenhydramine	antihistamine	management of cholinergic effects of antipsychotic	50 mg IM q8 PRN psychotic symptoms	Yes		Anaphylaxis, hemolytic anemia, thrombocytopenia, agranulocytosis, leukopenia, pancytopenia,	1. Report trouble breathing or itching 2. Report cardiac symptoms 3. Drink plenty of water with this medication 4. Report change of mental status.

## Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Click here to enter text.		Unit: Click here to enter text.	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	<b>Allergies:</b> Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
						arrhythmia, seizures, toxic psychosis, labyrinthitis, heat stroke	
acetaminophen	Analgesic/antipyretic	Mild-moderate pain	500 mg PO q6 for pain of 1-4 on pain scale	Yes		Hypersensitivity, anaphylaxis, skin reaction, hepatotoxicity, nephropathy, anemia, thrombocytopenia	<ol style="list-style-type: none"> <li>1. Increases bleeding risk</li> <li>2. Report trouble breathing</li> <li>3. Stay hydrated while taking this med, report any change in urine output.</li> <li>4. Not to exceed 4000mg daily</li> </ol>
olanzapine	antipsychotic	Agitation/psychotic behavior	5 mg PO q6 for agitation	Yes		Neuroleptic syndrome, extrapyramidal symptoms, tardive dyskinesia, dystonia, hyperglycemia, DM, DKA, stroke, venous	<ol style="list-style-type: none"> <li>1. Report muscle pain or spasm</li> <li>2. Report cardiac symptoms</li> <li>3. Report trouble breathing</li> <li>4. Report signs and symptoms of blood clot, pain redness swelling especially in peripheral extremities.</li> </ol>

## Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Click here to enter text.		Unit: Click here to enter text.	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	<b>Allergies:</b> Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
						thromboembolism, hypotension, syncope, dysphagia, aspiration, hyperthermia, seizures, priapism, rhabdomyolysis, intestinal obstruction, hepatotoxicity, thrombocytopenia, neutropenia, leukopenia, agranulocytosis, pancreatitis, angioedema, anaphylactoid reaction	
ibuprofen	NSAID	Mild-moderate pain	400 mg PO q6 for pain of 1-	Yes  Choose an		GI bleed, perforation, ulcer, MI,	1. Report stomach upset, especially vomit that looks like coffee grounds  2. Report mental status changes or change

## Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Click here to enter text.		Unit: Click here to enter text.	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	<b>Allergies:</b> Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
			4 on pain scale	item.		stroke, thromboembolism, HTN, CHF, renal papillary necrosis, nephrotoxic, hepatotoxic, anaphylaxis, exfoliative dermatitis, aseptic meningitis, prolonged bleeding, med overuse HA, hyperkalemia	in awareness 3. Stay hydrated while taking this medication, report changes in urine habits or output 4. Use as directed to help avoid toxicity to liver and kidneys
risperdal	antipsychotic	Psychotic behavior/bipolar mania	1 mg tablet PO BID	Yes	Click here to enter text.	Orthostatic hypotension, syncope, extrapyramidal symptoms, hyperglycemia, DM, SIADH, seizures,	1. Be aware of higher risk of falls, change position slowly 2. Report muscle spasm or pain 3. Report change in urinary habits or output 4. Report signs and symptoms of blood clot or trouble breathing.

## Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Click here to enter text.		Unit: Click here to enter text.	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	<b>Allergies:</b> Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
						priapism, stroke, TIA, venous thromboembolism, ileus, angioedema, anaphylaxis, hypo/hyperthermia, toxic epidermal necrosis	
Nicotine patch	Stimulant	Nicotine replacement	21 mg transdermal patch daily	Yes  Choose an item.		Nicotine dependent transference, hypersensitivity, rash, HA	<ol style="list-style-type: none"> <li>1. Report rash, trouble breathing.</li> <li>2. Do not smoke while a patch is on</li> <li>3. May create addiction to patch</li> <li>4. Report cardiac symptoms</li> </ol>
ziprasidone	antipsychotic	Psychotic behavior/bipolar disorder/mania	40 mg PO BID	Yes		Neuroleptic malignant disorder, extrapyramidal symptoms, tardive dyskinesia,	<ol style="list-style-type: none"> <li>1. Report muscle spasm or pain</li> <li>2. Report cardiac symptoms</li> <li>3. Be aware at higher risk for falls due to possible syncope as a side effect</li> <li>4. Report changes in mental status</li> </ol>

## Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Click here to enter text.		Unit: Click here to enter text.	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
						dystonia, QT prolongation, torsades de pointes, seizures, syncope, stroke, priapism, HTN, hyperglycemia, DM, serotonin syndrome	
prazosin	Alpha-blocker	Nightmares	1 mg PO QHS	Yes  Choose an item.		Hypotension, syncope, intraoperative floppy iris syndrome, priapism, dizziness, somnolence	<ol style="list-style-type: none"> <li>1. Be aware of higher risk of falls due to orthostatic hypotension and syncope as side effects</li> <li>2. Report changes in vision or appearance of eye</li> <li>3. Report trouble sleeping</li> <li>4. Report cardiac symptoms</li> </ol>
Nicotine inhaler	Stimulant	Nicotine replacement	10 mg cartridge for inhalation Q2	No  4mg cartridge 6-16/day		Bronchospasm, nicotine dependence transference, mouth/throat	<ol style="list-style-type: none"> <li>1. Report trouble breathing</li> <li>2. Report mouth or throat irritaiton</li> <li>3. Report pain in neck or face</li> <li>4. Report inflammation of sinus tract</li> </ol>

## Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Click here to enter text.		Unit: Click here to enter text.	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	<b>Allergies:</b> Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
						irritation, jaw pain, neck pain, tooth disorder, taste change, rhinitis, sinusitis, dyspepsia	
				Choose an item.			1. 2. 3. 4.
				Choose an item.			1. 2. 3. 4.