

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
Click here to enter text.	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Click here to enter text.	Click here to enter text.	Click here to enter text.

Student Name: Katelyn Kelley		Unit: Click here to enter text.	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Hydroxyzine pamoate	Antihistamine	Anxiety	25mg PO PRN q6	Choose an item. Yes, this is the correct dose.	None	Torsades de Pointes, flushing, rash, dry mouth, urinary retention, headache, dizziness, n/v & wheezing	1. Avoid using natural remedies such as: kava-kava, valerian, or chamomile. This can cause CNS depression (body slows down). 2. Call before getting up as these drugs can make you drowsy and dizzy. 3. In order to help with dry mouth, frequent mouth rinsing, good oral hygiene, & sugarless candy can provide comfort. 4. DO NOT use with alcohol as this can cause the body system to slow down further while taking this med.
lorazepam	Benzodiazepine	Alcohol withdrawal / anxiety	1-2 mg PO PRN q4 hours	Choose an item. Choose an item. Yes, this is the correct	None	Constipation, diarrhea, n/v, dizziness, drowsiness, lethargy, headache, respiratory	1. Take this med exactly as directed. If a dose is missed do not double up on a missed dose. Do not skip taking this med. 2. DO NOT suddenly stop taking this med. It can cause serious withdrawal effects. 3. If you feel that your suicidal thoughts

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Katelyn Kelley		Unit: Click here to enter text.	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				dose.		depression, & could develop physical dependence.	are worse and feel like you are going to harm yourself, notify the Dr. immediately. 4. This med has a high potential to be abused so it is important to keep it in a safe place.
haldol	antipsychotic	for psychotic symptoms/agitation	10 mg IM PRN q8	Choose an item. Choose an item. The Davis Drug Guide states 2-5mg every 1-8hrs (not to exceed 100mg/day)	None	Hypotension, Torsades de Pointes, diaphoresis, photosensitivity, constipation, dry mouth, confusion, drowsiness, restlessness, & resp. depression.	1. Change positions slowly to minimize orthostatic hypotension. 2. This med may cause you to be very drowsy so call before getting up so we can assist you. 3. Do not take with other CNS depressants such as: alcohol or opioids. 4. This med can cause photosensitivity so wear sunscreen and protective clothing when going outside to prevent a reaction.
diphenhydramine	antihistamine	management of cholinergic effects of antipsychotic	50 mg IM q8 PRN psychotic symptoms	Choose an item. According to Davis' Drug Guide, the	None	Hypotension, palpitations, blurred vision, anorexia, dry mouth,	1. This med can cause drowsiness so do not drive or operate heavy machinery. 2. Call before getting up so we can help you get up as this med can cause dizziness. 3. Use sugarless candy, gum, have good

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Katelyn Kelley		Unit: Click here to enter text.	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				dose is 25-50mg q4 PRN		drowsiness, dizziness, headache, & pain at the IM site.	oral hygiene, and frequent oral rinses to help alleviate dry mouth. 4. Avoid drinking alcohol or taking opioids as this can depress the CNS more while on this med.
acetaminophen	Analgesic/antipyretic	Mild-moderate pain	500 mg PO q6 for pain of 1-4 on pain scale	Choose an item. Yes, this is the correct dose.	None	Rash, elevated liver enzymes, renal failure (if taken in high doses or abused), neutropenia, & pancytopenia.	1. Do not take more than prescribed, if you do this could lead to hepatotoxicity, renal, or cardiac damage. 2. Avoid drinking alcohol when taking these meds as this can increase liver damage. 3. If a rash occurs then stop this med immediately and notify us. 4. As nurses we need to assess pain type, location, & intensity prior to & 30 mins after giving the med.
olanzapine	antipsychotic	Agitation/psychotic behavior	5 mg PO q6 for agitation	Choose an item. Yes, this the correct dosage.	None	Orthostatic hypotension, photosensitivity, rhinitis, constipation, dry mouth, agitation,	1. Assess mental status before & periodically during therapy. 2. Change position slowly to prevent orthostatic hypotension. 3. Call before getting up because this med can cause drowsiness & orthostatic hypotension.

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Katelyn Kelley		Unit: Click here to enter text.	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
						dizziness, headache, restlessness, & sedation.	4. Let us know if there are new or increasing suicidal thoughts or unusual changes in behavior or mood.
ibuprofen	NSAID	Mild-moderate pain	400 mg PO q6 for pain of 1-4 on pain scale	Choose an item. Choose an item. Yes, this is the correct dose.	None	Edema, hypertension, hyperkalemia, constipation, n/v, headache, dizziness, & drowsiness.	<ol style="list-style-type: none"> 1. Take this med with a full glass of water & stay sitting up for 15-30 mins after taking. 2. This med could cause dizziness & drowsiness so call before getting up. 3. Do not drink alcohol while taking this drug. 4. Assess for s/s of a GI bleed: tarry, black stool, & hypotension.
risperdal	antipsychotic	Psychotic behavior/bipolar mania	1 mg tablet PO BID	Choose an item. Yes, this is the correct dose.	None	Orthostatic hypotension, constipation, diarrhea, dry mouth, nausea, dizziness, headache, insomnia, & sedation.	<ol style="list-style-type: none"> 1. Slowly change positions to prevent orthostatic hypotension. 2. This med can cause drowsiness so call for help before getting up & do not drive when taking this med. 3. If new or worsening thoughts of suicide occur, notify us. 4. Wear sunscreen & protective clothing when outside to prevent a photosensitivity reaction.

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Katelyn Kelley		Unit: Click here to enter text.	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Nicotine patch	Stimulant	Nicotine replacement	21 mg transdermal patch daily	Choose an item. Choose an item. Yes, this is the correct dose.	None	Tachycardia, burning @ patch site, erythema, increased appetite, increased salivation, headache, & insomnia.	<ol style="list-style-type: none"> 1. Educate in the proper disposal of the nicotine patch. 2. Apply the patch at the same time every day. 3. Do not wear more than one patch at a time. 4. This may cause drowsines or dizziness so avoid driving and operating heavy machinery.
ziprasidone	antipsychotic	Psychotic behavior/bipolar disorder/mania	40 mg PO BID	Choose an item. Yes, this is the correct dose.	None	Orthostatic hypotension, constipation, diarrhea, nausea, dizziness, drowsiness, & restlessness.	<ol style="list-style-type: none"> 1. Do not discontinue thos medication without consulthing the HCP, even if you feel well. 2. Change positions slowly to prevent orthostatic hypotension. 3. This med could cause seizures & drowsiness so do not drive or operate heavy machinery. 4. Monitor the pt's mental status prior to starting & while on med.
prazosin	Alpha-blocker	Nightmares	1 mg PO QHS	Choose an item. Choose an	None	Orthostatic hypotension, palpitations, diarrhea, n/v,	<ol style="list-style-type: none"> 1. This med can cause dizziness & drowsiness so call for help before getting up & do not drive or operate heavy machinery.

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Katelyn Kelley		Unit: Click here to enter text.	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				item. Yes, this is the correct dose.		dizziness, headache, & weakness.	<ol style="list-style-type: none"> 2. Change positions slowly to help prevent orthostatic hypotension. 3. Do not take alcohol while taking this med. 4. Watch patient closely for orthostatic hypotension after the first dose. Make sure they do not fall.
Nicotine inhaler	Stimulant	Nicotine replacement	10 mg cartridge for inhalation Q2	Choose an item. Yes, this is the correct dose.	None	Irritation in throat & mouth, cough, runny nose, & headache.	<ol style="list-style-type: none"> 1. Store these in a cool dry place away from excess heat. 2. Keep this away from children and pets and store in the proper container. 3. Call if you have a rapid heart rate while taking this. 4. Do not continue to smoke cigarettes while taking this med.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Katelyn Kelley		Unit: Click here to enter text.	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.