

PICU

GENERAL APPEARANCE	CARDIOVASCULAR	PSYCHOSOCIAL
Appearance: <input checked="" type="checkbox"/> Healthy/Well Nourished <input type="checkbox"/> Neat/Clean <input type="checkbox"/> Emaciated <input checked="" type="checkbox"/> Unkept Developmental age: <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Delayed	Pulse: <input type="checkbox"/> Regular <input type="checkbox"/> Irregular <input checked="" type="checkbox"/> Strong <input type="checkbox"/> Weak <input type="checkbox"/> Thready <input type="checkbox"/> Murmur <input type="checkbox"/> Other _____ Edema: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Location _____ <input type="checkbox"/> 1+ <input type="checkbox"/> 2+ <input type="checkbox"/> 3+ <input type="checkbox"/> 4+ Capillary Refill: <input checked="" type="checkbox"/> < 2 sec <input type="checkbox"/> > 2 sec Pulses: Upper R <u>3+</u> L <u>3+</u> Lower R <u>3+</u> L <u>3+</u> 4+ Bounding 3+ Strong 2+ Weak 1+ Intermittent 0 None	Social Status: <input type="checkbox"/> Calm/Relaxed <input checked="" type="checkbox"/> Quiet <input type="checkbox"/> Friendly <input checked="" type="checkbox"/> Cooperative <input type="checkbox"/> Crying <input type="checkbox"/> Uncooperative <input type="checkbox"/> Restless <input type="checkbox"/> Withdrawn <input type="checkbox"/> Hostile/Anxious Social/emotional bonding with family: <input type="checkbox"/> Present <input checked="" type="checkbox"/> Absent
NEUROLOGICAL	ELIMINATION	IV ACCESS
LOC: <input checked="" type="checkbox"/> Alert <input type="checkbox"/> Confused <input type="checkbox"/> Restless <input type="checkbox"/> Sedated <input type="checkbox"/> Unresponsive Oriented to: <input checked="" type="checkbox"/> Person <input checked="" type="checkbox"/> Place <input checked="" type="checkbox"/> Time/Event <input checked="" type="checkbox"/> Appropriate for Age Pupil Response: <input checked="" type="checkbox"/> Equal <input type="checkbox"/> Unequal <input checked="" type="checkbox"/> Reactive to Light <input type="checkbox"/> Size <u>5mm</u> Fontanel: (Pt < 2 years) <input type="checkbox"/> Soft <input type="checkbox"/> Flat <input type="checkbox"/> Bulging <input type="checkbox"/> Sunken <input type="checkbox"/> Closed Extremities: <input type="checkbox"/> Able to move all extremities <input type="checkbox"/> Symmetrically <input type="checkbox"/> Asymmetrically Grips: Right <u>3</u> Left <u>3</u> Pushes: Right <u>3</u> Left <u>3</u> S=Strong W=Weak N=None EVD Drain: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Level _____ Seizure Precautions: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Urine Appearance: <u>N/A</u> Stool Appearance: <u>Sausage</u> <input type="checkbox"/> Diarrhea <input type="checkbox"/> Constipation <input type="checkbox"/> Bloody <input type="checkbox"/> Colostomy <u>LBM 04/29/30</u>	Site: <u>Subclavian</u> <input type="checkbox"/> INT <input type="checkbox"/> None <input type="checkbox"/> Central Line Type/Location: <u>Hemodialysis</u> Appearance: <input checked="" type="checkbox"/> No Redness/Swelling <input type="checkbox"/> Red <input type="checkbox"/> Swollen <input type="checkbox"/> Patent <input type="checkbox"/> Blood return Dressing Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Fluids: _____
RESPIRATORY	GASTROINTESTINAL	SKIN
Respirations: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Retractions (type) _____ <input type="checkbox"/> Labored Breath Sounds: Clear <input checked="" type="checkbox"/> Right <input checked="" type="checkbox"/> Left Crackles <input type="checkbox"/> Right <input type="checkbox"/> Left Wheezes <input type="checkbox"/> Right <input type="checkbox"/> Left Diminished <input checked="" type="checkbox"/> Right <input checked="" type="checkbox"/> Left <input type="checkbox"/> Absent <input type="checkbox"/> Right <input type="checkbox"/> Left <input checked="" type="checkbox"/> Room Air <input type="checkbox"/> Oxygen Oxygen Delivery: <input type="checkbox"/> Nasal Cannula: _____ L/min <input type="checkbox"/> BiPap/CPAP: _____ <input type="checkbox"/> Vent: ETT size _____ @ _____ cm <input type="checkbox"/> Other: _____ Trach: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size _____ Type _____ Obturator at Bedside <input type="checkbox"/> Yes <input type="checkbox"/> No Cough: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Productive <input type="checkbox"/> Nonproductive Secretions: Color _____ Consistency _____ Suction: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Pulse Ox Site: <u>Finger</u> Oxygen Saturation: <u>99%</u>	Abdomen: <input checked="" type="checkbox"/> Soft <input type="checkbox"/> Firm <input type="checkbox"/> Flat <input type="checkbox"/> Distended <input type="checkbox"/> Guarded Bowel Sounds: <input checked="" type="checkbox"/> Present X <u>4</u> quads <input checked="" type="checkbox"/> Active <input type="checkbox"/> Hypo <input type="checkbox"/> Hyper <input type="checkbox"/> Absent Nausea: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Vomiting: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Passing Flatus: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Tube: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Location _____ Inserted to _____ cm <input type="checkbox"/> Suction Type: _____	Color: <input type="checkbox"/> Pink <input type="checkbox"/> Flushed <input type="checkbox"/> Jaundiced <input type="checkbox"/> Cyanotic <input type="checkbox"/> Pale <input type="checkbox"/> Natural for Pt Condition: <input checked="" type="checkbox"/> Warm <input type="checkbox"/> Cool <input type="checkbox"/> Dry <input type="checkbox"/> Diaphoretic Turgor: <input checked="" type="checkbox"/> < 5 seconds <input type="checkbox"/> > 5 seconds Skin: <input checked="" type="checkbox"/> Intact <input type="checkbox"/> Bruises <input type="checkbox"/> Lacerations <input type="checkbox"/> Tears <input type="checkbox"/> Rash <input type="checkbox"/> Skin Breakdown Location/Description: _____ Mucous Membranes: Color: <u>Pink</u> <input checked="" type="checkbox"/> Moist <input type="checkbox"/> Dry <input type="checkbox"/> Ulceration
NUTRITIONAL	MUSCULOSKELETAL	PAIN
Diet/Formula: <u>Renal; Nat restrict</u> Amount/Schedule: _____ Chewing/Swallowing difficulties: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>Restricted water</u>	<input type="checkbox"/> Pain <input type="checkbox"/> Joint Stiffness <input type="checkbox"/> Swelling <input type="checkbox"/> Contracted <input type="checkbox"/> Weakness <input type="checkbox"/> Cramping <input type="checkbox"/> Spasms <input type="checkbox"/> Tremors Movement: <input type="checkbox"/> RA <input type="checkbox"/> LA <input type="checkbox"/> RL <input type="checkbox"/> LL <input checked="" type="checkbox"/> All Brace/Appliances: <input checked="" type="checkbox"/> None Type: _____	Scale Used: <input type="checkbox"/> Numeric <input type="checkbox"/> FLACC <input type="checkbox"/> Faces Location: <u>No pain</u> Type: _____ Pain Score: 0800 _____ 1200 _____ 1600 _____
MOBILITY	WOUND/INCISION	TUBES/DRAINS
<input checked="" type="checkbox"/> Ambulatory <input type="checkbox"/> Crawl <input type="checkbox"/> In Arms <input type="checkbox"/> Ambulatory with assist _____ Assistive Device: <input type="checkbox"/> Crutch <input type="checkbox"/> Walker <input type="checkbox"/> Brace <input type="checkbox"/> Wheelchair <input type="checkbox"/> Bedridden	<input checked="" type="checkbox"/> None <input checked="" type="checkbox"/> Drain/Tube Site: <u>Peritoneal</u> Type: <u>Dialysis</u> Dressing: <u>Clean dry intact</u> Suction: _____ Drainage amount: _____ Drainage color: _____	<input type="checkbox"/> None <input checked="" type="checkbox"/> Drain/Tube Site: <u>Peritoneal</u> Type: <u>Dialysis</u> Dressing: <u>Clean dry intact</u> Suction: _____ Drainage amount: _____ Drainage color: _____

Deformity
 Right hand
 Calcium deposit

IM5 Clinical Worksheet – PICU

Student Name: Atina Mills Date: 4/30/24	Patient Age: 16 yo Patient Weight: 115 kg
1. Admitting Diagnosis: End-Stage-Renal-Failure	2. Priority Focused Assessment R/T Diagnosis: GU – Pain no urine output due to dialysis
3. Signs and Symptoms: - fatigue - Chest pain - Change in urination - Loss of appetite - nausea - vomiting	4. Diagnostic Tests Pertinent to or Confirming of Diagnosis: CBC kidney biopsy CT Renal ultrasound
5. Lab Values That May Be Affected: Creatinine BUN Na+ K+ HbH (↓erythropoetin)	6. Current Treatment (Include Procedures): Dialysis
7. Pain & Discomfort Management: List 2 Developmentally Appropriate Non-Pharmacologic Interventions Related to Pain & Discomfort for This Patient. 1. Distractors (Reading, movie) 2. Warm pack on site	8. Patient/Caregiver Teaching: 1. Water restriction 1200ml/24hr 2. Na+ & K+ restriction 3. Walking Any Safety Issues Identified: no family at bedside
9. Calculate the Maintenance Fluid Requirement (Show Your Work): $10\text{kg} \times 100 = 1000$ $10\text{kg} \times 50 = 500$ $95\text{kg} \times 20 = 1900$ 142mL/hr $3400\text{mL}/24\text{hr}$ Combined Total Intake for Your Pt (mL/hr): 142mL/hr	10. Calculate the Minimum Acceptable Urine Output Requirement (Show Your Work): $0.5\text{mL} \times 115\text{kg}$ 57.5mL/hr $690\text{mL}/12\text{hr}$ Actual Urine Output During Your Shift (mL/hr): no urine output due to dialysis
Please list any medications you administered or procedures you performed during your shift:	

PICU

INTAKE/OUTPUT													
PO/Enteral Intake	07	08	09	10	11	12	13	14	15	16	17	18	Total
PO Intake										355			355ml
Intake - PO Meds								✓	✓				X2
Enteral Tube Feeding													
Enteral Flush													
Free Water													
IV INTAKE	07	08	09	10	11	12	13	14	15	16	17	18	Total
IV Fluid													0
IV Meds/Flush													0
OUTPUT	07	08	09	10	11	12	13	14	15	16	17	18	Total
Urine													0
# of immeasurable													
Stool													
Urine/Stool mix													
Emesis													
Other													

Dialysis

Children's Hospital Early Warning Score (CHEWS)	
(See CHEWS Scoring and Escalation Algorithm to score each category)	
Behavior/Neuro	Circle the appropriate score for this category: 0 1 2 3
Cardiovascular	Circle the appropriate score for this category: 0 1 2 3
Respiratory	Circle the appropriate score for this category: 0 1 2 3
Staff Concern	1 pt - Concerned
Family Concern	1 pt - Concerned or absent
CHEWS Total Score	
CHEWS Total Score	Total Score (points) <u>0</u>
	Score 0-2 (Green) - Continue routine assessments
	Score 3-4 (Yellow) - Notify charge nurse or LIP, Discuss treatment plan with team, Consider higher level of care, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications
	Score 5-11 (Red) - Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation, Notify attending physician, Discuss treatment plan with team, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications