

Admin Instructions:

RN to adjust frequency of POCT glucose and insulin correction orders as appropriate for diet:

-if patient NPO: every 6 hours

-when diet is resumed: four times daily, before meals and nightly (ACHS)

Use DAY/NPO DOSE for doses scheduled: Before meals (AC), NPO, Daytime 0700-1900

Use NIGHT DOSE for doses scheduled: Bedtime (HS), Nighttime 1900-0700

If the BG is not checked before the patient starts eating, do not give correction insulin.

Product Instructions:

Only for use with U-100 insulin syringe.

[Order Questions/Answers](#)

Correction Scale: Low Dose (SENSITIVE): Total Daily Dose less than 40 units

Day/NPO Blood Glucose (BG) below 150: 0
(units)

Day/NPO BG 150-200: (units) 1

Day/NPO BG 201-250: (units) 2

Day/NPO BG 251-300: (units) 3

Day/NPO BG 301-350: (units) 4

Day/NPO BG 351-400: (units) 5

Day/NPO BG above 400: (units) 6

Night BG below 150: (units) 0

Night BG 150-200: (units) 0

Night BG 201-250: (units) 1

Night BG 251-300: (units) 2

Night BG 301-350: (units) 3

Night BG 351-400: (units) 4

Night BG above 400: (units) 5

BG above 400 additional instructions: GIVE DOSE AND CALL PROVIDER

Ordered Admin Dose: 0-6 Units

|

Admin Instructions:

Use DAY/NPO DOSE for doses scheduled:

AC, NPO, Daytime 0700-1900

Use NIGHT DOSE for doses scheduled:

HS, Nighttime 1900-0700

If the BG is not checked before the patient starts eating, do not give correction insulin.

Product Instructions:

Only for use with U-100 insulin syringe.

[Order Questions/Answers](#)

Correction Scale: Moderate Dose (MODERATE): Total Daily Dose 40-80 units

Day/NPO Blood Glucose (BG) below 150: 0
(units)

Day/NPO BG 150-200: (units) 2

Day/NPO BG 201-250: (units) 4

Day/NPO BG 251-300: (units) 6

Day/NPO BG 301-350: (units) 8

Day/NPO BG 351-400: (units) 10

Day/NPO BG above 400: (units) 12

Night BG below 150: (units) 0

Night BG 150-200: (units) 0

Night BG 201-250: (units) 2

Night BG 251-300: (units) 4

Night BG 301-350: (units) 6

Night BG 351-400: (units) 8

Night BG above 400: (units) 10

BG above 400 additional instructions: GIVE DOSE AND CALL PROVIDER

Ordered Admin Dose: 0-12 Units

| Recent Admin Within 24

Admin Instructions:

Use DAY/NPO DOSE for doses scheduled:

AC, NPO, Daytime 0700-1900

Use NIGHT DOSE for doses scheduled:

HS, Nighttime 1900-0700

If the BG is not checked before the patient starts eating, do not give correction insulin.

Product Instructions:

Only for use with U-100 insulin syringe.

Order Questions/Answers

Correction Scale: **High Dose (RESISTANT): Total Daily Dose above 80 units**

Day/NPO Blood Glucose (BG) below 150: 0 (units)

Day/NPO BG 150-200: (units) 3

Day/NPO BG 201-250: (units) 6

Day/NPO BG 251-300: (units) 9

Day/NPO BG 301-350: (units) 12

Day/NPO BG 351-400: (units) 15

Day/NPO BG above 400: (units) 18

Night BG below 150: (units) 0

Night BG 150-200: (units) 0

Night BG 201-250: (units) 3

Night BG 251-300: (units) 6

Night BG 301-350: (units) 9

Night BG 351-400: (units) 12

Night BG above 400: (units) 15

BG above 400 additional instructions: **GIVE DOSE AND CALL PROVIDER**

Ordered Admin Dose: **0-18 Units**

Recent Admin Within 24

dextrose 50% injection 12.5-25 g[Ⓐ]

Dose: 12.5-25 g : Intravenous : PRN : Low Blood Sugar : 



Admin Instructions:

For patients unable to take PO. See hypoglycemia management protocol for those that can take PO.

For blood glucose 50-69 mg/dL: give 12.5 g

For blood glucose less than 50 mg/dL: give 25 g

Ordered Admin Dose: 25-50 mL = 12.5-25 g of 50 g/100 mL

Frequency: PRN

Route: Intravenous

Ordered Dose: 12.5-25 g

Admin Duration: 2 Minutes

Order Start Time: 03/20/23 at 1755

PRN Reasons: Low Blood Sugar

Dispense Location: M-S10W Pyxis

Pharmaceutical Class: Nutrients

References: [Lexicomp](#)

Linked Line: [Not Linked](#)

Recent Actions: 03/21 1240 | 03/21 1400

[Click to hide details](#) 