

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
Click here to enter text.	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Click here to enter text.	Click here to enter text.	Click here to enter text.

Student Name: Alaejah Morrison		Unit: IM6	Patient Initials:		Date: 9/19/2024	Allergies:	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Hydroxyzine pamoate	Antihistamine	Anxiety	25mg PO PRN q6	Choose an item.		Fast/pounding heartbeats with chest pain	1. Check if patient is pregnant, may cause birth defects 2. Educate the med can impair their thinking and/or reactions 3. Inform patients to STOP the medication if they have tremors, seizures, or restless muscle movements 4. If women, have QT intervals analyzed before starting the medication in case of long QT syndrome
lorazepam	Benzodiazapine	Alcohol withdrawal / anxiety	1-2 mg PO PRN q4 hours	Choose an item. Choose an item.		Severe drowsiness, sudden restlessness/excitement	1. Educate patients that misuse can cause addiction, overdose, or death 2. DO NOT ABRUPTLY stop taking the medication 3. Have patients seek medical help if they experience any unusual muscle movements, being more active or talkative 4. Inform about possible suicide ideation
haldol	antipsychoti	for psychotic	10 mg IM	Choose an		Uncontrolled	1. Is risky for patients with dementia-

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Alaejah Morrison		Unit: IM6	Patient Initials:		Date: 9/19/2024	Allergies:	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
	c	symptoms/agitation	PRN q8	item. Choose an item.		muscle movements, fast/pounding heartbeats	related psychosis and not approved for their use 2. Be sure to check a patients QT interval prior to administering the med for it may cause long QT Syndrome 3. Assess a patients BP prior to administering for it can cause low BP 4. Notify provider if patient starts to complain of any chest problems
diphenhydramine	antihistamine	management of cholinergic effects of antipsychotic	50 mg IM q8 PRN psychotic symptoms	Choose an item.		Confusion, constipation, dry eyes, drowsiness	1. When taking, be extremely cautious if driving 2. Be aware of surroundings for you can become dizzy or extremely drowsy 3. If giving to a child, be extremely careful of amount using as cough or cold medicine due to risk of death 4. Be cautious if drinking alcohol, it can potentiate the feelings about dizziness and drowsiness
acetaminophen	Analgesic/antipyretic	Mild-moderate pain	500 mg PO q6 for pain of 1-4 on pain	Choose an item. Click here to		Stomach pain, loss of appetite	1. Be cautious and make sure if taking any other medications with could have a fatal overdose 2. Inform patient they may have stomach

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Alaejah Morrison		Unit: IM6	Patient Initials:		Date: 9/19/2024	Allergies:	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
			scale	enter text.			pain, or loss of appetite 3. Notify provider if there is skin redness or a rash occurring 4. Teach patients they may clay like stool
olanzapine	antipsychotic	Agitation/psychotic behavior	5 mg PO q6 for agitation	Choose an item. Click here to enter text.		Constipation, weight gain, restlessness	1. Be cautious to extreme weather climates, particularly hot environments 2. Have lab levels checked prior, including cholesterol and sugars if diabetic 3. Inform patients that it's easy to gain weight when taking the medication 4. AVOID driving or other risky activities because of sleepiness and affected decision making ability
ibuprofen	NSAID	Mild-moderate pain	400 mg PO q6 for pain of 1-4 on pain scale	Choose an item. Choose an item. Click here to enter text.		Changes in vision, shortness of breath, swelling	1. Use as instructed, risk for stomach or intestinal bleeding, if don't 2. Be cautious of overdosing, can cause damage to the stomach or intestines 3. Be cautious if patient has asthma or a heart disease of some sort 4. Can take with food or milk to lessen stomach upset
risperdal	antipsychotic	Psychotic behavior/bipol	1 mg tablet PO	Choose an item.		Uncontrolled muscle	1. Not for patients with dementia-related psychosis

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Alaejah Morrison		Unit: IM6	Patient Initials:		Date: 9/19/2024	Allergies:	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
		ar mania	BID	Click here to enter text.		movements	<ol style="list-style-type: none"> 2. Inform patients that while taking, they may become sensitive to temperature extremes 3. Make sure they drink plenty of fluids when exercising or in hot weather 4. Notify patients that it can impair thinking and reactions, so be in a safe environment and dangerous activities at that time
Nicotine patch	Stimulant	Nicotine replacement	21 mg transdermal patch daily	Choose an item. Choose an item. Click here to enter text.		Fast/pounding heartbeats, blisters in mouth, tightness of chest	<ol style="list-style-type: none"> 1. DO NOT use multiple patches or other nicotine products at one time 2. For women, AVOID pregnancy and if sexually active, use effective birth control 3. DO NOT put new patch on without removing the old one first 4. Make sure the area that the patch is applied to is dry, clean, and hairless
ziprasidone	antipsychotic	Psychotic behavior/bipolar disorder/mania	40 mg PO BID	Choose an item. Click here to enter text.		Uncontrolled muscle movement, fast/pounding heartbeats, headache	<ol style="list-style-type: none"> 1. Check QT intervals prior to administering the med, for it can cause long QT Syndrome 2. STOP the med if patient has sudden dizziness, or fluttering in chest 3. Check with provider if patient has a

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Alaejah Morrison		Unit: IM6	Patient Initials:		Date: 9/19/2024	Allergies:	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							history of dementia-related psychosis 4. Be aware of other medications being used, it can have serious drug-drug reactions , epscially related to heart conditions
prazosin	Alpha-blocker	Nightmares	1 mg PO QHS	Choose an item. Choose an item.Click here to enter text.		Light-headedness, chest pain, stomach pain	1. Check BP prior to administering med, for it can cause low BP 2. The med can affect pupils, so notify provider if patient starts to notice changes to their eyes 3. For women, if pregnant and having hypertension, may cause further problems such as diabetes or eclampsia 4. Be aware of surroundings, patient can become extremely dizzy or drowsy
Nicotine inhaler	Stimulant	Nicotine replacement	10 mg cartridge for inhalation Q2	Choose an item. Click here to enter text.		Fast/pounding heartbeats, blisters in mouth, tightness of chest	1. Make sure to inhale deeply with each dose to ensure deposition in the lungs 2. Follow directions completely and precisely for time use and repetitions 3. DO NOT use other nicotine products simultaneously 4. Inform patients that use can cause them to experience irritation of the mouth and

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Alaejah Morrison		Unit: IM6	Patient Initials:		Date: 9/19/2024	Allergies:	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							throat, taste changes, and teeth problems
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.