

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
D5 NS + KCl 20 @ 30 mL/hr	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input checked="" type="checkbox"/>	Fluid and electrolyte replacement	Na, K, Cl	None

Student Name: Jordan Magee		Unit: Pedi Floor	Patient Initials:		Date: 9/25/2024	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Acetaminophen	Nonopioid analgesic	Mild to moderate pain	500 mg, IVPB, q6hrs	Yes	IVPB - 500mg/50mL administer at 200mL/hr	Dyspnea, atelectasis, GI bleeding, renal failure, thrombocytopenia	1. BBW: High doses can cause hepatotoxicity - Max dose is 4,000mg/day; Be aware of other meds than may contain acetaminophen 2. Do not drink alcohol, use herbals, or take OTC products with this drug without approval of prescriber - combinations could interact with the drug, cause stomach irritation, cause liver damage, or cause other unwanted side effects 3. Notify provider if rash or urticaria occur - could indicate hypersensitivity or allergic reactions and product should be stopped 4. Recognize signs of chronic overdose - bleeding, bruising, malaise, fever, sore throat
Morphine	Opioid	Severe pain	2 mg, IVP, q2hrs,	Yes Choose an item.	IVP - 0.9% sodium chloride, 9 mL, push over 4-5 min	Bradycardia, respiratory depression,	1. BBW: Respiratory depression can occur - notify provider if respirations are <12 min

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Jordan Magee		Unit: Pedi Floor	Patient Initials:		Date: 9/25/2024	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
			PRN			apnea, seizures, sedation, confusion, blurred vision	2. Do not discontinue product abruptly – withdrawal symptoms can occur; gradually taper off 3. Substance abuse and physical dependency can occur – avoid taking product for extended periods of time 4. Change positions slowly - orthostatic hypotension may occur
Polyethylene glycol	Laxative	Constipation	17 g, PO, once	Yes Choose an item.	N/A	Rectal hemorrhage, swollen abdomen, dizziness, tachycardia, confusion, seizures	1. Take this product exactly as directed – otherwise, it may not work as well or as properly as it should 2. Notify provider of rash, hives, itching, or wheezing – could indicate allergic reaction and product would need to be stopped 3. Do not double doses or take extra doses – overdose may occur 4. Do not take any medicine by mouth within 1 hour before using product
Meds for pt #2:				Choose an item.			1. 2. 3. 4.

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Jordan Magee		Unit: Pedi Floor	Patient Initials:		Date: 9/25/2024	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Lacosamide	Anticonvulsant	Seizures	30 mg, per NG tube, BID	Yes Choose an item.	N/A	Syncope, tremors, orthostatic hypotension, palpitations, hepatitis, anemia	<ol style="list-style-type: none"> Do not discontinue product abruptly; taper over 1 week as seizures may occur Notify provider of any rash, fever, fatigue, yellowing of skin, eyes, dark urine - may be hypersensitivity reaction Avoid hazardous activities until stabilized on product - notify provider of blurred vision, nausea, dizziness, or syncope Carry emergency ID stating product use
Lorazepam	Sedative, hypnotic	Seizures	0.5 mg, per NG tube, q4hrs	Yes Choose an item.	N/A	Confusion, tremors, hallucinations, apnea, cardiac arrest, acidosis	<ol style="list-style-type: none"> Do not discontinue medication abruptly after long-term use - could cause withdrawal; taper off slowly Do not take more than prescribed amount - may be habit forming Rise slowly to minimize orthostatic hypotension and fainting Notify provider immediately of trouble breathing, dizziness, coma, or if no response - could indicate respiratory depression
Methadone	Opioid analgesic	Severe pain	1 mg, per NG	Yes Choose an	N/A	Seizures, bradycardia,	<ol style="list-style-type: none"> BBW: Respiratory depression can occur - notify provider if respirations are <10

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Jordan Magee		Unit: Pedi Floor	Patient Initials:		Date: 9/25/2024	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
			tube, q6hrs	item.		torsades de pointes, QT prolongation, respiratory depression	min 2. Do not discontinue product abruptly - withdrawal symptoms can occur; gradually taper off 3. Change positions slowly - orthostatic hypotension may occur 4. Notify provider immediately of any signs of CNS changes, allergic reactions, extreme sedation, or trouble breathing
				Choose an item.			1. 2. 3. 4.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Choose an	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text.

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Jordan Magee		Unit: Pedi Floor	Patient Initials:		Date: 9/25/2024	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				item.Click here to enter text.			3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Choose an item.Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Choose an item.Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Choose an item.Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Jordan Magee		Unit: Pedi Floor	Patient Initials:		Date: 9/25/2024	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.