

Adult/Geriatric Medication Worksheet - Current Medications & PRN from 0700-1400 current day

Generic Name	Dosage with route and schedule	IVP-List diluent solution, volume, and rate of administration IVPB- List concentration and rate of administration	Patient specific therapeutic reasoning	Patient specific teaching with reasoning
ondansetron	N/A	N/A	Stops the chemicals in the body that trigger nausea and vomiting.	<ol style="list-style-type: none"> 1. Before taking tell your doctor if you have liver disease. 2. Do not take more or less or more often than prescribed by your doctor. 3. Call your doctor immediately if you experience blurred vision or vision loss. 4. Tell your doctor if you or anyone in your family has or has ever had long QT syndrome.
metoprolol	N/A	N/A	Used to treat angina and hypertension. Lowers risk of death or needing to be hospitalized for heart failure.	<ol style="list-style-type: none"> 1. You should not use this medication if you have serious heart conditions such as heart block or slow heart rate. 2. You should not take if you have asthma or diabetes. 3. This medication should be taken with a meal or just after a meal. 4. Take the medication at the same time every day.
levofloxacin	N/A	N/A	Antibiotic that is used to treat different types of bacterial infections.	<ol style="list-style-type: none"> 1. You should call your doctor if you experience headaches while taking this medication. 2. Get emergency help if you have severe pain in your chest, stomach, or back.

Adult/Geriatric Medication Worksheet - Current Medications & PRN from 0700-1400 current day

vancomycin	N/A	N/A	Antibiotic used to infections in the intestines caused by Clostridium difficile.	<ol style="list-style-type: none"> 1. Taking more of this medicine will not make it more effective. 2. Do not stop taking even if you feel better. Finish all the antibiotics. 3. This medication will not treat any other infections in the body. Only in the intestines. 4. Store the liquid form in the refrigerator.
prednisone	N/A	N/A	Corticosteroid used to decrease inflammation and keep your immune system in check. Used to treat allergic disorders.	<ol style="list-style-type: none"> 1. Call your doctor if you have shortness of breath and pain in your upper stomach. 2. This med should not be stopped suddenly. 3. It may be wise to wear an ID band stating that you take prednisone. 4. Avoid being around people who are sick because steroid medications can weaken your immune system.

Adult/Geriatric Medication Worksheet - Current Medications & PRN from 0700-1400 current day

Allergies: N/A

Primary IV fluid and rate: N/A

Patient specific reasoning for IV fluids (including type isotonic, hypotonic, hypertonic): N/A

Medication reference: [Drugs.com](https://www.drugs.com)