

Student Name: Hannah Landsman Unit: 3N PF1 Pt. Initials: ________ Date: 10/29/24

**Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours**

**Allergies:** Almonds / NKDA

| Primary IV Fluid and Infusion Rate (ml/hr) | Circle IVF Type | Rationale for IVF | Lab Values to Assess Related to IVF | Contraindications/Complications |
|---|---|---|---|---|
| N/A | Isotonic/ Hypotonic/ Hypertonic | N/A | N/A | N/A |

| Generic Name | Pharmacologic Classification | Therapeutic Reason | Dose, Route & Schedule | Therapeutic Range?<br>Is med in therapeutic range?<br>If not, why? | IVP – List diluent solution, volume, and rate of administration<br>IVPB – List concentration and rate of administration | Adverse Effects | Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.) |
|---|---|---|---|---|---|---|---|
| Clarithro-mycin | macrolide abx | abx prophalatic | 100mg<br>PO<br>BID | 0mg - 500mg<br>Yes | N/A | QT syndrome<br>steven-Johnsons syndrome<br>C-diff | 1. Notify of child having seizures or passing out as it can cause prolong QT syndrome.<br>2. Notify of any rashes or patches on skin as it can cause steven Johnsons syndrome.<br>3. Notify of loss of appetite as it can cause liver damage.<br>4. Have parents notify of increasing diarrhea that is tarry, as it can cause C. diff. |
| | | | | | | | 1.<br>2.<br>3.<br>4. |
| | | | | | | | 1.<br>2.<br>3.<br>4. |
| | | | | | | | 1.<br>2.<br>3.<br>4. |
| | | | | | | | 1.<br>2.<br>3.<br>4. |

Adopted: August 2016

1

---



## IM5 Clinical Worksheet – Pediatric Floor

| | |
|---|---|
| **Student Name:** Hannah Landsman<br>**Date:** 10/29/24 | **Patient Age:** 21m<br>**Patient Weight:** 11.1 kg |
| **1. Admitting Diagnosis and Pathophysiology (State the pathophysiology in own words)**<br>Abcess of parotid massenteric.<br>The ductal valve can become incompetent allowing bacteria causing an infection. | **2. Priority Focused Assessment You Will Perform Related to the Diagnosis:**<br>Respiratory to make sure airway is maintained |
| **3. Identify the most likely and worst possible complications.**<br>Puts to much pressure on airway | **4. What interventions can prevent the listed complications from developing?**<br>Monitor size of abcess<br>Monitor RR & $O_2$ sat |
| **5. What clinical data/assessments are needed to identify these complications early?**<br>Respiratory assessment<br>RR & $O_2$ sat | **6. What nursing interventions will the nurse implement if the anticipated complication develops?**<br>Keep HOB up<br>Cont. $O_2$ sat |
| **7. Pain & Discomfort Management: List 2 Developmentally Appropriate Non-Pharmacologic Interventions Related to Pain & Discomfort for This Patient.**<br>1. Refocus their attention onto something else like non-nutritive sucking & parents talking to the child.<br>2. do bubble blowing which allows them to take deep breathes & have fun. | **8. Patient/Caregiver Teaching:**<br>1. Teach parents comfort positions and holdings to help soothe the child.<br>2. Demonstrate procedures on a stuffed animal so the patient can see & understand a little.<br>3. Teach parents to keep same schedule like home to help ease the child w/ ritualism<br>**Any Safety Issues identified:**<br>None |



| | |
|---|---|
| **Student Name:** Hannah Landsman<br>**Date:** 10/29/24 | **Patient Age:** 21m<br>**Patient Weight:** 11.1 **kg** |

| Abnormal Relevant Lab Tests | Current | Clinical Significance |
|---|---|---|
| Complete Blood Count (CBC) Labs | | |
| WBC | 10.19 | Infection w/ abcess |
| | | |
| | | |
| Metabolic Panel Labs | | |
| Na | 138 | Brain function |
| K | 3.7 | heart function |
| | | |
| Misc. Labs | | |
| Absolute Neutrophil Count (ANC) (if applicable) | [illegible] | |
| Rhino / Entero | + | neps r/o & dx |
| | | |
| Lab TRENDS concerning to Nurse? | | |
| WBC trending down = + direction | | |

**11. Growth & Development:**
***List the Developmental Stage of Your Patient For Each Theorist Below.**
***Document 2 OBSERVED Developmental Behaviors for Each Theorist.**
***If Developmentally Delayed, Identify the Stage You Would Classify the Patient:**

**Erickson Stage:** Autonomy vs. Shame & Doubt

1. Patient had a toy chicken with her as her transitional object that I used to demonstrate my assessment so she would let me.

2. ~~Patient~~ ~~he~~ while giving medicine to her kept repeating "No" that she wanted to try and hold it to take her medicine instead.

**Piaget Stage:** Sensorimotor / Perioperative

1. Patient was playing make belief in her costume that her parents brought to distract her.

2. Child was seen playing peka boo w/ parent & child would demonstrate back the motion of hiding & remerging

**Please list any medications you administered or procedures you performed during your shift:**
Lab draw

---



84

**Pediatric Floor Patient #1**

### GENERAL APPEARANCE

**Appearance:** ☒ Healthy/Well Nourished
☒ Neat/Clean ☐ Emaciated ☐ Unkept
**Developmental age:**
☒ Normal ☐ Delayed

### NEUROLOGICAL

**LOC:** ☒ Alert ☐ Confused ☐ Restless
☐ Sedated ☐ Unresponsive
**Oriented to:**
☒ Person ☒ Place ☒ Time/Event
☒ Appropriate for Age
**Pupil Response:** ☒ Equal ☐ Unequal
☒ Reactive to Light ☐ Size 3
**Fontanel:** (Pt < 2 years) ☒ Soft ☐ Flat
☐ Bulging ☐ Sunken ☒ Closed
**Extremities:**
☒ Able to move all extremities
☒ Symmetrically ☐ Asymmetrically
Grips: Right S Left S
Pushes: Right S Left S
S=Strong W=Weak N=None
**EVD Drain:** ☐ Yes ☒ No Level
**Seizure Precautions:** ☐ Yes ☒ No

### RESPIRATORY

**Respirations:** ☒ Regular ☐ Irregular
☐ Retractions (type)
☐ Labored
**Breath Sounds:**

| | | |
|---|---|---|
| Clear | ☐ Right | ☐ Left |
| Crackles | ☐ Right | ☐ Left |
| Wheezes | ☒ Right | ☒ Left |
| Diminished | ☐ Right | ☐ Left |
| Absent | ☐ Right | ☐ Left |

☒ **Room Air** ☐ **Oxygen**
**Oxygen Delivery:**
☐ Nasal Cannula: L/min
☐ BiPap/CPAP:
☐ Vent: ETT size @ cm
☐ Other:
**Trach:** ☐ Yes ☒ No
Size Type
Obturator at Bedside ☒ Yes ☐ No
**Cough:** ☐ Yes ☒ No
☐ Productive ☐ Nonproductive
**Secretions:** Color
Consistency
**Suction:** ☐ Yes ☒ No Type
**Pulse Ox Site** INT
**Oxygen Saturation:** 98

### CARDIOVASCULAR

**Pulse:** ☒ Regular ☐ Irregular
☒ Strong ☐ Weak ☐ Thready
☐ Murmur ☐ Other
**Edema:** ☐ Yes ☒ No Location
☐ 1+ ☐ 2+ ☐ 3+ ☐ 4+
**Capillary Refill:** ☒ < 2 sec ☐ > 2 sec
**Pulses:**
Upper R 3+ L 3+
Lower R 3+ L 3+
4+ Bounding 3+ Strong 2+ Weak
1+ Intermittent 0 None

### ELIMINATION

**Urine Appearance:** light yellow
**Stool Appearance:** Not observed
☐ Diarrhea ☐ Constipation
☐ Bloody ☐ Colostomy

### GASTROINTESTINAL

**Abdomen:** ☒ Soft ☐ Firm ☐ Flat
☐ Distended ☐ Guarded
**Bowel Sounds:** ☒ Present X 4 quads
☒ Active ☐ Hypo ☐ Hyper ☐ Absent
**Nausea:** ☐ Yes ☒ No
**Vomiting:** ☐ Yes ☒ No
**Passing Flatus:** ☐ Yes ☒ No
**Tube:** ☐ Yes ☒ No Type
Location Inserted to cm
☐ Suction Type:

### NUTRITIONAL

**Diet/Formula:** General
**Amount/Schedule:** NOT Seen
**Chewing/Swallowing difficulties:**
☐ Yes ☒ No

### MUSCULOSKELETAL

☐ Pain ☐ Joint Stiffness ☐ Swelling
☐ Contracted ☐ Weakness ☐ Cramping
☐ Spasms ☐ Tremors
**Movement:**
☐ RA ☐ LA ☐ RL ☐ LL ☒ All
**Brace/Appliances:** ☒ None
Type:

### MOBILITY

☒ Ambulatory ☐ Crawl ☐ In Arms
☐ Ambulatory with assist
Assistive Device: ☐ Crutch ☐ Walker
☐ Brace ☐ Wheelchair ☐ Bedridden

### PSYCHOSOCIAL

**Social Status:** ☒ Calm/Relaxed ☒ Quiet
☐ Friendly ☐ Cooperative ☐ Crying
☐ Uncooperative ☐ Restless
☒ Withdrawn ☐ Hostile/Anxious
**Social/emotional bonding with family:**
☒ Present ☐ Absent

### IV ACCESS

**Site:** ☐ INT ☒ None
☐ Central Line
Type/Location:
**Appearance:** ☐ No Redness/Swelling
☐ Red ☐ Swollen
☐ Patent ☐ Blood return
**Dressing Intact:** ☐ Yes ☐ No
**Fluids:**

### SKIN

**Color:** ☒ Pink ☐ Flushed ☐ Jaundiced
☐ Cyanotic ☐ Pale ☒ Natural for Pt
**Condition:** ☒ Warm ☐ Cool ☐ Dry
☐ Diaphoretic
**Turgor:** ☒ < 5 seconds ☐ > 5 seconds
**Skin:** ☒ Intact ☐ Bruises ☐ Lacerations
☐ Tears ☐ Rash ☐ Skin Breakdown
Location/Description:
**Mucous Membranes:** Color: pink
☒ Moist ☐ Dry ☐ Ulceration

### PAIN

**Scale Used:** ☐ Numeric ☒ FLACC ☐ Faces
**Location:** Arm
**Type:** sore
**Pain Score:** [illegible]
0800 3 1200 / 1600 /

### WOUND/INCISION

☒ **None**
**Type:**
**Location:**
**Description:**
**Dressing:**

### TUBES/DRAINS

☒ **None**
☐ **Drain/Tube**
Site:
Type:
Dressing:
Suction:
Drainage amount:
Drainage color:

## GENERAL APPEARANCE

**Appearance:** ☒ Healthy/ Well Nourished
☒ Neat/ Clean ☐ Emaciated ☐ Unkept
**Developmental age:**
☐ Normal ☒ Delayed

## NEUROLOGICAL

**LOC:** ☒ Alert ☐ Confused ☐ Restless
☐ Sedated ☐ Unresponsive
**Oriented to:**
☒ Person ☒ Place ☒ Time/ Event
☒ Appropriate for Age
**Pupil Response:** ☒ Equal ☐ Unequal
☐ Reactive to Light ☐ Size 2
**Fontanel:** (Pt < 2 years) ☐ Soft ☐ Flat
☐ Bulging ☐ Sunken ☒ Closed
**Extremities:**
☒ Able to move all extremities
☐ Symmetrically ☐ Asymmetrically
Grips: Right S Left S
Pushes: Right S Left S
S=Strong W=Weak N=None
**EVD Drain:** ☐ Yes ☒ No Level —
**Seizure Precautions:** ☒ Yes ☐ No

## RESPIRATORY

**Respirations:** ☒ Regular ☐ Irregular
☐ Retractions (type) —
☐ Labored
**Breath Sounds:**
Clear ☒ Right ☒ Left
Crackles ☐ Right ☐ Left
Wheezes ☐ Right ☐ Left
Diminished ☐ Right ☐ Left
Absent ☐ Right ☐ Left
☒ Room Air ☐ Oxygen
**Oxygen Delivery:**
☐ Nasal Cannula: — L/ min
☐ BiPap/ CPAP: —
☐ Vent: ETT size — @ — cm
☐ Other: —
**Trach:** ☐ Yes ☒ No
Size — Type —
Obturator at Bedside ☒ Yes ☐ No
**Cough:** ☐ Yes ☒ No
☐ Productive ☐ Nonproductive
**Secretions:** Color —
Consistency —
**Suction:** ☐ Yes ☒ No Type —
**Pulse Ox Site** —
**Oxygen Saturation:** —

## CARDIOVASCULAR

**Pulse:** ☒ Regular ☐ Irregular
☒ Strong ☐ Weak ☐ Thready
☐ Murmur ☐ Other —
**Edema:** ☐ Yes ☒ No Location —
☐ 1+ ☐ 2+ ☐ 3+ ☐ 4+
**Capillary Refill:** ☒ < 2 sec ☐ > 2 sec
**Pulses:**
Upper R 3+ L 3+
Lower R 3+ L 3+
4+ Bounding 3+ Strong 2+ Weak
1+ Intermittent 0 None

## ELIMINATION

**Urine Appearance:** not observed
**Stool Appearance:** not observed
☐ Diarrhea ☐ Constipation
☐ Bloody ☐ Colostomy

## GASTROINTESTINAL

**Abdomen:** ☒ Soft ☐ Firm ☐ Flat
☐ Distended ☐ Guarded
**Bowel Sounds:** ☒ Present X 4 quads
☒ Active ☐ Hypo ☐ Hyper ☐ Absent
**Nausea:** ☐ Yes ☒ No
**Vomiting:** ☐ Yes ☒ No
**Passing Flatus:** ☒ Yes ☐ No
**Tube:** ☐ Yes ☒ No Type —
Location — Inserted to — cm
☐ Suction Type: —

## NUTRITIONAL

**Diet/Formula:** General
**Amount/Schedule:** Moderate/normal
**Chewing/Swallowing difficulties:**
☐ Yes ☒ No

## MUSCULOSKELETAL

☐ Pain ☐ Joint Stiffness ☐ Swelling
☐ Contracted ☐ Weakness ☐ Cramping
☐ Spasms ☐ Tremors
**Movement:**
☐ RA ☐ LA ☐ RL ☐ LL ☒ All
**Brace/Appliances:** ☒ None
Type: —

## MOBILITY

—SB

☒ Ambulatory ☐ Crawl ☐ In Arms
☐ Ambulatory with assist —
Assistive Device: ☐ Crutch ☐ Walker
☐ Brace ☐ Wheelchair ☐ Bedridden

## PSYCHOSOCIAL

**Social Status:** ☒ Calm/ Relaxed ☐ Quiet
☒ Friendly ☒ Cooperative ☐ Crying
☐ Uncooperative ☐ Restless
☐ Withdrawn ☐ Hostile/ Anxious
**Social/emotional bonding with family:**
☒ Present ☐ Absent

## IV ACCESS

**Site:** — ☐ INT ☒ None
☐ Central Line
Type/ Location: —
**Appearance:** ☐ No Redness/ Swelling
☐ Red ☐ Swollen
☐ Patent ☐ Blood return
**Dressing Intact:** ☐ Yes ☐ No
**Fluids:** —

## SKIN

**Color:** ☒ Pink ☐ Flushed ☐ Jaundiced
☐ Cyanotic ☐ Pale ☒ Natural for Pt
**Condition:** ☒ Warm ☐ Cool ☐ Dry
☐ Diaphoretic
**Turgor:** ☒ < 5 seconds ☐ > 5 seconds
**Skin:** ☒ Intact ☐ Bruises ☐ Lacerations
☐ Tears ☐ Rash ☐ Skin Breakdown
Location/ Description: —
**Mucous Membranes:** Color: pink
☒ Moist ☐ Dry ☐ Ulceration

## PAIN

**Scale Used:** ☐ Numeric ☐ FLACC ☒ Faces
**Location:** —
**Type:** —
**Pain Score:**
0800 0 1200 ____ 1600 ____

## WOUND/INCISION

☒ None
**Type:**
**Location:**
**Description:**
**Dressing:**

## TUBES/DRAINS

☒ None
☐ Drain/Tube
Site:
Type:
Dressing:
Suction:
Drainage amount:
Drainage color:

357

Pediatric Floor Patient #1

---

# Pediatric Floor Patient #1

## INTAKE/OUTPUT

| PO/Enteral Intake | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| PO Intake/Tube Feed | 0 | 0 | 0 | 270 | 0 | — | — | — | — | — | — | — | 270 |
| Intake – PO Meds | 0 | 0 | 0 | 2.5 | 0 | — | — | — | — | — | — | — | 2.5 |

| IV INTAKE | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| IV Fluid | 0 | 0 | 0 | 0 | 0 | — | — | — | — | — | — | — | 0 |
| IV Meds/Flush | 0 | 0 | 0 | 0 | 0 | — | — | — | — | — | — | — | 0 |

**Calculate Maintenance Fluid Requirement (Show Work)**

10 · 100 = 1000
1 · 50 = 50
1050mL/day
43.75 ≈ 44mL/hr

**Actual Pt IV Rate**

N/A

**Rationale for Discrepancy (if applicable)**

| OUTPUT | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Urine/Diaper | 0 | 0 | 0 | 272 | 0 | | | | | | | | 272 |
| Stool | 0 | 0 | 0 | 0 | 0 | | | | | | | | 0 |
| Emesis | 0 | 0 | 0 | 0 | 0 | | | | | | | | 0 |
| Other | 0 | 0 | 0 | 0 | 0 | | | | | | | | 0 |

**Calculate Minimum Acceptable Urine Output**

11.1 · 1mL = 11.1mL/hr

**Average Urine Output During Your Shift**

272÷6
45

## Children's Hospital Early Warning Score (CHEWS)
(See CHEWS Scoring and Escalation Algorithm to score each category)

| | |
|---|---|
| Behavior/Neuro | Circle the appropriate score for this category:<br>[✓ 0] 1 2 3 |
| Cardiovascular | Circle the appropriate score for this category:<br>[✓ 0] 1 2 3 |
| Respiratory | Circle the appropriate score for this category:<br>[✓ 0] 1 2 3 |
| Staff Concern | 1 pt – Concerned |
| Family Concern | 1 pt – Concerned or absent |

**CHEWS Total Score**

| | |
|---|---|
| CHEWS Total Score | Total Score (points) 0 |
| | Score 0-2 (Green) – Continue routine assessments |
| | Score 3-4 (Yellow) – Notify charge nurse or LIP, Discuss treatment plan with team, Consider higher level of care, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications |
| | Score 5-11 (Red) – Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation, Notify attending physician, Discuss treatment plan with team, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications |