

Student Name: Inna Purser

Unit: Pediatrics

Pt. Initials: JP

Date: 10/29/24

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies: NKDA

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
NS 0.9% 100ml/hr	<u>Isotonic</u> Hypotonic/ Hypertonic	best for blood product transfusion maintenance fluids	Na, Cl, K electrolytes	CMT, CKD

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Therapeutic Range?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				is med in therapeutic range?			
				if not, why?			
Chlorhexidine 0.12% solution	Antimicrobial	genitourinary infections to reduce bacteria in mouth to prevent gingivitis	15ml swish in mouth for 30 sec spit out BID	yes	N/A	Dry mouth, increased formation of tartar	1. Do not swallow 2. Taste alterations are normal 3. May stain tongue and teeth 4. Report any mouth irritation
Scopolamine	Antiemetic	chemotherapy induced nausea	Transdermal patch 1mg q72h	yes	N/A	dry mouth, severe dizziness, urinary retention, skin rash, redness	1. Report severe dizziness 2. Report urinary retention 3. May cause sleepiness, dizziness 4. agitation, confusion
Gabapentin	anti-convulsant	neuropathic pain	600mg PO BID	yes	N/A	dizziness, vision changes, sleepiness, angioedema, NIVID	1. Report rash, itching, trouble breathing, trouble swallowing 2. edema of extremities 3. monitor for renal impairment
famotidine	H2-blocker	gastritis abdominal discomfort GERD	40mg IVP	yes	IVP 40mg Diluent 4ml famotidine in 4ml NS 10mg give over 2 min	Headache, Dizziness, Constipation, Diarrhea	1. Report HA, NIVID 2. Report muscle cramps 3. tremors, hives, rash, itching 4. Avoid GI irritants (high alcohol)
Acetaminophen	non-opioid analgesic	analgesic 30 mins prior chemotherapy	650mg PO once daily	yes	N/A	Hepatotoxicity, GI bleeding, abdominal pain, NIVID	1. Do not exceed 4g per day may cause liver failure 2. Report NIVID, abdominal discomfort 3. Report red, blistering skin 4. rash, hives, itching

Student Name: Inna Purser

Unit: Pediatrics

Pt. Initials: JP

Date: 10/29/24

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies: NKDA

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Therapeutic Range?	IVP – List solution to dilute and rate to push. IVPB – concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				is med in therapeutic range?			
				if not, why?			
granisetron	anti-emetic	Antiemetic onleology + treatment	IVPB 1mg in NS 306ml ^{15 min} Tr	yes	IVPB 1mg in 0.9% NS 50ml 306ml ^{15 min} Tr	Insomnia Dyspepsia Constipation Fatigue Dizziness	1. Report fever, flu-like symptoms 2. May cause indigestion, loss of appetite. 3. Report any sig of diarrhea 4. constipation, general weakness
vincristine	Anti-neoplastic	Oncology medicine to treat ALL	IV 2mg in 0.9% NS 208ml ^{15 min} Tr	yes	Dilute 2mg in 0.9% NS 52ml bag, rate 208ml ^{15 min} Tr	Autonomic neuropathy, CNS toxicity Alopecia Leukopenia	1. Do not use if pregnant, may be pregnant. 2. May cause dizziness 3. May cause hair loss, decrease weight, muscle loss 4. Nausea/VD, Rash, HA, change in sensation
							1. 2. 3. 4.
							1. 2. 3. 4.
							1. 2. 3. 4.

Student Name: Inna Purser

Unit: Pediatric

Pt. Initials: LJ.

Date: 10/29/24

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies: nuts

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
<u>none</u>	Isotonic/ Hypotonic/ Hypertonic	—	—	—

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Therapeutic Range?		IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				is med in therapeutic range?	If not, why?			
<u>Acetaminophen</u>	<u>non-opioid analgesic antipyretic</u>	<u>fever, pain</u>	<u>1600mg PO q6h</u>	<u>yes</u>		<u>N/A</u>	<u>Hepatotoxic GI bleeding abdominal pain NIVID</u>	<ol style="list-style-type: none"> 1. Report NIVID, abdominal discomfort 2. Report red blistering skin rash, hives, itching 3. Report easy bruising, blood in stool 4. Report easy bruising, blood in stool
<u>Ibuprofen</u>	<u>anti-inflammatory analgesic</u>	<u>fever, pain</u>	<u>100mg 5mL PO q8h</u>	<u>yes</u>		<u>N/A</u>	<u>Renal failure NIVID Dyspepsia</u>	<ol style="list-style-type: none"> 1. Report NIVID, abdominal discomfort, gas 2. Report any blood in stool, prolonged bleeding 3. Report any blood in stool, prolonged bleeding 4. May cause peripheral edema
								<ol style="list-style-type: none"> 1. 2. 3. 4.
								<ol style="list-style-type: none"> 1. 2. 3. 4.
								<ol style="list-style-type: none"> 1. 2. 3. 4.