

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
D5NS 20mEq KCl	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Dehydration/K+ low	Electrolyte values	High K+ or fluid overload

Student Name:		Unit:	Patient Initials:		Date:	Allergies:	
Isaias Lopez		PF2	NG		11/13/2024	NKA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Acetaminophen	Antipyretic	Reduce fever	500mg PO Q 12hr	Yes	Click here to enter text.	Drowsiness, lethargy, NVD,	1. Give as indicated based on temperature 2. Liver function may be assessed more often to ensure liver function 3. Call for assistance walking if parents not in room due to drowsiness 4. Notify of excess diarrhea or abd cramping, GI issues common due to oral med
Vancomycin	Antibiotic	Prevent infection	1000mg IVPB q 12 hr	Yes	IVBP- 1000mg/250mL given over 2 hours (125mL/hr)	Diarrhea, abd cramping, nausea, allergic reaction, ototoxicity	1. Administer at correct rate to avoid ototoxicity 2. GI assessment 3. Vanc trough levels may be taken to ensure therapeutic dose is effective 4. Notify of excess diarrhea or severe abd. Cramping, ringing in ears

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Isaias Lopez		Unit: PF2	Patient Initials: NG		Date: 11/13/2024	Allergies: NKA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Ondansetron	Antiemetic	Prevent nausea	7.6mg IVP 30 minutes prior to chemo admin	Yes	IVP- NS, 10 mL total, administer over 5 minutes	Constipation, allergic reaction, dizziness, fatigue, prolonged QT interval	<ol style="list-style-type: none"> 1. monitor IV site, correct rate of admin 2. evaluate electrolytes prior to- QT interval 3. Notify of any chest tightening, could be a rare but serious adverse effect 4. Notify of any pain during administration
Diphenhydramine	Antihistamine	Lessen possible reactions	50mg IVP	Yes	IVP- NS, 5 mL total, administer over 3-5 minutes	Hypotension, tachycardia, drowsiness, fatigue, anemia	<ol style="list-style-type: none"> 1. Labs monitored for thrombocytopenia 2. Alert of excess drowsiness, call for assistance getting up 3. Take a minute at side of bed prior to standing due to dec. BP 4. Given to lessen any allergic reactions w/ new chemo administration- 30 min prior to
Methylprednisolone	Corticosteroid	Decrease inflammation and immunosuppression	62.5mg IVP	Yes	IVP, NS, 10mL total, Give over 5 minutes	Arrhythmias, delayed wound healing, higher risk of infections	<ol style="list-style-type: none"> 1. Ensure proper hygiene (HH, bathing, clean environment) as this med can increase risk of infection 2. Notify of any changes in breathing or heart rate, fast or slow, could be s.s of arrhythmia 3. Caution with any injuries existing or future, prolonged healing

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Isaias Lopez		Unit: PF2	Patient Initials: NG		Date: 11/13/2024	Allergies: NKA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							4. Monitor IV site, s/s of cushings, and lab values for electrolytes (especially K+ w/ inc risk of cardiac complications)
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Isaias Lopez		Unit: PF2	Patient Initials: NG		Date: 11/13/2024	Allergies: NKA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours