

## Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
Click here to enter text.	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Click here to enter text.	Click here to enter text.	Click here to enter text.

<b>Student Name:</b> Emily Arismendez		<b>Unit:</b> NICU	<b>Patient Initials:</b> JA		<b>Date:</b> 11/20/2024	<b>Allergies:</b> NKA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Carboxymethylcellulose	Ophthalmic lubricant	Treats dry eyes	1 drop in eyes bilaterally 2x daily	Yes Click here to enter text.	N/A	Irritation, pain, blurred vision	1. For droplets, place dropper directly over open eye and squeeze 1-2 drops 2. Close eye for 1-2 min 3. Place one finger at the corner of the eye near nose and apply pressure 4. Do not itch eye, if irritation occurs alert MD.
Diuril	Thiazide diuretic; antihypertensive	Treats High BP	40 mg q 12 hrs Oral	Yes Choose an item. Click here to enter text.	N/A	Cramping, constipation, dizziness, weakness	1. Water pill that reduces edema, must weigh patient daily to monitor edema. 2. Monitor BP q 4 hours to make sure it is within normal newborn limits. 3. Measure BP before, during and after med admin. 4. Measure output by weighing every wet diaper.
Trusopt	Topical carbonic anhydrase inhibitor	Glaucoma treatment medication	1 drop left eye 2x daily	Yes Choose an item. Click here to	N/A	Bitter unusual taste, burning, stinging, eye discomfort	1. May be used with other eye drop interventions to decrease intraocular pressure. 2. Do not let the tip of the eye drop touch

## Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Emily Arismendez		Unit: NICU	Patient Initials: JA		Date: 11/20/2024	Allergies: NKA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				enter text.			the eye, finger, or surface.  3. Close eye and apply pressure on lactimal duct after admin for 15 seconds.  4. Report burning or irritation to MD immediately.
Gabepentin	anticonvulsant	Seizure med/nerve pain	12mg q 8 hrs Oral	Yes Choose an item.Click here to enter text.	N/A	Slow breathing, drowsiness, dizziness, muscle weakness	1. Respiratory depression is the largest side effect so respiratory assessments must be completed prior to admin and after.  2. Fatigue is a common side effect and can cause the child to sleep longer and during the day if given then.  3. When given through G tube, clamp tubing before removing syringe and unclamp after.  4. Use water or pedisure to flush line after admin in order to allow pt to receive the full med.
Xalatan	Antiglaucom e, prostaglandin agonist	Treats glaucoma	1 drop bilaterally daily	Yes Choose an item.Click here to enter text.	N/A	Conjunctival hyperemia, ocular redness, ocular irritation	1. Wait 5 min before admin of other eye drops after giving Xalatan.  2. Do not let the dropper touch the eye, finger or surface.

## Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Emily Arismendez		Unit: NICU	Patient Initials: JA	Date: 11/20/2024	Allergies: NKA		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							3. Apply only to affected eye once nightly. 4. Apply pressure to inner lacrimal duct for proper absorption.
Methadone	Synthetic opioid analgesic	Treats opioid disorder	0.3mg q 6 hrs oral	Yes Choose an item. Click here to enter text.	N/A	Vomiting, sedation, nausea, weakness	1. Assess for withdrawal symptoms in newborn like crying, tremors, poor feeding, diarrhea. 2. Assess neuro and respiratory of newborn for signs of distress like tachypnea. 3. Report to MD any changes of infant as gradual dose reduction is prescribed. 4. Non-pharmacologic treatment that can help with med is swaddling and skin to skin contact.
Timolol	antiglaucoma	Treats glaucoma	1 drop left eye 2x daily	Yes Choose an item. Click here to enter text.	N/A	Drowsy, general weakness, fatigue	1. Do not let newborn blink, just keep eyes closed after admin for 1 min. 2. This med can make a newborn drowsy and weak, monitor RR to make sure it does not drop lower than normal limits. 3. Assess newborn HR for bradycardia, before, during, and after med admin. 4. Do not let dropper touch eye, finger, or surface.

## Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Emily Arismendez		Unit: NICU	Patient Initials: JA	Date: 11/20/2024	Allergies: NKA		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Choose an item.Click here to enter text.	N/A	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Choose an item.Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Choose an item.Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Choose an item.Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

## Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Emily Arismendez		Unit: NICU	Patient Initials: JA		Date: 11/20/2024	Allergies: NKA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				here to enter text.			
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Choose an item.Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Choose an item.Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Choose an item.Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.