

Student Name: <u>Dacia</u>	Patient Age: <u>2 years</u>
Date:	Patient Weight: <u>kg 13.8</u>

Abnormal Relevant Lab Tests	Current	Clinical Significance
Complete Blood Count (CBC) Labs		
Metabolic Panel Labs		
<u>POTASSIUM</u>	<u>2.9</u>	
Misc. Labs		
Absolute Neutrophil Count (ANC) (if applicable)		
<u>AST</u>	<u>630</u>	<u>LIVER LABS HIGH - LIVER FAILURE</u>
<u>ALT</u>	<u>975</u>	<u>↓ LIVER FAILURE</u>
Lab TRENDS concerning to Nurse?		
<u>YES, SIGNS OF LIVER FAILURE</u>		

11. Growth & Development:

*List the Developmental Stage of Your Patient For Each Theorist Below.

*Document 2 OBSERVED Developmental Behaviors for Each Theorist.

*If Developmentally Delayed, Identify the Stage You Would Classify the Patient:

Erickson Stage: autonomy vs. shame & doubt

1. patient told nurse & parent "no" everytime we went in room
2. patient only wanted to use her blanket during procedures

Piaget Stage: sensori motor / preoperational period

1. mom took phone away for a second while we redid IV & she did not understand she would get it right back
2. was making her toys talk as if they were humans

Please list any medications you administered or procedures you performed during your shift:

~~nothing~~

Pediatric Floor Patient #1

INTAKE/OUTPUT													
PO/Enteral Intake	07	08	09	10	11	12	13	14	15	16	17	18	Total
PO Intake/Tube Feed													
Intake - PO Meds													
IV INTAKE	07	08	09	10	11	12	13	14	15	16	17	18	Total
IV Fluid	50	50	50	50	50	50	50	50					400
IV Meds/Flush									60	60	60	60	240
Calculate Maintenance Fluid Requirement (Show Work)							Actual Pt IV Rate						
10 x 100 10 x 100 10 x 100 13.8 kg 10 x 50 10 x 50 3.8 x 50 49.6 - x 20 1190 ÷ 24 mL/hr							50 mL/hr Rationale for Discrepancy (if applicable)						
OUTPUT	07	08	09	10	11	12	13	14	15	16	17	18	Total
Urine/Diaper													
Stool													
Emesis													
Other													
Calculate Minimum Acceptable Urine Output							Average Urine Output During Your Shift						
1 mL/kg/hr 13.8 mL/hr							Patient asleep most of shift - when awake mom did not change diaper						

Children's Hospital Early Warning Score (CHEWS)	
(See CHEWS Scoring and Escalation Algorithm to score each category)	
Behavior/Neuro	Circle the appropriate score for this category: 0 (1) 2 3
Cardiovascular	Circle the appropriate score for this category: (0) 1 2 3
Respiratory	Circle the appropriate score for this category: (0) 1 2 3
Staff Concern	1 pt - Concerned
Family Concern	1 pt - Concerned or absent
CHEWS Total Score	
CHEWS Total Score	Total Score (points) <u>1</u>
	Score 0-2 (Green) - Continue routine assessments
	Score 3-4 (Yellow) - Notify charge nurse or LIP, Discuss treatment plan with team, Consider higher level of care, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications
	Score 5-11 (Red) - Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation, Notify attending physician, Discuss treatment plan with team, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications

IM5 Clinical Worksheet – Pediatric Floor

Student Name: Date:	Patient Age: Patient Weight: kg
1. Admitting Diagnosis and Pathophysiology (State the pathophysiology in own words) acute liver failure - liver is damaged without underlying disease	2. Priority Focused Assessment You Will Perform Related to the Diagnosis: skin assessment
3. Identify the most likely and worst possible complications. infection kidney failure ascites death	4. What interventions can prevent the listed complications from developing? IV fluids medication surgery liver dialysis
5. What clinical data/assessments are needed to identify these complications early? WBC BUN/creatinin abdominal assessment	6. What nursing interventions will the nurse implement if the anticipated complication develops? IV fluids antibiotics
7. Pain & Discomfort Management: List 2 Developmentally Appropriate Non-Pharmacologic Interventions Related to Pain & Discomfort for This Patient. 1. distraction - iPad, etc 2. warm bath	8. Patient/Caregiver Teaching: 1. monitor I/O 2. monitor skin color 3. report signs of infection Any Safety Issues identified: n/a

Pediatric Floor Patient #1

GENERAL APPEARANCE	CARDIOVASCULAR	PSYCHOSOCIAL
Appearance: <input type="checkbox"/> Healthy/Well Nourished <input checked="" type="checkbox"/> Neat/Clean <input type="checkbox"/> Emaciated <input type="checkbox"/> Unkept Developmental age: <input type="checkbox"/> Normal <input type="checkbox"/> Delayed	Pulse: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Strong <input type="checkbox"/> Weak <input type="checkbox"/> Thready <input type="checkbox"/> Murmur <input type="checkbox"/> Other _____ Edema: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Location _____ <input type="checkbox"/> 1+ <input type="checkbox"/> 2+ <input type="checkbox"/> 3+ <input type="checkbox"/> 4+ Capillary Refill: <input checked="" type="checkbox"/> < 2 sec <input type="checkbox"/> > 2 sec Pulses: <u>3+</u> Upper R <u>3+</u> L <u>3+</u> Lower R <u>3+</u> L <u>3+</u> 4+ Bounding 3+ Strong 2+ Weak 1+ Intermittent 0 None	Social Status: <input type="checkbox"/> Calm/Relaxed <input checked="" type="checkbox"/> Quiet <input type="checkbox"/> Friendly <input type="checkbox"/> Cooperative <input type="checkbox"/> Crying <input type="checkbox"/> Uncooperative <input checked="" type="checkbox"/> Restless <input type="checkbox"/> Withdrawn <input type="checkbox"/> Hostile/Anxious Social/emotional bonding with family: <input checked="" type="checkbox"/> Present <input type="checkbox"/> Absent
NEUROLOGICAL	ELIMINATION	IV ACCESS
LOC: <input checked="" type="checkbox"/> Alert <input type="checkbox"/> Confused <input checked="" type="checkbox"/> Restless <input type="checkbox"/> Sedated <input type="checkbox"/> Unresponsive Oriented to: <input type="checkbox"/> Person <input type="checkbox"/> Place <input type="checkbox"/> Time/Event <input checked="" type="checkbox"/> Appropriate for Age Pupil Response: <input type="checkbox"/> Equal <input type="checkbox"/> Unequal <input type="checkbox"/> Reactive to Light <input type="checkbox"/> Size _____ Fontanel: (Pt < 2 years) <input type="checkbox"/> Soft <input type="checkbox"/> Flat <input type="checkbox"/> Bulging <input type="checkbox"/> Sunken <input type="checkbox"/> Closed Extremities: <input checked="" type="checkbox"/> Able to move all extremities <input type="checkbox"/> Symmetrically <input type="checkbox"/> Asymmetrically Grips: Right _____ Left _____ Pushes: Right _____ Left _____ S=Strong W=Weak N=None EVD Drain: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Level _____ Seizure Precautions: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Urine Appearance: _____ Stool Appearance: _____ <input type="checkbox"/> Diarrhea <input type="checkbox"/> Constipation <input type="checkbox"/> Bloody <input type="checkbox"/> Colostomy <u>Did not see</u>	Site: <u>Hand</u> <input type="checkbox"/> INT <input type="checkbox"/> None <input type="checkbox"/> Central Line Type/Location: _____ Appearance: <input checked="" type="checkbox"/> No Redness/Swelling <input type="checkbox"/> Red <input type="checkbox"/> Swollen <input type="checkbox"/> Patent <input type="checkbox"/> Blood return Dressing Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Fluids: _____
RESPIRATORY	GASTROINTESTINAL	SKIN
Respirations: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Retractions (type) _____ <input type="checkbox"/> Labored Breath Sounds: Clear <input checked="" type="checkbox"/> Right <input checked="" type="checkbox"/> Left Crackles <input type="checkbox"/> Right <input type="checkbox"/> Left Wheezes <input type="checkbox"/> Right <input type="checkbox"/> Left Diminished <input type="checkbox"/> Right <input type="checkbox"/> Left Absent <input type="checkbox"/> Right <input type="checkbox"/> Left <input checked="" type="checkbox"/> Room Air <input type="checkbox"/> Oxygen Oxygen Delivery: <input type="checkbox"/> Nasal Cannula: _____ L/min <input type="checkbox"/> BiPap/CPAP: _____ <input type="checkbox"/> Vent: ETT size _____ @ _____ cm <input type="checkbox"/> Other: _____ Trach: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size _____ Type _____ Obturator at Bedside <input type="checkbox"/> Yes <input type="checkbox"/> No Cough: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Productive <input type="checkbox"/> Nonproductive Secretions: Color _____ Consistency _____ Suction: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Pulse Ox Site <u>me</u> Oxygen Saturation: <u>90%</u>	Abdomen: <input checked="" type="checkbox"/> Soft <input type="checkbox"/> Firm <input type="checkbox"/> Flat <input type="checkbox"/> Distended <input type="checkbox"/> Guarded Bowel Sounds: <input checked="" type="checkbox"/> Present <input checked="" type="checkbox"/> <u>4</u> quads <input type="checkbox"/> Active <input type="checkbox"/> Hypo <input type="checkbox"/> Hyper <input type="checkbox"/> Absent Nausea: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Vomiting: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Passing Flatus: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Tube: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Location _____ Inserted to _____ cm <input type="checkbox"/> Suction Type: _____	Color: <input type="checkbox"/> Pink <input type="checkbox"/> Flushed <input checked="" type="checkbox"/> Jaundiced <input type="checkbox"/> Cyanotic <input type="checkbox"/> Pale <input type="checkbox"/> Natural for Pt Condition: <input checked="" type="checkbox"/> Warm <input type="checkbox"/> Cool <input type="checkbox"/> Dry <input type="checkbox"/> Diaphoretic Turgor: <input checked="" type="checkbox"/> < 5 seconds <input type="checkbox"/> > 5 seconds Skin: <input checked="" type="checkbox"/> Intact <input type="checkbox"/> Bruises <input type="checkbox"/> Lacerations <input type="checkbox"/> Tears <input type="checkbox"/> Rash <input type="checkbox"/> Skin Breakdown Location/Description: _____ Mucous Membranes: Color: _____ <input checked="" type="checkbox"/> Moist <input type="checkbox"/> Dry <input type="checkbox"/> Ulceration
	NUTRITIONAL	PAIN
	Diet/Formula: <u>NPO</u> Amount/Schedule: _____ Chewing/Swallowing difficulties: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Scale Used: <input type="checkbox"/> Numeric <input checked="" type="checkbox"/> FLACC <input type="checkbox"/> Faces Location: _____ Type: _____ Pain Score: 0800 _____ 1200 _____ 1600 <u>2</u>
	MUSCULOSKELETAL	WOUND/INCISION
	<input type="checkbox"/> Pain <input type="checkbox"/> Joint Stiffness <input type="checkbox"/> Swelling <input type="checkbox"/> Contracted <input type="checkbox"/> Weakness <input type="checkbox"/> Cramping <input type="checkbox"/> Spasms <input type="checkbox"/> Tremors Movement: <input type="checkbox"/> RA <input type="checkbox"/> LA <input type="checkbox"/> RL <input type="checkbox"/> LL <input checked="" type="checkbox"/> All Brace/Appliances: <input checked="" type="checkbox"/> None Type: _____	<input checked="" type="checkbox"/> None Type: _____ Location: _____ Description: _____ Dressing: _____
	MOBILITY	TUBES/DRAINS
	<input type="checkbox"/> Ambulatory <input checked="" type="checkbox"/> Crawl <input type="checkbox"/> In Arms <input type="checkbox"/> Ambulatory with assist _____ Assistive Device: <input type="checkbox"/> Crutch <input type="checkbox"/> Walker <input type="checkbox"/> Brace <input type="checkbox"/> Wheelchair <input type="checkbox"/> Bedridden	<input checked="" type="checkbox"/> None <input type="checkbox"/> Drain/Tube Site: _____ Type: _____ Dressing: _____ Suction: _____ Drainage amount: _____ Drainage color: _____