

Adult/Geriatric Medication Worksheet – Current Medications & PRN from 12pm prior day to 12pm current day

Allergies:

Primary IV fluid and rate:

Patient specific reasoning for IV fluids (including type isotonic, hypotonic, hypertonic):

Generic Name	Dosage with route and schedule	IVP-List diluent solution, volume, and rate of administration IVPB- List concentration and rate of administration	Patient specific therapeutic reasoning	Patient specific teaching with reasoning
Dapsone	100mg tab Po Daily		Anti-infective	<p>1. Take with a glass full of water and regular, do not stop without instruction from provider</p> <p>2. This medication can make you more sensitive to the sun, so take precautions when going out such as long sleeves, hats, sunscreen</p> <p>3. If you notice flu like symptoms accompanied with a skin rash that presents as blister or peeling skin notify your HCP right away</p>
Vancomycin	1g in 250mL 0.9%NaCl 250mL/hr IVPB BID/ Q12hr	1g of vancomycin in 250mL of 0.9% normal saline At a rate of 250mL/ hr	Anti-infective/ antibiotic (infection present in the abscess) Can be contradicted with Zosyn	<p>1. Report any pain at IV site as this medication is hard on the veins</p> <p>2. This medication can cause decrease in white blood cells making you more susceptible to infections, so use caution</p>

Adult/Geriatric Medication Worksheet - Current Medications & PRN from 12pm prior day to 12pm current day

Allergies:

Primary IV fluid and rate:

Patient specific reasoning for IV fluids (including type isotonic, hypotonic, hypertonic):

				<p>if you must go out, encourage hand hygiene, mask wearing around large crowds</p> <p>3. . Report any ringing in your ears to your HCP as soon as possible as it can be a sign of tinnitus</p>
ValACYClovir (Valtrex)	500mg tab BID PO		Anti-viral HIV positive	<p>1.Push fluids as it is important to stay adequately hydrated</p> <p>2.will not cure herpes but can lessen the severity of symptoms</p> <p>3. If you experience rash, itching, tingling or pain notify your health care provider as this can be s/s of Herpes and infection and it is important to start treatment within 48hrs</p>
Bictegravir/Emtricitabine/Tenofovir (Bixtarvy)	1tab PO daily		Antiviral HIV positive	<p>1. To avoid building up a resistance be sure to take</p>

Adult/Geriatric Medication Worksheet – Current Medications & PRN from 12pm prior day to 12pm current day

Allergies:

Primary IV fluid and rate:

Patient specific reasoning for IV fluids (including type isotonic, hypotonic, hypertonic):

	50-200-25mg tabs			<p>this medication daily. Do not miss a dose</p> <p>2. Seek medical attention ASAP if you experience jaundice, tea colored urine, or unusual muscles weakness, SOB, blue extremities as it can indicate issues with your liver or lactic acidosis</p> <p>3. Soon after the start of therapy Immune-reconstitution syndrome can occur which is where a cells that were healing revert back into cells making you sick/ a paradoxical effect.</p>
Piperacillin & Tazobactam (Zosyn)	3.375g in 0.9% NaCl 100mL IVPB 25mL/hr Q8hr	3.375g in 100mL of 0.9% normal saline at a rate of 25mL/ hr	Antibiotic Infection in abscess/ HIV positive	<p>1. This medication can cause diarrhea, before taking any other meds to treat diarrhea check with your Dr as it can worsen symptoms.</p> <p>2. Notify your HCP if you experience unexplained</p>

Adult/Geriatric Medication Worksheet - Current Medications & PRN from 12pm prior day to 12pm current day

Allergies:

Primary IV fluid and rate:

Patient specific reasoning for IV fluids (including type isotonic, hypotonic, hypertonic):

				<p>bruising, bleeding, or black tarry stools, bloody urine, decreased urine output, Changes in mental status, seizures as it can be a sign of the medication affecting other systems</p> <p>3. Report discomfort at the IV site as this medication can be hard on the veins</p>
Enoxaparin	40mg/0.4mL SQ injection Once daily		Prevent blood clots	<p>1. Must continue to watch platelet count as it can occasionally cause decrease in platelets making you susceptible to bleed easier/more</p> <p>2. It is important to change sides when giving this medication as it will allow that tissue to breath a bit rather than bruising up (my nurse did not do this or explain why we ask what sides)</p>

Adult/Geriatric Medication Worksheet - Current Medications & PRN from 12pm prior day to 12pm current day

Allergies:

Primary IV fluid and rate:

Patient specific reasoning for IV fluids (including type isotonic, hypotonic, hypertonic):

				3. Keep a up to date list of all medication and vitamin/supplements you take as it some maybe contradicted with this medication
--	--	--	--	---

Medication reference: Drugs. Com

Mayo Clinic

HIV. Gov

Nursing Drug Handbook