

## Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
Click here to enter text.	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Click here to enter text.	Click here to enter text.	Click here to enter text.

Student Name: Click here to enter text.		Unit: Click here to enter text.	Patient Initials: Click here to enter text.	Date: Click here to enter a date.	Allergies: Click here to enter text.		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List diluent solution, volume, and rate of administration  IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Hydroxyzine pamoate	Antihistamine	Anxiety	25mg PO PRN q6	Choose an item.  Click here to enter text.	Click here to enter text.	Dry Mouth Headache Drowsiness	<ol style="list-style-type: none"> <li>1. Avoid in pregnancy.</li> <li>2. Avoid driving as it can make you drowsy.</li> <li>3. Avoid in patients with a prolonged QT interval.</li> <li>4. Avoid alcohol as it can make side effects worse.</li> </ol>
lorazepam	Benzodiazepine	Alcohol withdrawal / anxiety	1-2 mg PO PRN q4 hours	Choose an item.  Click here to enter text.	Click here to enter text.	Drowsiness dizziness changes in appetite.	<ol style="list-style-type: none"> <li>1. Avoid alcohol as it can slow your breathing.</li> <li>2. Do not stop taking abruptly as it can cause withdrawal.</li> <li>3. Do not chew or crush capsules.</li> <li>4. avoid drowsing as you can become drowsy and dizzy.</li> </ol>
haldol	antipsychotic	for psychotic symptoms/agitation	10 mg IM PRN q8	Choose an item.  Click here to enter text.	Click here to enter text.	Dry Mouth Dizzy Drowsiness Lightheaded	<ol style="list-style-type: none"> <li>1. Drink plenty of water to control dry mouth.</li> <li>2. This can affect your body temperature. Wear warm clothes in the cold and stay hydrated in the heat.</li> <li>3. Avoid Alcohol</li> <li>4. Stay out of sun as much as possible or wear sunscreen as you will be more sensitive to it.</li> </ol>

## Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Click here to enter text.		Unit: Click here to enter text.	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List diluent solution, volume, and rate of administration  IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
diphenhydramine	antihistamine	management of cholinergic effects of antipsychotic	50 mg IM q8 PRN psychotic symptoms	Choose an item.  Click here to enter text.	Click here to enter text.	Constipation  N/V/D  muscle weakness	<ol style="list-style-type: none"> <li>1. To prevent motion sickness, take this 30-60 minutes before you leave.</li> <li>2. Avoid alcohol. It can interfere with the effect of this medication.</li> <li>3. Drink plenty of water to avoid dry mouth</li> <li>4. Do not stand or sit up quickly as it can make you dizzy.</li> </ol>
acetaminophen	Analgesic/antipyretic	Mild-moderate pain	500 mg PO q6 for pain of 1-4 on pain scale	Choose an item.  Click here to enter text.	Click here to enter text.	Liver damage  Headache  Upset stomach	<ol style="list-style-type: none"> <li>1. Do not take more than 4000mg a day.</li> <li>2. Avoid if you have liver problems.</li> <li>3. Monitor AST and ALT for liver</li> <li>4. Avoid large amounts of Alcohol.</li> </ol>
olanzapine	antipsychotic	Agitation/psychotic behavior	5 mg PO q6 for agitation	Choose an item.  Click here to enter text.	Click here to enter text.	Constipation  Weight gain  restlessness	<ol style="list-style-type: none"> <li>1. Do not use if under the age of 13.</li> <li>2. Do not give to older dementia pts as there has been an increase in strokes and death.</li> <li>3. Report any suicidal thoughts.</li> <li>4. Report feeling very thirsty, hungry or feel weak and tired as this can cause hyperglycemia.</li> </ol>
ibuprofen	NSAID	Mild-moderate pain	400 mg PO q6 for pain of	Choose an item.	Click here to enter text.	nausea,  vomiting  gas	<ol style="list-style-type: none"> <li>1. Use smallest amount possible to help with pain as it can damage your intestines.</li> <li>2. Avoid taking if in the last 20 weeks of pregnancy.</li> </ol>

## Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Click here to enter text.		Unit: Click here to enter text.	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	<b>Allergies:</b> Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List diluent solution, volume, and rate of administration  IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
			1-4 on pain scale	Click here to enter text.		Headache	3. Take with food or milk to limit upset stomach 4. Avoid alcohol as it can increase risk of stomach bleeding.
risperdal	antipsychotic	Psychotic behavior/bipolar mania	1 mg tablet PO BID	Choose an item.  Click here to enter text.	Click here to enter text.	Tremors Agitation Headache Dizziness	1. Drink a lot of water because it is easier to become overheated. 2. This can impair your thinking so avoid driving. 3. Avoid alcohol as it can increase side effects. 4. Do not use during pregnancy or breastfeeding.
Nicotine patch	Stimulant	Nicotine replacement	21 mg transdermal patch daily	Choose an item.  Click here to enter text.	Click here to enter text.	Heartburn Headache Hiccups Trouble sleeping	1. When applying a new patch, use a different area of skin. 2. Do not cut or trim the patch. 3. Wash your hands after applying the patch. 4. Do not use if pregnant. can cause harm to the fetus.
ziprasidone	antipsychotic	Psychotic behavior/bipolar	40 mg PO BID	Choose an item.	Click here to enter text.	Restlessness Constipation Stomach pain	1. Continue to take this even if you feel well. 2. Avoid driving as it will make you drowsy. 3. Avoid alcohol.

## Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Click here to enter text.		Unit: Click here to enter text.	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	<b>Allergies:</b> Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List diluent solution, volume, and rate of administration  IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
		disorder/mania		Click here to enter text.			4. Avoid getting up too quickly as you can be dizzy and fall.
prazosin	Alpha-blocker	Nightmares	1 mg PO QHS	Choose an item.  Click here to enter text.	Click here to enter text.	Dizziness Fast Heartbeat Sleepiness	1. If you feel dizzy, lay down to avoid fainting. 2. Avoid taking with alcohol. 3. Drink plenty of fluids. 4. Make sure you know how you react to this drug before you drive.
Nicotine inhaler	Stimulant	Nicotine replacement	10 mg cartridge for inhalation Q2	Choose an item.  Click here to enter text.	Click here to enter text.	Fast Heartbeat Runny nose Headache Nausea	1. Stop smoking completely when using this med. 2. Do not use any other tobacco products. 3. Do not breastfeed. 4. Your mouth or throat may be irritated at first, but do not stop taking abruptly.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item.  Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

## Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

<b>Student Name:</b> Click here to enter text.		<b>Unit:</b> Click here to enter text.	<b>Patient Initials:</b> Click here to enter text.		<b>Date:</b> Click here to enter a date.	<b>Allergies:</b> Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List diluent solution, volume, and rate of administration  IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item.  Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> <li>1. Click here to enter text.</li> <li>2. Click here to enter text.</li> <li>3. Click here to enter text.</li> <li>4. Click here to enter text.</li> </ol>