

Student Name: Jobeth Nichols

Unit: \_\_\_\_\_

Pt. Initials: CW

Date: 4/8/2025

Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies: Morphine

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
IV LR 125ml/hr	Isotonic/Hypotonic/Hypertonic	Reduce Flurks	Sodium Potassium	

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Dextroamfetamine	Dextroamfetamine	Stimulate Contractions	30ml 500ml IVPB 1-2ml/min 1-2hr	<input checked="" type="checkbox"/> N	IVPB - 10ml to achieve	Allergic Reactions Heart + Rhythm Contractility	<ol style="list-style-type: none"> <li>Expect contractions similar to uterine cramps</li> <li>Once it has started will assist w/ efferie contractions</li> <li>Will observe for pain bleeding</li> <li>Will observe for pain bleeding</li> </ol>
Meprobamate	opioid Agonist	Pain relief	25mg IVP 2hrs push over 5min	<input checked="" type="checkbox"/> N		Hypertension Bradycardia Respiratory Depression	<ol style="list-style-type: none"> <li>Assess pain</li> <li>Assess BP, HR, RR before and during administration</li> <li>Monitor for plasma</li> <li>Administer Valoxone to reverse</li> </ol>
Propofol	Propofol	NAUSA	12.5mg IVP 2min	<input checked="" type="checkbox"/> N	Dilute w/ 10ml saline & port flushes from patient 10ml saline	Bradycardia Hypertension Tachycardia	<ol style="list-style-type: none"> <li>Monitor BP, pulse, RR</li> <li>Assess sedation level</li> <li>Monitor for hypotension</li> <li>Monitor for dysrhythmia (muscle spasm)</li> </ol>
Humalog	pancreatic	lower blood sugar	1.50 q:vc 10AMP 1050 use MP-9	<input checked="" type="checkbox"/> N		Hypoglycemia	<ol style="list-style-type: none"> <li>Check blood sugar levels</li> <li>Monitor for signs of hypoglycemia - restlessness, cool, clammy, one time</li> <li>one syringe, one time</li> <li>dispose of needles properly</li> </ol>