

Student Name: \_\_\_\_\_

Unit: \_\_\_\_\_

Pt. Initials: \_\_\_\_\_

Date: \_\_\_\_\_

## Medication Worksheet - Current Medications &amp; PRN for Last 24 Hours

Allergies: \_\_\_\_\_

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Escitalopram	SSRI	Anxiety	20mg PO Daily	Y N		Headaches Nausea Insomnia Erectile dysfunction	1. Notify your physician if you are experiencing any suicidal thoughts. 2. Take this medication with food to prevent stomach upset. 3. Do not stop taking this medication abruptly. 4. Take this medication at the same time everyday.
Divalproex Sodium	Anticonvulsants	Bipolar disorder Mania	500mg PO bedtime	Y N		Dizziness Nausea and vomiting Tremor Abdominal pain	1. Take a prescribed 2. To keep blood levels constant, take this medicine at the same time each day and do not miss any doses. 3. Avoid the use of alcohol 4. May cause dizziness, so sit up slowly when getting up.
Clonidine	Alpha 2 agonists	ADHD	0.1mg PO bedtime	Y N		Dry mouth Fatigue Hypotension Drowsiness	1. May cause constipation, so drink plenty of water and consume fiber to prevent constipation. 2. May also cause lightheadedness, Get up slowly. 3. Avoid consuming alcohol with this medication. 4. Monitor for skin reactions
Bupirone HCL	Anxiolytic drug	Anxiety	10mg BID PO	Y N		Decreased LOC Dizziness	1. Avoid consuming grapefruit because it will potentiate the side effects of the medication

Student Name: \_\_\_\_\_

Unit: \_\_\_\_\_

Pt. Initials: \_\_\_\_\_

Date: \_\_\_\_\_

**Medication Worksheet - Current Medications & PRN for Last 24 Hours**

**Allergies:** \_\_\_\_\_

						Nausea Headache	<p>2. If you miss a dose of this medicine, take it as soon as possible. but, if it is almost time for your next dose, skip the missed dose and go back to your regular dosing schedule.</p> <p>3. take as prescribed</p> <p>4. Do not take with a MAIOs because it will cause extreme high blood pressure.</p>
Alprazolam	Benzodiazepine	Anxiety	0.5mg PO PRN	Y N		Depression Constipation Impaired coordination Dry mouth	<p>1. Stopping abruptly or reducing dosage too quickly can result in withdrawal reactions, including seizures, which can be life-threatening</p> <p>2. There is an increase risk of addiction with this medication.</p> <p>3. Avoid alcohol with this medication</p> <p>4. sip on water or suck hard candies throughout the day to relieve dry mouth</p>