

IM5 Clinical Worksheet – Pediatric Floor

Student Name: Date:	Patient Age: 7 months Patient Weight: 8.1 kg
1. Admitting Diagnosis and Pathophysiology (State the pathophysiology in own words) Acute otitis media	2. Priority Focused Assessment You Will Perform Related to the Diagnosis: Neuro assessment
3. Identify the most likely and worst possible complications. Hearing loss	4. What interventions can prevent the listed complications from developing? Warm compress and pain medications
5. What clinical data/assessments are needed to identify these complications early? Refusing to feed Difficult to comfort Pulling/rubbing on their ear	6. What nursing interventions will the nurse implement if the anticipated complication develops? Warm compress Pain medication
7. Pain & Discomfort Management: List 2 Developmentally Appropriate Non-Pharmacologic Interventions Related to Pain & Discomfort for This Patient. 1. Nonnutritive sucking 2. Playing peek a boo	8. Patient/Caregiver Teaching: 1. Warm compress to the affected ear 2. Give pain medications 3. Position child off affected ear Any Safety Issues identified: none

Student Name:	Patient Age: 7 months
Date:	Patient Weight: 8.1 kg

Abnormal Relevant Lab Tests	Current	Clinical Significance
-----------------------------	---------	-----------------------

Complete Blood Count (CBC) Labs		
---------------------------------	--	--

Metabolic Panel Labs		
----------------------	--	--

Parainfluenza 3	Positive	

Misc. Labs		
------------	--	--

Absolute Neutrophil Count (ANC) (if applicable)		

Lab TRENDS concerning to Nurse?

Parainfluenza 3 being positive

11. Growth & Development:

***List the Developmental Stage of Your Patient For Each Theorist Below.**

***Document 2 OBSERVED Developmental Behaviors for Each Theorist.**

***If Developmentally Delayed, Identify the Stage You Would Classify the Patient:**

Erickson Stage: Trust vs. Mistrust

1. Child looked at me with confusion
2. Child was restless at first when I touched them but calmed down when I comforted her

Piaget Stage: Sensorimotor

1. Sitting up on her own
2. Grabbing my stethoscope when I listened to her lungs and heart

Please list any medications you administered or procedures you performed during your shift:

--

GENERAL APPEARANCE	CARDIOVASCULAR	PSYCHOSOCIAL
Appearance: <input checked="" type="checkbox"/> Healthy/Well Nourished <input checked="" type="checkbox"/> Neat/Clean <input type="checkbox"/> Emaciated <input type="checkbox"/> Unkept Developmental age: <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Delayed	Pulse: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Strong <input type="checkbox"/> Weak <input type="checkbox"/> Thready <input type="checkbox"/> Murmur <input type="checkbox"/> Other _____ Edema: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Location _____ <input type="checkbox"/> 1+ <input type="checkbox"/> 2+ <input type="checkbox"/> 3+ <input type="checkbox"/> 4+ Capillary Refill: <input type="checkbox"/> < 2 sec <input type="checkbox"/> > 2 sec Pulses: Upper R <u>4+</u> L <u>4+</u> Lower R <u>4+</u> L <u>4+</u> 4+ Bounding 3+ Strong 2+ Weak 1+ Intermittent 0 None	Social Status: <input checked="" type="checkbox"/> Calm/Relaxed <input type="checkbox"/> Quiet <input checked="" type="checkbox"/> Friendly <input type="checkbox"/> Cooperative <input type="checkbox"/> Crying <input type="checkbox"/> Uncooperative <input type="checkbox"/> Restless <input type="checkbox"/> Withdrawn <input type="checkbox"/> Hostile/Anxious Social/emotional bonding with family: <input checked="" type="checkbox"/> Present <input type="checkbox"/> Absent
NEUROLOGICAL	ELIMINATION	IV ACCESS
LOC: <input checked="" type="checkbox"/> Alert <input type="checkbox"/> Confused <input type="checkbox"/> Restless <input type="checkbox"/> Sedated <input type="checkbox"/> Unresponsive Oriented to: <input type="checkbox"/> Person <input type="checkbox"/> Place <input type="checkbox"/> Time/Event <input checked="" type="checkbox"/> Appropriate for Age Pupil Response: <input checked="" type="checkbox"/> Equal <input type="checkbox"/> Unequal <input checked="" type="checkbox"/> Reactive to Light <input checked="" type="checkbox"/> Size <u>2</u> Fontanel: (Pt < 2 years) <input checked="" type="checkbox"/> Soft <input type="checkbox"/> Flat <input type="checkbox"/> Bulging <input type="checkbox"/> Sunken <input type="checkbox"/> Closed Extremities: <input checked="" type="checkbox"/> Able to move all extremities <input checked="" type="checkbox"/> Symmetrically <input type="checkbox"/> Asymmetrically Grips: Right <u>3</u> Left <u>3</u> Pushes: Right <u>3</u> Left <u>3</u> S=Strong W=Weak N=None EVD Drain: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Level _____ Seizure Precautions: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Urine Appearance: <u>yellow/clear</u> Stool Appearance: <u>no stool</u> <input type="checkbox"/> Diarrhea <input type="checkbox"/> Constipation <input type="checkbox"/> Bloody <input type="checkbox"/> Colostomy	Site: _____ <input type="checkbox"/> INT <input checked="" type="checkbox"/> None <input type="checkbox"/> Central Line Type/Location: _____ Appearance: <input type="checkbox"/> No Redness/Swelling <input type="checkbox"/> Red <input type="checkbox"/> Swollen <input type="checkbox"/> Patent <input type="checkbox"/> Blood return Dressing Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No Fluids: _____
RESPIRATORY	GASTROINTESTINAL	SKIN
Respirations: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Retractions (type) _____ <input type="checkbox"/> Labored Breath Sounds: Clear <input type="checkbox"/> Right <input type="checkbox"/> Left Crackles <input type="checkbox"/> Right <input type="checkbox"/> Left Wheezes <input checked="" type="checkbox"/> Right <input checked="" type="checkbox"/> Left Diminished <input type="checkbox"/> Right <input type="checkbox"/> Left Absent <input type="checkbox"/> Right <input type="checkbox"/> Left <input checked="" type="checkbox"/> Room Air <input type="checkbox"/> Oxygen Oxygen Delivery: <input type="checkbox"/> Nasal Cannula: _____ L/min <input type="checkbox"/> BiPap/CPAP: _____ <input type="checkbox"/> Vent: ETT size _____ @ _____ cm <input type="checkbox"/> Other: _____ Trach: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size _____ Type _____ Obturator at Bedside <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cough: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Productive <input type="checkbox"/> Nonproductive Secretions: Color _____ Consistency _____ Suction: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Pulse Ox Site: <u>9</u> Oxygen Saturation: <u>97</u>	Abdomen: <input type="checkbox"/> Soft <input type="checkbox"/> Firm <input type="checkbox"/> Flat <input type="checkbox"/> Distended <input type="checkbox"/> Guarded Bowel Sounds: <input checked="" type="checkbox"/> Present X <u>4</u> quads <input type="checkbox"/> Active <input type="checkbox"/> Hypo <input type="checkbox"/> Hyper <input type="checkbox"/> Absent Nausea: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Vomiting: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Passing Flatus: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Tube: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Location _____ Inserted to _____ cm <input type="checkbox"/> Suction Type: _____	Color: <input type="checkbox"/> Pink <input type="checkbox"/> Flushed <input type="checkbox"/> Jaundiced <input type="checkbox"/> Cyanotic <input type="checkbox"/> Pale <input checked="" type="checkbox"/> Natural for Pt Condition: <input type="checkbox"/> Warm <input checked="" type="checkbox"/> Cool <input type="checkbox"/> Dry <input type="checkbox"/> Diaphoretic Turgor: <input type="checkbox"/> < 5 seconds <input type="checkbox"/> > 5 seconds Skin: <input checked="" type="checkbox"/> Intact <input type="checkbox"/> Bruises <input type="checkbox"/> Lacerations <input type="checkbox"/> Tears <input type="checkbox"/> Rash <input type="checkbox"/> Skin Breakdown Location/Description: _____ Mucous Membranes: Color: _____ <input checked="" type="checkbox"/> Moist <input type="checkbox"/> Dry <input type="checkbox"/> Ulceration
	NUTRITIONAL	PAIN
	Diet/Formula: <u>Formula (Diet)</u> Amount/Schedule: _____ Chewing/Swallowing difficulties: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Scale Used: <input type="checkbox"/> Numeric <input checked="" type="checkbox"/> FLACC <input type="checkbox"/> Faces Location: _____ Type: _____ Pain Score: 0800 _____ 1200 _____ 1600 <u>0</u>
	MUSCULOSKELETAL	WOUND/INCISION
	<input type="checkbox"/> Pain <input type="checkbox"/> Joint Stiffness <input type="checkbox"/> Swelling <input type="checkbox"/> Contracted <input type="checkbox"/> Weakness <input type="checkbox"/> Cramping <input type="checkbox"/> Spasms <input type="checkbox"/> Tremors Movement: <input type="checkbox"/> RA <input type="checkbox"/> LA <input type="checkbox"/> RL <input type="checkbox"/> LL <input checked="" type="checkbox"/> All Brace/Appliances: <input checked="" type="checkbox"/> None Type: _____	<input checked="" type="checkbox"/> None Type: _____ Location: _____ Description: _____ Dressing: _____
	MOBILITY	TUBES/DRAINS
	<input type="checkbox"/> Ambulatory <input type="checkbox"/> Crawl <input checked="" type="checkbox"/> In Arms <input type="checkbox"/> Ambulatory with assist _____ Assistive Device: <input type="checkbox"/> Crutch <input type="checkbox"/> Walker <input type="checkbox"/> Brace <input type="checkbox"/> Wheelchair <input type="checkbox"/> Bedridden	<input checked="" type="checkbox"/> None <input type="checkbox"/> Drain/Tube Site: _____ Type: _____ Dressing: _____ Suction: _____ Drainage amount: _____ Drainage color: _____

INTAKE/OUTPUT													
PO/Enteral Intake	07	08	09	10	11	12	13	14	15	16	17	18	Total
PO Intake/Tube Feed													
Intake - PO Meds													
IV INTAKE	07	08	09	10	11	12	13	14	15	16	17	18	Total
						0	1	0	0	0	0	0	1
													0
													0
IV Fluid													
IV Meds/Flush													
Calculate Maintenance Fluid Requirement (Show Work)							Actual Pt IV Rate						
$100 \times 8.1 \div 24 = 33.75$							INT						
Rationale for Discrepancy (if applicable)													
OUTPUT	07	08	09	10	11	12	13	14	15	16	17	18	Total
Urine/Diaper						0	0	0	1	0	0	0	
Stool	1												0
													0
Emesis													
Other													
Calculate Minimum Acceptable Urine Output							Average Urine Output During Your Shift						
$0.5 \times 8.1 \times 5 = 20.25$							not measured						

Children's Hospital Early Warning Score (CHEWS)	
(See CHEWS Scoring and Escalation Algorithm to score each category)	
Behavior/Neuro	Circle the appropriate score for this category: 0 1 2 3
Cardiovascular	Circle the appropriate score for this category: 0 1 2 3



CHEWS Scoring and Escalation Algorithm

	0	1	2	3
Behavior/Neuro	<ul style="list-style-type: none"> - Playing/sleeping appropriately OR - Alert, at patient's baseline 	<ul style="list-style-type: none"> - Sleepy, somnolent when not disturbed 	<ul style="list-style-type: none"> - Irritable, difficult to console OR - Increase in patient's baseline seizure activity 	<ul style="list-style-type: none"> - Lethargic, confused, floppy OR - Reduced response to pain OR - Prolonged or frequent seizures OR - Pupils asymmetrical or sluggish
Cardiovascular	<ul style="list-style-type: none"> - Skin tone appropriate for patient - Capillary refill ≤ 2 seconds 	<ul style="list-style-type: none"> - Pale OR - Capillary refill 3-4 seconds OR - Mild tachycardia OR - Intermittent ectopy or irregular HR (not new) 	<ul style="list-style-type: none"> - Grey OR - Capillary refill 4-5 seconds OR - Moderate tachycardia 	<ul style="list-style-type: none"> - Grey and mottled OR - Capillary refill > 5 seconds OR - Severe tachycardia OR - New onset bradycardia OR - New onset/increase in ectopy, irregular HR or heart block
Respiratory	<ul style="list-style-type: none"> - Within normal parameters - No retractions 	<ul style="list-style-type: none"> - Mild tachypnea/ increased WOB (flaring, retracting) OR - Up to 40% supplemental oxygen OR - Up to 1L NC $>$ patient's baseline need OR - Mild desaturations $<$ patient's baseline OR - Intermittent apnea self-resolving 	<ul style="list-style-type: none"> - Moderate tachypnea/ increased WOB (i.e. flaring, retracting, grunting, use of accessory muscles) OR - 40-60% oxygen via mask OR - 1-2 L NC $>$ patient's baseline need OR - Nebs Q 1-2 hour OR - Moderate desaturations $<$ patient's baseline OR - Apnea requiring repositioning or stimulation 	<ul style="list-style-type: none"> - Severe tachypnea OR - RR $<$ normal for age OR - Severe increased WOB (i.e. head bobbing, paradoxical breathing) OR - $> 60\%$ oxygen via mask OR - > 2 L NC more than patient's baseline need OR - Nebs Q 30 minutes – 1 hour OR - Severe desaturations $<$ patient's baseline OR - Apnea requiring interventions other than repositioning or stimulation
Staff Concern		- Concerned		
Family Concern		- Concerned or absent		

Green = Score 0-2	Yellow = Score 3-4	Red = Score 5-11
<ul style="list-style-type: none"> - Continue Routine Assessments 	<ul style="list-style-type: none"> - Notify charge nurse or LIP - Discuss treatment plan with team - Consider higher level of care - Increase frequency of vital signs / CHEWS / assessments - Document interventions and notifications 	<ul style="list-style-type: none"> - Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation - Notify attending physician - Discuss treatment plan with team - Increase frequency of vital signs / CHEWS / assessments - Document interventions and notifications

A PEDIATRIC CODE CAN BE ACTIVATED AT ANYTIME BY ANYONE
Use SBAR communication

Reference: McLellan, M.C., et al., Validation of the Children's Hospital Early Warning System for Critical Deterioration Recognition, Journal of Pediatric Nursing (2016), <http://dx.doi.org/10.1016/j.pedn.2016.10.005>