

Student Name: Lilly Bagwell Unit: NICU Pt. Initials: VW Date: 4/22/25

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies: NKDA

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Therapeutic Range?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				Is med in therapeutic range?			
				If not, why?			
Chlorothiazide Diuril	Thiazide diuretic	Help prevent fluid overload	4.5 mg Feeding tube	10-30 mg/kg/day in two divided doses Yes it is		Low blood cell counts Dry mouth, increased thirst or urination Tachycardia	1. Watch the urine output of the neonate. 2. Monitor for hypotension. 3. Monitor for signs of dehydration such as no tears, sunken fontanel. 4. Monitor for easing bruising, dark colored urine, or pale and yellow skin
Gentamicin Eye drops	Ophthalmic antibiotics	Help prevent eye infections.	1-2 drops q 4 hours	1-2 drops q 4 hours Yes it is		Weak or shallow breathing Twitching or muscle contractions Diarrhea that is watery or bloody	1. Monitor for diarrhea and dehydration or blood in the stool 2. Administer eye drops in the inner corner of the eye and hold pressure for 15 seconds after 3. Watch for signs of allergic reaction/irritation to the eyes 4. Monitor for signs of worsening infection in the eyes.
							1. 2. 3. 4.

							1.
							2.
							3.
							4.
							1.
							2.
							3.
							4.

Adopted: August 2016

Student Name: _____ Unit: _____ Pt. Initials: _____ Date: _____

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies:

Adopted: August 2016