

Resources:

1. Chabner, D. (2007). *The language of medicine* (9th Edition)
2. www.ismp.org (Institute for Safe Medication Practices)
3. Covenant Health/ISMP Document: Do Not Use List
4. Medical Terminology Packet – IM 1

Learning Outcomes:

Upon completion of the Medical Terminology class, the student will be able to:

1. Interpret medical terms by recognizing and finding the meanings of individual word parts
2. Define medical terms based on word composition
3. Utilize medical chart information for the completion of the nursing process while in the clinical setting
4. Interpret medical symbols and use them appropriately in nursing documentation
5. Utilize the military time format appropriately and accurately in nursing documentation
6. Interpret the individual emergency codes utilized by the Covenant Health System (CHS)

Table of Contents:

I. General Information and Quiz Schedule	p. 1
II. Medical Terminology Packet: Roots, Prefixes, and Suffixes	pp. 2-6
III. Medical Terminology Packet: Abbreviations and Military Time	pp. 7-13
IV. Medical Terminology Packet: Symbols	p. 14
V. Medical Terminology Packet: Charting Terms	pp. 15-18
VI. Medical Terminology Packet: CHS Emergency Codes	p. 19

~~Practice quizzes 1, 2, 3, and 4 can be found on LMS~~

• Medical Terminology Packet-Nursing 101

Combining Forms: Roots, Prefixes, and Suffixes

A- Root, Prefix, or Suffix	A- Meaning	A- Examples
a-, an-	no; not; without	apathetic; analgesia
ab-	away from	abduction
ad-	toward; near	adduction ; adrenal
abdomin/o	abdomen	abdominal
-ac, -al,	pertaining to	cardiac, abdominal
-an, -ar, -ary	pertaining to	ovarian, cellular, coronary
aden/o	gland	adenocarcinoma
adip/o	fat	adipose
-algnesia	sensitivity to pain	analgesia
-algia	pain	fibromy algia
ana-	up; apart; backward; again; anew	anabolic , anaphylactic
angi/o	vessel (blood)	angiogram
ante-	before; forward	ante partum
anter/o	front	anterior
anti-	against	anti hypertensive
aort/o	aorta (largest artery)	aortic
append/o, appendic/o	appendix	appendicitis
arter/o, arteri/o	artery	arterial
arthr/o	joint	arthritis
-ase	enzyme	lipase; streptokinase
audi/o, audit/o	hearing	auditory
aut/o, aut-, auto	self, own	auto immune
axill/o	armpit	axillary

B- Root, Prefix, or Suffix	B- Meaning	B- Examples
Bacter/i/o	bacteria	bacteremia
bi-	two	bilateral
bil/i	bile; gall	biliary
brachi/o	arm	brachial
brady-	slow	bradycardia
bronch/o, bronchi/o	bronchial tube	bronchoscopy
bucc/o	cheek	buccal

C- Root, Prefix, or Suffix	C- Meaning	C- Examples
calc/o	calcium	hypocalcemia
carcin/o	cancerous; cancer	carcinogenic
cardi/o	heart	cardiac
-cele, coele	swelling, hernia	broncho cele , hydro coele
cell/u	cell level	cellulitis ; cellular
-centesis	surgical puncture to remove fluid	thorac centesis
cerebr/o	cerebrum (largest part of brain)	cerebral
cervic/o	neck	cervical
chol/e	bile; gall	cholesterol
cholecyst/o	gallbladder	cholecystitis ; cholecystectomy
-cidal	pertaining to killing	germicidal
col/o, colon/o	colon (large intestine)	colono scopy
comi/o	to care for	nosocomial infection
contra-	against; opposite	contra indicated
coron/o	heart	coronary
cost/o	rib	costo phrenic border

cran/i	skull	cranial
cyan/o	blue	cyanotic
cyst/o	urinary bladder, cyst, sac of fluid	cystogram
cyt/o, -cyte	cell	cytotoxic, leukocyte

D- Root, Prefix, or Suffix	D- Meaning	D- Examples
de-	lack of, less	dementia
derm/o, derma, dermat/o	skin	dermatitis; xeroderma
diaphor/o	sweat	diaphoresis
dist/o	far; distant	distal
dors/o, dorsi	back (of body)	dorsal
dys-	bad; painful; difficult; abnormal	dysphagia

E- Root, Prefix, or Suffix	E- Meaning	E- Examples
-eal	pertaining to	corneal; tracheal
-ectomy	removal; excision; resection	cholecystectomy
-emia	blood condition	bacteremia; septicemia
-emic	pertaining to blood condition	anemic
end-, end/o	in; within	endometriosis; endoscopic
enter/o	intestines (usually small intestine)	enteritis
epi-	above; upon; on	epidermis; epigastric
erythr/o	red	erythrocyte
erythem/o	flushed; redness	erythemic
-esis	action; condition; state of	prosthesis
ex-	out; away from	external

G- Root, Prefix, or Suffix	G- Meaning	G- Examples
gastr/o	stomach	gastritis
-genesis	producing; forming	pathogenesis; glucogenesis
-ger/i, geront/o	old age	geriatrics; gerontology
gluc/o, glyco/o	glucose; sugar	glucogenesis; glycolysis
-gram	record	electrocardiogram; venogram
-graphy	process of recording	echocardiography

H- Root, Prefix, or Suffix	H- Meaning	H- Examples
hem/o, hemat/o	blood	hematuria
hemi-	half	hemiplegic
hepat/o	liver	hepatomegaly
herni/o	hernia	herniate
hydr/o	water	hydrocoele
hyper-	above, excessive, greater than normal	hyperglycemic; hypertension
hypo-	deficient; below; less than normal	hypoglycemic; hypodermic
hyster/o	uterus; womb	Hysterectomy

I- Root, Prefix, or Suffix	I- Meaning	I- Examples
-ia	condition	hyperthermia
-iac, -ic, -ine, -ior	pertaining to	cardiac, alcoholic, adrenaline, anterior
-iasis	abnormal condition	cholelithiasis
ile/o	ileum	ileus
inguin/o	groin	inguinal
inter-	between	interstitial space
intra-	within; into	intra-dermal
-ism	process; condition	alcoholism
-ist	specialist	psychologist; respiratory therapist
-itis	inflammation	cellulitis

J- Root, Prefix, or Suffix	J- Meaning	J- Examples
jaund/o	yellow	jaundice

jejuno/o	jejunum	jejunostomy tube; jejunal tube
----------	---------	--------------------------------

K- Root, Prefix, or Suffix	K- Meaning	K- Examples
Kal/i	potassium	hyperkalemia
ket/o, keton	ketones; acetones	ketoacidosis
kyph/o	hunch back	kyphosis

L- Root, Prefix, or Suffix	L- Meaning	L- Examples
lapar/o	abdominal wall; abdomen	laparoscopic
later/o	side	bilateral
leuk/o	white	leukocytes
lip/o	lipid; fat	hyperlipidemia; liposuction
lob/o	lobe	pneumo-lobotomy
-logy	study (process of)	cardiology; neurology
-lysis	breakdown; separation; destruction	thrombolysis

M- Root, Prefix, or Suffix	M- Meaning	M- Examples
mal-	bad	malodorous
mamm/o, mast/o	breast	mammography; mastectomy
medi/o	middle	medial
-megaly	enlargement	hepatomegaly
melan/o	black	melanoma
-ment/o	mind	dementia
my/o	muscle	myocardium

N- Root, Prefix, or Suffix	N- Meaning	N- Examples
narc/o	numbness; sleep	narcotic drug
nas/o	nose	nasogastric tube
natr/o	sodium	hypernatremia
necr/o	death	necrotic tissue; necrosis
nephr/o	kidney	nephrotoxic
neur/o	nerve	neurologist
norm/o	rule; order	normotensive
nos/o	infection	nosocomial

O- Root, Prefix, or Suffix	O- Meaning	O- Examples
ocul/o	eye	ocular
ophthalm/o,	eye	ophthalmologist
opt/o, optic/o	eye; vision	optical
-oid	resembling; derived from	thyroid
olig/o	scant; slight	oliguria
-oma	tumor; mass; fluid collection	carcinoma
onc/o	tumor	oncologist
oophor/o	ovary	oophorectomy
-osis	condition, usually abnormal	thrombosis
oste/o	bone	osteocytes
ot/o	ear	ototoxic
-ous	pertaining to	malodorous; cancerous
-oxia; -oxic	oxygen	anoxia; hypoxic

P- Root, Prefix, or Suffix	P- Meaning	P- Examples
pancreat/o	pancreas	pancreatitis
para-	near; beside; apart from; along side of	paraplegic
-paresis	weakness	hemiparesis
path/o	disease	pathophysiology
-pathy	disease; emotion	neuropathy; empathy
pector/o	chest	pectoral
-penia	deficiency	thrombocytopenia; leucopenia

-phagia	eating; swallowing	Dysphagia
phas/o, phasia	speech	Dysphasia
phleb/o	vein	Phlebotomist
-plasia	development; formation; growth	Hyperplasia
-plasty	surgical repair	Rhinoplasty
-plegia, -plegic	paralysis; palsy	paraplegia; hemiplegic
-pnea	breathing	apnea; dyspnea
pneum/o, pneumon/o	lung; air; gas	pneumothorax
post-; poster/o	after; behind	postoperative; posterior
pre-	before; in front of	preoperative
proxim/o	near	proximal
pseudo	false; fake	pseudotumor
pulmon/o	lung	pulmonary
purul/o	pus	purulent

Q- Root, Prefix, or Suffix	Q- Meaning	Q- Examples
quadri-	four	quadriceps muscle

R- Root, Prefix, or Suffix	R- Meaning	R- Examples
rhino	nose	rhinoplasty
-rrhage	bursting forth (of blood)	hemorrhage
-rrhea	flow, discharge	rhinorrhea

S- Root, Prefix, or Suffix	S- Meaning	S- Examples
sanguin/o	fluid- blood	serosanguinous
-sclerosis	hardening	arteriosclerosis
-scope	Instrument to visually examine	endoscope
-scopy	process of visually examining w/ a scope	arthroscopy
-sect	to cut	transect
seps/o	infection	sepsis
ser/o	fluid-serum; clear	serous; serosanguinous drainage
-sis	state of	sepsis
-spasm	sudden contraction of muscle	venospasm
-stasis	to stop; control; place	hemostasis
-static	pertaining to stopping; controlling	hemostatic
-stenosis	tightening; narrowing	arteriostenosis; urethrostenosis
stern/o	sternum	substernal
-stomy	new opening (to form a mouth)	gastrostomy; jejunostomy
sub-	under; below	subarachnoid hemorrhage
supra-	above; upper	suprasternal
syncop/o	faint	syncopal episode

T- Root, Prefix, or Suffix	T- Meaning	T- Examples
tachy-	fast	tachycardia
-tension; -tensive	pressure	hypertension; hypertensive
therm/o	heat	thermometer
thorac/o	chest	thoracic
-thorax	chest; pleural cavity	pneumothorax
thromb/o	clot	thrombosis
thyroid/o	thyroid gland	thyroidectomy
-tic	pertaining to	spastic bladder
-tomy	process of cutting	colostomy
-toxic	poison	nephrotoxic; ototoxic
trache/o	trachea	tracheostomy
trans-	across; through	transect
tri-	three	tricuspid valve
-trophy	development-condition of	hypertrophy

U- Root, Prefix, or Suffix	U- Meaning	U- Examples
umbilic/o	umbilicus; navel	umbilical cord
uni-	one	unilateral
ur/o	urine; urinary tract	urosepsis
ureter/o	ureter	ureteral stent
urethr/o	urethra	urethrostenosis
-uria	urination; condition of urine	oliguria; dysuria
urin/o	urine	urinary tract
-us	structure; thing	thrombus; umbilicus
uter/o	uterus; womb	uterine hemorrhage

V- Root, Prefix, or Suffix	V- Meaning	V- Examples
vascul/o	vessel (blood)	vasculitis ; vascular
ven/o, ven/i	vein	venospasm
ventr/o	abdominal side of the body	ventral hernia
vertebr/o	vertebra (backbone)	vertebrosternal rib

X- Root, Prefix, or Suffix	X- Meaning	X- Examples
xer/o	dry	xerofoam dressing; xeroderma

Y- Root, Prefix, or Suffix	Y- Meaning	Y- Examples
-y	condition; process	obesity, dusky



Abbreviations

ISMP and Covenant Official “Do Not Use” List¹

Do Not Use	Potential Problem	Use Instead
*Trailing zero (X.0 mg)	The decimal point is over looked or missed	Write X mg
* Lack of a Leading zero (.X mg)	The decimal point is over looked or missed	Write 0.X mg
MS MSO4 and MgSO4	Can confuse morphine sulfate for magnesium sulfate	Write "morphine sulfate" or "magnesium sulfate"
HS (Half Strength) hs (hour of sleep)	Confused with each other	Write “Half Strength” Write “hour of sleep”
QD, Q.D. (daily) QOD, Q.O.D. (every other day)	Mistaken for each other; periods can be confused	Write “daily” Write “every other day”
U or u	Confused as number or Volume	Write “unit”
IU	Confused as “IV”	Write “units”
μg for microgram – (mcg)	Confused with mg	Write “mcg”

¹ Applies to all orders and all medication-related documentation that is handwritten (including free-text computer entry) or on pre-printed forms.

***Exception:** A “trailing zero” may be used only where required to demonstrate the level of precision of the value being reported, such as for laboratory results, imaging studies that report size of lesions, or catheter/tube sizes. It may not be used in medication orders or other medication-related documentation.

Abbreviations

A- Abbreviations	A- Meaning
ā	before (<i>ante</i>)
AAA	abdominal aortic aneurysm - (<i>will hear "Triple A"</i>)
abd	Abdomen
ABG	arterial blood gas
abx, ABX	antibiotic
a.c.	before meals (<i>ante cibum</i>)
AC	Antecubital (elbow pit)
ADL	activities of daily living
ad lib.	as desired
AEB	as evidenced by
AKA	above the knee amputation
AMA	against medical advice
AMI	acute myocardial infarction
amb., amb	ambulate or ambulatory
AP	anteroposterior – (<i>AP chest X-ray</i>)
ASAP	as soon as possible

B- Abbreviations	B- Meaning
BCP	birth control pills
BhCG	Beta hCG- serum pregnancy test
b.i.d., bid, BID	twice a day (<i>bis in die</i>)
BKA	below the knee amputation
BLE	bilateral lower extremities
BLS	basic life support
BM	bowel movement
BMP	basic metabolic panel
BP, B/P	blood pressure
bpm	beats per minute
BRP	bathroom privileges
BS, bs	bowel sounds; blood sugar, breath sounds
BUN	blood urea nitrogen
Bx, bx	biopsy

C- Abbreviations	C- Meaning
C°	degrees Celsius or Centigrade
ċ	with
Ca	calcium
CA	cancer
cap	capsule
cath	catheter, catheterize
C & S	culture and sensitivity
c/o, C/O	complains of
CABG	coronary artery bypass graft(s) (pronounced Cabbage)
CAD	coronary artery disease
CT scan, CAT scan	computed tomography scan, computed axial tomography scan
CBC	complete blood count
CC or C.C.	chief complaint
	cc <i>cubic centimeter, same as mL (Do Not Use cc – use mL instead)</i>
CHF	congestive heart failure
CMP	comprehensive metabolic panel
CNS	central nervous system
COPD	chronic obstructive pulmonary disease
CPAP	continuous positive airway pressure
CPR	cardiopulmonary resuscitation

CRF	chronic renal failure
CSF	cerebrospinal fluid
CTA	clear to auscultation
CV	cardiovascular
CVA	<i>cerebrovascular</i> accident
CXR	chest x-ray

D- Abbreviations	D- Meaning
d	day
D/C, or d/c	discontinue, discharge
DM	diabetes mellitus
DNR	do not resuscitate
DOE	dyspnea on exertion
dsg, drsg	dressing
DVT	deep vein thrombosis
Dx, dx	diagnosis

E- Abbreviations	E- Meaning
EBL	estimated blood loss
ECG, EKG	electrocardiogram; elektrokardiogram in Britain
EEG	Electroencephalogram
EENT	eyes, ears, nose, and throat
ER; ED	Emergency Room; Emergency Department
ESRD	end stage renal disease
et al.	and others (<i>et alii</i>)
ET-tube	Endotracheal tube
ETOH, EtOH	ethanol, alcohol
eval	evaluation

F- Abbreviations	F- Meaning
F°	degrees Fahrenheit
F/U, f/u	follow-up
Fe	iron
FFP	fresh frozen plasma
Fx., fx	fracture

G- Abbreviations	G- Meaning
GERD	gastroesophageal reflux disease
GI, G.I.	gastrointestinal
gtt(s)	drop/drops (<i>guttae</i>)
GYN, gyn	gynecology
G-tube	Feeding tube in the stomach
GJ-tube	Feeding tube with two lumens, one into stomach, one into jejunum

H- Abbreviations	H- Meaning
H/H, Hgb/Hct	hemoglobin and hematocrit (<i>Hemoglobin is always first</i>)
HA	headache
HHN	hand held nebulizer
HIPAA	Health Insurance Portability and Accountability Act (<i>of 1996</i>)
HOB	head of bed
H & P	history and physical
HPI	history of present illness
	HS, hs hour of sleep (at bedtime) or half strength – Do Not Use–Write it Out
HTN	hypertension
Hx, hx	history

I- Abbreviations	I- Meaning
I & D	incision and drainage

ICU	Intensive Care Unit
IM, I.M.	intramuscular
I & O	intake and output
IS	incentive spirometer
IV	intravenous

J- Abbreviations	J- Meaning
JP, J-P	Jackson-Pratt drain
J-tube	feeding tube in the jejunum

K- Abbreviations	K- Meaning
K+	potassium
KCl	potassium chloride
Kg	kilograms
KUB, K.U.B.	(x-ray of) kidneys, ureter, bladder
KVO	keep vein open (IV rate approx. 20-30 mL/hr)

L- Abbreviations	L- Meaning
L	liter
Ⓛ, Lt, It	left
L&D	labor and delivery
LMP	last menstrual period
LOC	loss of consciousness, level of consciousness
LTAC	long term acute care
LUE, L.U.E.	left upper extremity
LLE, L.L.E.	left lower extremity
LUQ, L.U.Q	left upper quadrant
LLQ, L.L.Q	left lower quadrant
lytes	electrolytes

M- Abbreviations	M- Meaning
MAR	medication administration record
mcg	microgram (Do Not Use μg)
mEq	milliequivalent
mg	milligram
MI, M.I.	myocardial infarction
MICU	Medical Intensive Care Unit
mL	milliliter
MN	midnight
MODS	multiple organ dysfunction syndrome
MRI	magnetic resonance imaging
MS, MSO₄, MgSO₄	morphine sulfate – Do Not Use; Write it out

N- Abbreviations	N- Meaning
NaCl	sodium chloride
NC	nasal cannula
NG, NGT	nasogastric tube
NICU	Neonatal Intensive Care Unit
NKA	no known allergies
NKDA	no known drug allergies
NPO	nothing by mouth (<i>nil per os</i>)
NRB	non-rebreather mask (<i>for oxygen delivery</i>)
NS	normal saline (<i>0.9% NaCl</i>)
NSAID	non-steroidal anti-inflammatory drug
N/V	nausea and vomiting
N/V/D	nausea, vomiting, and diarrhea
NWB	non-weight bearing

O- Abbreviations	O- Meaning
O ₂	oxygen
OD	right eye
OS	left eye
O.U.	both eyes
OOB	out of bed
OTC	over the counter

P- Abbreviations	P- Meaning
p	after
PACU	Post Anesthesia Care Unit
pc, p.c.	after meals
PCA	patient controlled analgesia
PCP	primary care physician
PEG	percutaneous endoscopic gastrostomy tube
per	by (<i>per Dr. T</i>) or through (<i>per PEG</i>)
peri care	perineal care
p.o.	by mouth (<i>per os</i>)
pr	suppository route (<i>per rectum</i>)
PRBC	packed red blood cells
pre-op, preop	preoperatively, before surgery
PRN, P.R.N., prn, p.r.n.	as needed, as necessary (<i>pro re nata</i>)
Pt., pt.	patient
P.T.	physical therapy

Q- Abbreviations	Q- Meaning
q	every (q 1 hr = every hour; q 4 hrs = every 4 hours)
<i>q.d.</i>	<i>Write every day or day (on Do Not Use list)</i>
QID, Q.I.D., qid, q.i.d.	four times a day
<i>QOD, Q.O.D., qod, q.o.d.</i>	<i>Write every other day (on Do Not Use list)</i>
qs	every shift

R- Abbreviations	R- Meaning
(R), RT, Rt	right
RA	Rheumatoid arthritis, right atrium, room air
r/t	related to
R/O	rule out
RLE	right lower extremity
RUE	right upper extremity
RUQ	right upper quadrant
RLQ	right lower quadrant
Rx	prescription

S- Abbreviations	S- Meaning
s	without (<i>sine</i>)
SAH	subarachnoid hemorrhage
SARS	Severe Acute Respiratory Syndrome
SCD	sequential compression devices
SICU	Surgical Intensive Care Unit
SIRS	Systemic Inflammatory Response Syndrome
SL	sublingual
SN, S.N.	student nurse
SNF	skilled nursing facility
SOB	shortness of breath
S/P	status post
S/S; Sx	signs and symptoms
S.S.I.	sliding scale insulin

STAT, Stat	IMMEDIATELY, Now
sub-Q	subcutaneous


T- Abbreviations	T- Meaning
tachy	tachycardia
T	temperature
T & C	type and crossmatch
TB, Tb	tuberculosis
TCDB	turn, cough, and deep breathe
TEds	thromboembolic disease support hose
TIA	transient ischemic attack
TID, T.I.D., tid, t.i.d.	Three times a day
TKO	to keep open (IV rate approx. 20-30 mL/hr)
tol, tol.	tolerated
TPCN	Total Patient Care Nurse
TPR	temperature, pulse, and respiration
tsp	teaspoon (5 ml)
Tbsp, tbsp	tablespoon (15 ml)
Tx	treatment

U- Abbreviations	U- Meaning
<i>U, IU</i>	<i>Unit, International Unit (on Do Not Use list) - write out unit</i>
UA	urinalysis
URI	upper respiratory infection
UTI	urinary tract infection

V- Abbreviations	V- Meaning
VBG	Venous Blood Gas
VS	vital signs

W, Y- Abbreviations	W, Y- Meaning
WBAT	weight bearing as tolerated
WBC	white blood cell count
y/o, YO	year old

Rule for Leading Zero	0.5 mg - ALWAYS use a zero BEFORE a decimal point (Not .5 mg)
Rule for Trailing Zero	1 mg - NEVER use a zero AFTER a decimal point (Not 1.0 mg)



MILITARY TIME

- Highest number is 2359 (11:59 pm); Lowest number is 0000 (12:00 am/midnight)
- 12 noon = 1200
- Can convert either way for PM times
 - Civilian to military= (1200 + civilian time)
 - Military to civilian= (military time – 1200)

Standard Time	Military Time
May have 3-4 digits	Always has 4 digits
Based on a 12-hour system	Based on a 24-hour system
Has a colon between the hour and minutes	Never has a colon
Includes a.m., p.m., noon, or midnight after the numbers	

Ex: Civilian to Military: 8:15 pm + 1200 = 2015
 Military to Civilian: 1734 – 1200 = 5:34 pm

Symbol	Meaning
\Leftrightarrow or \rightleftharpoons	reversible reaction
\triangle	change
\uparrow	increase, above, elevated
\downarrow	decrease, below, decreased
\leq	Less than or equal to (<i>better to write out- on do not use list</i>)
\geq	Greater than or equal to (<i>better to write out- on do not use list</i>)
$^{\circ}$	degree (10 $^{\circ}$ C, 10 $^{\circ}$ F) or Hour (24 $^{\circ}$ urine collection) (<i>better to write out hour- on do not use list</i>)
\neq	not equal to
$=$	equal to
$\#_$	number when before (5 = number 5)
$_ \#$	pounds when after (5# = 5 pounds)
$\%$	percent
'	feet (12' = 12 feet)
"	inches (10" = 10 inches)
/	per (10mg/1 mL = 10mg per 1 mL) or divided by (<i>better to write out, on do not use list</i>)
\times	times (3 x 5 = 15)
\div	divided by (10 \div 5 = 2)
:	ratio (5:10 is the same as 1:2)
+	Plus, add, positive (<i>better to write out, on do not use list</i>)
-	minus, subtract, negative
&	and (<i>better to write out, on do not use list</i>)
i	one
ii	two
iii	three
iiii	four
2 $^{\circ}$	secondary to
$\text{\textcircled{f}}$	female
$\text{\textcircled{m}}$	male

Charting Terms

ABDOMEN	<ol style="list-style-type: none"> 1. large and extends outward 2. hard, board like 3. soft, flabby 4. swollen, rounded 5. filled with gas 6. hangs down 	<ol style="list-style-type: none"> 1. protuberant, distended 2. hard, rigid, distended, tympanic, taut 3. relaxed, flaccid 4. distended, edematous 5. tympanic, flatulent 6. pendulous
AMOUNTS	<ol style="list-style-type: none"> 1. large amounts of drainage 2. medium amount of drainage 3. small amount of drainage 	<ol style="list-style-type: none"> 1. profuse, copious 2. moderate 3. scant
BACK	<ol style="list-style-type: none"> 1. Hunchback 2. small of back 3. swayback 	<ol style="list-style-type: none"> 1. kyphosis 2. lumbar region 3. lordosis
BLEEDING	<ol style="list-style-type: none"> 1. nose bleed 2. blood in urine 3. spitting up of blood 4. positive blood in stool 	<ol style="list-style-type: none"> 1. epistaxis 2. hematuria 3. hemoptysis 4. Guaiac positive
BREATH	<ol style="list-style-type: none"> 1. unpleasant 2. foul 3. with sweet fruit-like odor 4. urinous odor 	<ol style="list-style-type: none"> 1. halitosis 2. fetid 3. fruity, sweet 4. odor of ammonia
BREATHING	<ol style="list-style-type: none"> 1. breathing 2. difficult breathing 3. short periods when breathing has ceased 6. inability to breathe while lying down 7. rapid breathing 8. increasing dyspnea with periods of apnea 	<ol style="list-style-type: none"> 1. respiration 2. dyspnea 3. apnea 6. orthopnea 7. tachypnea 8. Cheyne-Stokes respirations
CONSCIOUSNESS	<ol style="list-style-type: none"> 1. alert, fully conscious, oriented to date, time, place 2. only partly conscious 3. unconscious, but can be aroused 4. unconscious, cannot be aroused 	<ol style="list-style-type: none"> 1. A&O x3 2. semi-conscious 3. stuporous 4. comatose
COUGH	<ol style="list-style-type: none"> 1. type of cough 2. occurring in spasms 3. coughing up or expectoration of blood 4. barking 	<ol style="list-style-type: none"> 1. continuous, persistent, productive, nonproductive, dry, hacking 2. spasmodic 3. hemoptysis 4. stridulous
DECAY	<ol style="list-style-type: none"> 1. dead tissue 	<ol style="list-style-type: none"> 1. tissue necrosis, necrotic

DEFECATION	<ol style="list-style-type: none"> 1. frequent liquid defecation 2. color of stool 3. constituents of stool 	<ol style="list-style-type: none"> 1. diarrhea 2. clay or dark brown, black, yellow, green, tarry, streaked with blood 3. liquid, soft or hard formed, watery, semi-formed, constipated, undigested food, mucoid
DRAINAGE	<ol style="list-style-type: none"> 1. containing pus 2. bloody 3. of lymphatic fluid 4. contains mucus and pus 5. tough, sticky 6. bloody, lymphatic (serous) 	<ol style="list-style-type: none"> 1. purulent 2. sanguineous 3. serous 4. mucopurulent 5. tenacious 6. serosanguineous
EDEMA	<p>Swelling in extremities, after depressing for 5 seconds:</p> <ol style="list-style-type: none"> 1. indented 2 mm 2. indented 4 mm 3. indented 6 mm 4. indented 8 mm 	<ol style="list-style-type: none"> 1. 1+ edema 2. 2+ edema 3. 3+ edema 4. 4+ edema
EMESIS	<ol style="list-style-type: none"> 1. produced by conscious effort of patient 2. ejected a few feet distance 3. if blood is noticeable 	<ol style="list-style-type: none"> 1. induced 2. projectile 3. hematemesis
EYES	<ol style="list-style-type: none"> 1. sharpness of vision 2. yellow in color 3. puffy, swollen 4. drooping eyelids 6. unusually sensitive to light 7. double vision 8. cross eye, squinting 9. abnormal protrusion of eyeball 10. inflammation of conjunctiva 11. dilatation of the pupil 12. contraction of the pupil 13. near-sightedness 14. far-sightedness 	<ol style="list-style-type: none"> 1. visual acuity 2. jaundiced 3. edematous 4. ptosis of lids 6. photophobia 7. diplopia 8. strabismus 9. exophthalmos 10. conjunctivitis 11. mydriasis, pupil dilated 12. myosis, pupil constricted, pin point 13. myopia 14. hyperopia
FAINTNESS	<ol style="list-style-type: none"> 1. fainting 	<ol style="list-style-type: none"> 1. syncope/syncopal episode
FEVER	<ol style="list-style-type: none"> 1. without fever 2. temperature above normal 3. temperature greatly above normal 	<ol style="list-style-type: none"> 1. afebrile 2. pyrexia 3. hyperpyrexia
HEAD	<ol style="list-style-type: none"> 1. forehead 2. region over temple 3. back of head 4. base of skull 5. having a large head 6. having a small head 7. top of head 	<ol style="list-style-type: none"> 1. frontal region 2. temporal region 3. occipital region 4. basilar region 5. macrocephaly, hydrocephalus 6. microcephalus 7. parietal (right or left)
HIVES	<ol style="list-style-type: none"> 1. hives 2. itching 	<ol style="list-style-type: none"> 1. urticaria 2. pruritus

JOINTS	<ol style="list-style-type: none"> 1. bending 2. to straighten 3. revolve around 4. move away from median line 5. move toward median line 	<ol style="list-style-type: none"> 1. flexion 2. extension 3. rotation 4. abduction 5. adduction
LIPS	<ol style="list-style-type: none"> 1. blue in color 	<ol style="list-style-type: none"> 1. cyanotic
MEDICINE (administration)	<ol style="list-style-type: none"> 1. by mouth 2. by rectum 3. breathing in 4. rubbing into skin 5. under the skin 6. within the skin 7. within the muscle 8. within the spinal canal 9. within the vein 10. within the bone 11. pouring into body cavity 	<ol style="list-style-type: none"> 1. orally 2. rectally 3. inhalation 4. topically 5. subcutaneous 6. intradermal 7. intramuscular 8. intraspinal, intrathecal 9. intravenous 10. intraosseous 11. instillation
MENSTRUATION	<ol style="list-style-type: none"> 1. if present when admitted 2. painful 3. total absence of 4. profuse or prolonged flow 5. cessation of 	<ol style="list-style-type: none"> 1. menses present 2. dysmenorrhea 3. amenorrhea 4. menorrhagia 5. menopause
ODOR	<ol style="list-style-type: none"> 1. very unpleasant 	<ol style="list-style-type: none"> 1. offensive, foul
PARALYSIS	<ol style="list-style-type: none"> 1. of the muscles of the face 2. of the legs 3. of one side of the body 4. of a single limb 5. of all 4 extremities and usually the trunk 	<ol style="list-style-type: none"> 1. facial 2. paraplegia 3. hemiplegia 4. monoplegia 5. quadriplegia
PERSPIRATION	<ol style="list-style-type: none"> 1. large amount/profuse 	<ol style="list-style-type: none"> 1. diaphoresis, diaphoretic
POSITIONS & legs	<ol style="list-style-type: none"> 1. flat on back, arms straight at sides 2. on side, knees flexed 3. on left side, left arm behind back, left leg slightly flexed, right leg greatly flexed 4. head of bed semi-erect 5. on back, buttocks near edge of table, knees well flexed and separated 6. resting on knees and chest 7. on back, pelvis and legs higher than head 8. on abdomen, face turned to one side 9. prone with hips over break in table and feet below level of head 10. seated, leaning forward, bracing elbows on lap or on table 	<ol style="list-style-type: none"> 1. supine 2. lateral 3. Sim's (left or right) 4. Semi-Fowler's 40-45° - modified, knees not flexed 5. lithotomy 6. knee-chest 7. Trendelenburg 8. prone 9. jackknife 10. orthopneic

PULSE

- | | |
|---|---|
| <ol style="list-style-type: none"> 1. number of beats per minute 2. rhythm 3. beats missed at intervals 4. > 100 beats per minute (bpm) 5. slow in rate, < 50 bpm 6. only scarcely perceptible 8. pulseless 9. pulse strength | <ol style="list-style-type: none"> 1. rate 2. regular or irregular, coupling, galloping 3. intermittent 4. rapid, fast, tachycardia 5. slow, bradycardia 6. thready, weak 8. Imperceptible, absent 9. 0 = absent, not palpable, inaudible ċ |
|---|---|
- Doppler
- | | |
|--|---|
| <ol style="list-style-type: none"> 10. normal | <ol style="list-style-type: none"> 1+ = diminished/palpable 2+ = expected/normal 3+ = strong/full pulse 4+ = bounding, can't be obliterated |
|--|---|
10. normal in rate and rhythm

SKIN

- | | |
|---|---|
| <ol style="list-style-type: none"> 1. normal 2. blue in color 3. very white 4. redness 5. shines 6. raw surface 7. yellow in color 8. containing colored areas 9. scraped 10. cold and moist 11. splotchy r/t poor circulation | <ol style="list-style-type: none"> 1. healthy, normal for race 2. cyanotic, 3. extreme pallor, ashen 4. erythema 5. glossy 6. excoriation 7. jaundiced 8. pigmented 9. abraded, denuded 10. clammy 11. mottled |
|---|---|

SPEECH

- | | |
|---|---|
| <ol style="list-style-type: none"> 1. not understandable 2. meaningless, wondering 3. words run together 4. difficulty speaking 5. unable to speak | <ol style="list-style-type: none"> 1. incoherent 2. rambling 3. slurring 4. dysphasia (can be r/t cognitive, structural, or articulation disorder; contact ST for eval) 5. aphasia |
|---|---|

THROAT

- | | |
|--|--|
| <ol style="list-style-type: none"> 1. difficulty in swallowing 2. inability to swallow 3. other descriptive terms | <ol style="list-style-type: none"> 1. dysphagia 2. aphagia 3. red, swollen, inflamed, ulcerated |
|--|--|

TONGUE
coated,

- | | |
|--|--|
| <ol style="list-style-type: none"> 1. descriptive terms | <ol style="list-style-type: none"> 1. pink, moist, dry, cracked, swollen, inflamed, ulcerated |
|--|--|

URINATION

- | | |
|--|---|
| <ol style="list-style-type: none"> 1. to urinate 2. no control over urination 3. large amount of urine voided 4. total suppression of urine 5. frequent voiding at night 6. increased amount voided 7. painful urination 8. pus in urine 9. blood in urine 10. scantiness of urine 11. sugar in urine | <ol style="list-style-type: none"> 1. voiding, micturate 2. incontinence 3. diuresis 4. anuria 5. nocturia 6. polyuria 7. dysuria 8. pyuria 9. hematuria 10. oliguria 11. glycosuria |
|--|---|

WEIGHT	1. overweight 2. abnormal thinness 3. very underweight	1. obese 2. emaciated, wasting 3. cachectic
WOUNDS	1. discharging pus 2. black or gray necrotic tissue 3. wound drainage	1. suppurating, purulent 2. eschar 3. Exudate

COVENANT HEALTH - EMERGENCY CODES:

- All CMG codes have been changed away from the color system, with one exception.
 - “Code Blue” Cardiac or Respiratory Arrest, urgent medical assistance needed.
 - Call code overhead with location. Assist as appropriate and transport to appropriate unit.
 - “Security Alert” will be announced overhead followed by the type of alert
 - Violent behavior
 - Hostage situation
 - Lockdown
 - Bomb threat
 - Active shooter
 - “Sever Weather” will be staged
 - Stage 1: watch for deteriorating conditions
 - Stage 2: Warning, close doors and windows
 - Stage 3: Imminent danger, evacuate to interior of building
 - “Internal Event” usually indicates utility failures
 - May need to evacuate certain areas
 - “External Event” usually involving multiple casualties
 - Hospital will prepare for influx of multiple patients and mass casualty protocols will be enacted
 - “Fire” location will be announced, as well as an “All Clear” announcement after fire has been put out.
 - Follow R.A.C.E. and P.A.S.S. methods for safety of pt’s and employees.
 - “Missing Adult/Child/Infant” last seen location, approximate age, and clothing will be announced.
 - Not allowed to physically keep someone from leaving building, but take note of suspicious individuals.
 - Remember things like
 - Clothing
 - Age
 - Direction of travel
 - What time they left the building

To report an emergency dial 4444 in hospital or 725-CODE (2633) outside of hospital