

Student Name: Lilly Bagwell Unit: Pedi Floor Pt. Initials: B Date: 4/29

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies: Penicillin and Morphine

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
D5WNS 20mEq KCL	Isotonic/ Hypotonic/ Hypertonic	Fluid replacement		

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Therapeutic Range?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				Is med in therapeutic range?			
				If not, why?			
Gabapentin	Anticonvulsants	Treat nerve pains	250 mg/15 mL Through feeding tube QID	10-15 mg/kg divided in 3 doses Yes it is	NS 3-5 minutes	Bradypnea Changes in mood, anxiety, panic attacks Memory problems	<ol style="list-style-type: none"> Do not stop abruptly Can cause mood changes or suicidal thoughts. Tell your doctor if your experiencing any changes in behavior Can slow respiratory rate watch for difficulty breathing Can cause sleepiness
Acetaminophen	Analgesic	Pain reliever	IVPB 500 mg/ 200 mL q 6 hrs	12.5 mg/ kg q 4 hrs Yes it is	NS 200 ml/hr	Liver damage Stomach pain Loss of appetite Itching Dark urine	<ol style="list-style-type: none"> Can cause liver damage do not exceed 2,000 mg a day Watch for jaundice, yellowing of the eyes and skin Do not take acetaminophen with other meds that contain acetaminophen Do not drink alcohol while taking this medication
Propranolol	Beta blocker	Reduce HTN	40 mg/ 5 mL QID Feeding tube	180-240 mg/day in divided doses	NS 3-5 minutes	Slow heart rate Lightheadedness Wheezing Sudden weakness	<ol style="list-style-type: none"> Do not take this medication if you have a history of asthma Do not take this medication if you have a history of a slow heart rate Can cause rebound hypotension do not stand up abruptly Can cause low blood sugar watch for headache, hunger, sweating, dizziness

Lorazepam	benzodiazepine	Treat anxiety	2 mg/2 mL IV q 4 hrs PRN	2-6 mg/day Yes	NS	Changes in mood or behavior Severe drowsiness Restlessness Confusion	<ol style="list-style-type: none"> 1. Can cause suicidal thoughts or depression report any changes in mood 2. Can cause confusion and sleepiness watch for these symptoms 3. Can cause damage to the liver watch for signs of jaundice, yellowing of the eyes and skin 4. Can cause insomnia report if you are having problems sleeping
Diphenhydramine	antihistamine	Treat allergies	25 mg/mL IV PRN q 6 hrs	25-50 mg/day in 4 divided doses Yes	NS	Painful or difficulty urinating Confusion Pounding heartbeats Tightness in your chest	<ol style="list-style-type: none"> 1. Can cause decreased urine output. Be sure to drink plenty of fluids and report any decrease in urine output. 2. Report if you have any chest pain this medication can cause constriction of the blood vessels. 3. Can cause constipation make sure to drink lots of fluids and eat fiber 4. Can cause dry mouth/ dry eyes
Ketorolac	NSAID	Treat mild pain	15 mg/mL PRN q 6 hrs	15 mg/day in 4 divided doses Yes	NS	Can damage kidneys Can damage liver Skin rash Low red blood cells	<ol style="list-style-type: none"> 1. Can damage the kidneys watch for little urine output 2. Can cause high blood pressure watch for severe headaches blurred vision 3. Can cause liver damage, watch for nausea, dark urine, jaundice. 4. Can cause anemia and watch for pallor, fatigue.

Adopted: August 2016

Student Name: Lillian Bagwell Unit: Pedi Floor Pt. Initials: V Date: 4/29

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies: NKDA

No meds were given							

Adopted: August 2016