

Colby Lynn

PICU

GENERAL APPEARANCE	CARDIOVASCULAR	PSYCHOSOCIAL
Appearance: <input type="checkbox"/> Healthy/Well Nourished <input checked="" type="checkbox"/> Neat/Clean <input checked="" type="checkbox"/> Emaciated <input type="checkbox"/> Unkept Developmental age: <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Delayed	Pulse: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Strong <input type="checkbox"/> Weak <input type="checkbox"/> Thready <input type="checkbox"/> Murmur <input type="checkbox"/> Other _____ Edema: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Location _____ <input type="checkbox"/> 1+ <input type="checkbox"/> 2+ <input type="checkbox"/> 3+ <input type="checkbox"/> 4+ Capillary Refill: <input checked="" type="checkbox"/> < 2 sec <input type="checkbox"/> > 2 sec Pulses: Upper R <u>3</u> L <u>3</u> Lower R <u>3</u> L <u>3</u> 4+ Bounding 3+ Strong 2+ Weak 1+ Intermittent 0 None	Social Status: <input checked="" type="checkbox"/> Calm/Relaxed <input type="checkbox"/> Quiet <input type="checkbox"/> Friendly <input checked="" type="checkbox"/> Cooperative <input type="checkbox"/> Crying <input type="checkbox"/> Uncooperative <input type="checkbox"/> Restless <input type="checkbox"/> Withdrawn <input type="checkbox"/> Hostile/Anxious Social/emotional bonding with family: <input checked="" type="checkbox"/> Present <input type="checkbox"/> Absent
NEUROLOGICAL	ELIMINATION	IV ACCESS
LOC: <input checked="" type="checkbox"/> Alert <input type="checkbox"/> Confused <input type="checkbox"/> Restless <input type="checkbox"/> Sedated <input type="checkbox"/> Unresponsive Oriented to: <input checked="" type="checkbox"/> Person <input checked="" type="checkbox"/> Place <input checked="" type="checkbox"/> Time/Event <input type="checkbox"/> Appropriate for Age Pupil Response: <input checked="" type="checkbox"/> Equal <input type="checkbox"/> Unequal <input checked="" type="checkbox"/> Reactive to Light <input checked="" type="checkbox"/> Size <u>3/2</u> Fontanel: (Pt < 2 years) <input type="checkbox"/> Soft <input type="checkbox"/> Flat <input type="checkbox"/> Bulging <input type="checkbox"/> Sunken <input type="checkbox"/> Closed Extremities: <input checked="" type="checkbox"/> Able to move all extremities <input checked="" type="checkbox"/> Symmetrically <input type="checkbox"/> Asymmetrically Grips: Right <u>S</u> Left <u>S</u> Pushes: Right <u>S</u> Left <u>S</u> S=Strong W=Weak N=None EVD Drain: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Level _____ Seizure Precautions: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Urine Appearance: <u>clear, yellow</u> Stool Appearance: <u>N/A</u> <input type="checkbox"/> Diarrhea <input type="checkbox"/> Constipation <input type="checkbox"/> Bloody <input type="checkbox"/> Colostomy	Site: <u>R AC</u> <input checked="" type="checkbox"/> INT <input type="checkbox"/> None <input type="checkbox"/> Central Line Type/Location: _____ Appearance: <input checked="" type="checkbox"/> No Redness/Swelling <input type="checkbox"/> Red <input type="checkbox"/> Swollen <input type="checkbox"/> Patent <input type="checkbox"/> Blood return Dressing Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Fluids: <u>N/A</u>
RESPIRATORY	GASTROINTESTINAL	SKIN
Respirations: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Retractions (type) _____ <input type="checkbox"/> Labored Breath Sounds: Clear <input checked="" type="checkbox"/> Right <input checked="" type="checkbox"/> Left Crackles <input type="checkbox"/> Right <input type="checkbox"/> Left Wheezes <input type="checkbox"/> Right <input type="checkbox"/> Left Diminished <input type="checkbox"/> Right <input type="checkbox"/> Left Absent <input type="checkbox"/> Right <input type="checkbox"/> Left <input checked="" type="checkbox"/> Room Air <input type="checkbox"/> Oxygen Oxygen Delivery: <input type="checkbox"/> Nasal Cannula: _____ L/min <input type="checkbox"/> BiPap/CPAP: _____ <input type="checkbox"/> Vent: ETT size _____ @ _____ cm <input type="checkbox"/> Other: _____ Trach: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size _____ Type _____ Obturator at Bedside <input type="checkbox"/> Yes <input type="checkbox"/> No Cough: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Productive <input type="checkbox"/> Nonproductive Secretions: Color _____ Consistency _____ Suction: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Pulse Ox Site: <u>right left index finger</u> Oxygen Saturation: <u>97%</u>	Abdomen: <input checked="" type="checkbox"/> Soft <input type="checkbox"/> Firm <input checked="" type="checkbox"/> Flat <input type="checkbox"/> Distended <input type="checkbox"/> Guarded Bowel Sounds: <input checked="" type="checkbox"/> Present X <u>4</u> quads <input checked="" type="checkbox"/> Active <input type="checkbox"/> Hypo <input type="checkbox"/> Hyper <input type="checkbox"/> Absent Nausea: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Vomiting: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Passing Flatus: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Tube: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Location _____ Inserted to _____ cm <input type="checkbox"/> Suction Type: _____	Color: <input type="checkbox"/> Pink <input type="checkbox"/> Flushed <input type="checkbox"/> Jaundiced <input type="checkbox"/> Cyanotic <input type="checkbox"/> Pale <input checked="" type="checkbox"/> Natural for Pt Condition: <input type="checkbox"/> Warm <input type="checkbox"/> Cool <input type="checkbox"/> Dry <input type="checkbox"/> Diaphoretic Turgor: <input checked="" type="checkbox"/> < 5 seconds <input type="checkbox"/> > 5 seconds Skin: <input checked="" type="checkbox"/> Intact <input type="checkbox"/> Bruises <input type="checkbox"/> Lacerations <input type="checkbox"/> Tears <input type="checkbox"/> Rash <input type="checkbox"/> Skin Breakdown Location/Description: _____ Mucous Membranes: Color: _____ <input checked="" type="checkbox"/> Moist <input type="checkbox"/> Dry <input type="checkbox"/> Ulceration
	NUTRITIONAL	PAIN
	Diet/Formula: <u>regular - 10</u> Amount/Schedule: <u>1700ccs</u> Chewing/Swallowing difficulties: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Scale Used: <input checked="" type="checkbox"/> Numeric <input type="checkbox"/> FLACC <input type="checkbox"/> Faces Location: <u>N/A</u> Type: <u>none</u> Pain Score: 0800 <u>0</u> 1200 _____ 1600 _____
MUSCULOSKELETAL	MOBILITY	WOUND/INCISION
	<input type="checkbox"/> Pain <input type="checkbox"/> Joint Stiffness <input type="checkbox"/> Swelling <input type="checkbox"/> Contracted <input type="checkbox"/> Weakness <input type="checkbox"/> Cramping <input type="checkbox"/> Spasms <input type="checkbox"/> Tremors Movement: <input type="checkbox"/> RA <input type="checkbox"/> LA <input type="checkbox"/> RL <input type="checkbox"/> LL <input checked="" type="checkbox"/> All Brace/Appliances: <input type="checkbox"/> None Type: _____	<input checked="" type="checkbox"/> None Type: _____ Location: _____ Description: _____ Dressing: _____
		TUBES/DRAINS
		<input checked="" type="checkbox"/> None <input type="checkbox"/> Drain/Tube Site: _____ Type: _____ Dressing: _____ Suction: _____ Drainage amount: _____ Drainage color: _____

PICU

Colby Lynn

INTAKE/OUTPUT													
PO/Enteral Intake	07	08	09	10	11	12	13	14	15	16	17	18	Total
PO Intake/Tube Feed			240ml										240ml
Intake - PO Meds			30ml										30ml
IV INTAKE N/A													
IV Fluid													0
IV Meds/Flush													
Calculate Maintenance Fluid Requirement (Show Work)							Combined Total Intake for Pt (mL/hr)						
$44.3 \times 10 = 443$ $10.100 = 1000$ $10.50 = 500$ $24.20 = 480$ $\frac{1980}{1980}$							$1980/24 = 82.5$ 83 mL/hr						
							240 mL 30 mL $\frac{270 \text{ mL}}{270 \text{ mL}}$						
							$270/4.5 = 60 \text{ mL/hr}$						
OUTPUT	07	08	09	10	11	12	13	14	15	16	17	18	Total
Urine/Diaper				300ml									300ml
Stool													
Emesis													
Other													
Calculate Minimum Acceptable Urine Output							Average Urine Output During Your Shift						
0.5 mL/kg/hr $0.5 \times 44.3 = 22.15 = 22 \text{ mL/hour}$							$300 \text{ mL From } 07-1130 = 4.5 \text{ hrs}$ $300 \div 4.5 = 66.67 = 67 \text{ mL/hr}$						

Children's Hospital Early Warning Score (CHEWS)	
(See CHEWS Scoring and Escalation Algorithm to score each category)	
Behavior/Neuro	Circle the appropriate score for this category: 0 1 2 3
Cardiovascular	Circle the appropriate score for this category: 0 1 2 3
Respiratory	Circle the appropriate score for this category: 0 1 2 3
Staff Concern	1 pt - Concerned \ominus
Family Concern	1 pt - Concerned or absent \ominus
CHEWS Total Score	
CHEWS Total Score	Total Score (points) <u>0</u>
	Score 0-2 (Green) - Continue routine assessments
	Score 3-4 (Yellow) - Notify charge nurse or LIP, Discuss treatment plan with team, Consider higher level of care, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications
Score 5-11 (Red) - Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation, Notify attending physician, Discuss treatment plan with team, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications	

IM5 Clinical Worksheet – PICU

<p>Student Name: Colby Lynn Date: 8-27-25</p>	<p>Patient Age: 15 years old Patient Weight: 44 kg</p>
<p>1. Admitting Diagnosis and Pathophysiology (State the pathophysiology in own words) Bradycardia secondary to eating disorder. Decreased blood volume decreasing cardiac output</p>	<p>2. Priority Focused Assessment R/T Diagnosis: Cardiac, Nutritional Intake</p>
<p>3. Identify the most likely and worst possible complications. Most likely - Fatigue, weakness, hypotension, hypovolemia Worst - arrhythmias, asystole, heart failure.</p>	<p>4. What interventions can prevent the listed complications from developing? - Increase caloric intake - Intake fluid intake - Gain weight</p>
<p>5. What clinical data/assessments are needed to identify these complications early? - Monitor pulse and blood pressure. - Echo to determine heart function</p>	<p>6. What nursing interventions will the nurse implement if the anticipated complication develops? - EKG - Contact HCP - Have crash cart nearby. - Labs</p>
<p>7. Pain & Discomfort Management: List 2 Developmentally Appropriate Non-Pharmacologic Interventions Related to Pain & Discomfort for This Patient. 1. Gradual re-feeding can reduce GI pain from slowed motility & constipation. 2. Support groups and distraction techniques to shift focus away from pain.</p>	<p>8. Patient/Caregiver Teaching: 1. Risk of refeeding syndrome. This could worsen cardiac symptoms due to electrolyte imbalances. 2. After discharge, it is important to continue therapy to minimize psychological symptoms. 3. Continue to monitor heart rate & report changes to HCP. Any Safety Issues Identified: Dizziness r/t orthostatic hypotension will increase fall risk.</p>
<p>Please list any medications you administered or procedures you performed during your shift: observing patient during feeding times</p>	