

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
Click here to enter text.	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Click here to enter text.	Click here to enter text.	Click here to enter text.

Student Name: Cassie Jimenez		Unit: IM6 PMH	Patient Initials:		Date: 9/9/2025	Allergies:	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Hydroxyzine pamoate	Antihistamine	Anxiety	25mg PO PRN q6	Yes		Dry mouth, dizziness, blurred vision, some drowsiness, Urinary retention	1. Assess for drowsiness or confusion can be fall risk 2. Do not take if pregnant 3. Avoid alcohol and CNS depressants 4. Teach about good oral hygiene for dry mouth
lorazepam	Benzodiazepine	Alcohol withdrawal / anxiety	1-2 mg PO PRN q4 hours	Yes Choose an item.		Sedation respiratory depression dizziness	1. Monitor RR and LOC 2. Avoid alcohol and other sedatives 3. Fall risk in older adults 4. Do not take if patient has severe respiratory disease.
haldol	antipsychotic	for psychotic symptoms/agitation	10 mg IM PRN q8	Yes Choose an item.		Rigidity, tremors sedation, TD, QT prolongation	1. Monitor for signs of rigidity, fever, or confusion 2. Monitor EKG 3. Do not take if you have parkinsons/dementia 4. Report any muscle stiffness, tremors, or fever

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Cassie Jimenez		Unit: IM6 PMH	Patient Initials:		Date: 9/9/2025	Allergies:	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
diphenhydramine	antihistamine	management of cholinergic effects of antipsychotic	50 mg IM q8 PRN psychotic symptoms	Yes		Drowsiness, dry mouth,, urinary retention, constipation, confusion in elderly	<ol style="list-style-type: none"> 1. Assess respirations and LOC 2. Avoid alcohol, driving, or heavy machinery 3. Encourage fluids and fiber to prevent constipation 4. Do not take if you have BPH
acetaminophen	Analgesic/antipyretic	Mild-moderate pain	500 mg PO q6 for pain of 1-4 on pain scale	Yes		Hepatotoxicity, Rash, GI upset not often	<ol style="list-style-type: none"> 1. Monitor liver function 2. Maximum dose 4g a day make sure to follow OTC label 3. Avoid alcohol 4. Do not take if you have a severe liver disease
olanzapine	antipsychotic	Agitation/psychotic behavior	5 mg PO q6 for agitation	Yes		Sedation, weight gain, hyperglycemia, metabolic syndrome	<ol style="list-style-type: none"> 1. Monitor weight, blood glucose and lipids 2. Assess BP for orthostatic hypotension, fall risk 3. Contraindicated for elderly patients with dementia 4. Teach about healthy diet and exercise
ibuprofen	NSAID	Mild-moderate pain	400 mg PO q6 for pain of 1-4 on pain	Yes Choose an item.		GI upset, GI bleed, increased BP	<ol style="list-style-type: none"> 1. Monitor stool for black or tarry color could be GI bleed 2. Monitor BUN and Creatinine for renal

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Cassie Jimenez		Unit: IM6 PMH	Patient Initials:		Date: 9/9/2025	Allergies:	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
			scale				function 3. Do not take if you have active ulcers or bleeding disorders 4. Take with food or milk
risperdal	antipsychotic	Psychotic behavior/bipolar mania	1 mg tablet PO BID	Yes		Tremors, rigidity, weight gain, hyperglycemia, sedation, orthostatic hypotension	1. Monitor for EPS and metabolic syndrome 2. Do not take if elderly or have Dementia 3. Get up slowly and no sudden quick movements to prevent BP from dropping 4. Report any involuntary movements immediately
Nicotine patch	Stimulant	Nicotine replacement	21 mg transdermal patch daily	Yes Choose an item.		Skin irritation, insomnia, vivid dreams, high Heart rate, dependence	1. Monitor and assess skin for irritation 2. DO not use if you have had recent MI or arrhythmias 3. Rotate sites of patch placement and remove at night if insomnia occurs 4. Avoid smoking while using the patch can cause nicotine overdose
ziprasidone	antipsychotic	Psychotic behavior/bipolar disorder/mania	40 mg PO BID	Yes		QT prolongation, dizziness, sedation,	1. Get a baseline and periodic EKG to monitor QT prolongation 2. Do not take if in heart failure or recent MI

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Cassie Jimenez		Unit: IM6 PMH	Patient Initials:		Date: 9/9/2025	Allergies:	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
						metabolic changes	3. Take with foods to help increase absorption 4. Report palpitations, fainting, or chest pain immediately
prazosin	Alpha-blocker	Nightmares	1 mg PO QHS	Yes Choose an item.		Orthostatic hypotension, dizziness, fainting, nasal congestion	1. Monitor BP closely 2. Take or give at bedtime to prevent fainting 3. Get up and move slowly to avoid dizziness 4. Do not take if you have history of hypotension
Nicotine inhaler	Stimulant	Nicotine replacement	10 mg cartridge for inhalation Q2	Yes		Throat irritation, cough, hiccups, dependance	1. Assess the lungs and throat for irritation or cough 2. Do not use if you have asthma or severe COPD 3. Take puffs like a pipe do not inhale deeply 4. Avoid smoking while using inhaler can cause nicotine overdose
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text.

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Cassie Jimenez		Unit: IM6 PMH	Patient Initials:		Date: 9/9/2025	Allergies:	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				Click here to enter text.			4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.