

Adult/Geriatric Medication Worksheet - Current Medications & PRN from 0700-1400 current day

Generic Name				
Enoxaparin	40mg/0.4ml injection		Prevent DVT	<ul style="list-style-type: none"> -can cause anemia and hemorrhage please ask for assistance getting up so you don't fall. -injection sites should be rotated so bruising doesn't occur. -this medication is used to prevent blood clots since you aren't moving much in the hospital. -monitor platelet count
Ceftriaxone	2g/ 20ml IVP	20 ml 0.9% Sodium chloride	Sepsis	<ul style="list-style-type: none"> -Take all of this medication as prescribed. It can cause a super infection or c-diff. -Abdominal pain, nausea, and vomiting may occur. Please call me if you experience these symptoms. -Candida may develop in your body. This will typically start in your mouth causing your tongue to be white. -Dizziness, headaches, and seizures may occur. Please call me before you get up after I administer this medication.
Polyethylene glycol 3350	Once Daily		Constipation	<ul style="list-style-type: none"> -Do not take this medication more than 2 weeks at a time. -Please let me know if you experience abnormal abdominal cramping or pain. -This medication typically takes 1

Adult/Geriatric Medication Worksheet - Current Medications & PRN from 0700-1400 current day

--	--	--	--	--

Allergies: N/A

Primary IV fluid and rate: 0.9% Sodium Chloride 100ml/hr

Patient specific reasoning for IV fluids (including type isotonic, hypotonic, hypertonic): Surgery, Isotonic

Medication reference: UpToDate