

IM5 Clinical Worksheet – Pediatric Floor

Student Name: Camryn Cowley Date: 09/10/25	Patient Age: 10 mo Patient Weight: 7.04 kg
1. Admitting Diagnosis and Pathophysiology (State the pathophysiology in own words) hypoglycemic - blood sugar is too low	2. Priority Focused Assessment You Will Perform Related to the Diagnosis: Blood sugar checks q3hr, neuro status
3. Identify the most likely and worst possible complications. Seizure like activity, lethargy, fussiness, refusal to eat	4. What interventions can prevent the listed complications from developing? Monitor blood sugars, using food along with D10
5. What clinical data/assessments are needed to identify these complications early? Blood glucose, neuro and feeding assessments	6. What nursing interventions will the nurse implement if the anticipated complication develops? Admin of fast acting glucose, ABC's, position child safely
7. Pain & Discomfort Management: List 2 Developmentally Appropriate Non-Pharmacologic Interventions Related to Pain & Discomfort for This Patient. 1. parents holding & comforting 2. Soft music or reading	8. Patient/Caregiver Teaching: 1. Nutrition teaching 2. Blood sugar checks + normal range 3. S/s of hypoglycemia Any Safety Issues identified: Yes, nutrition was notified to come give better info

Student Name: Camryn Cowley Date: 09/10/25	Patient Age: 10 MO Patient Weight: 7.08kg
---	--

Abnormal Relevant Lab Tests	Current	Clinical Significance
Complete Blood Count (CBC) Labs	N/A	
Metabolic Panel Labs	N/A	
Misc. Labs		
Absolute Neutrophil Count (ANC) (if applicable)	N/A	
Lab TRENDS concerning to Nurse?	N/A	

11. Growth & Development:

- *List the Developmental Stage of Your Patient For Each Theorist Below.
- *Document 2 OBSERVED Developmental Behaviors for Each Theorist.
- *If Developmentally Delayed, Identify the Stage You Would Classify the Patient:

Erickson Stage: Trust vs. Mistrust

1. seeks comfort from parents
2. cries for needs

Piaget Stage:

1. Explores through movement
2. Intentional actions - reaching for toys

Please list any medications you administered or procedures you performed during your shift:

Blood sugar checks

Pediatric Floor Patient #1

GENERAL APPEARANCE	CARDIOVASCULAR	PSYCHOSOCIAL
Appearance: <input checked="" type="checkbox"/> Healthy/Well Nourished <input type="checkbox"/> Neat/Clean <input type="checkbox"/> Emaciated <input type="checkbox"/> Unkept Developmental age: <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Delayed	Pulse: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input checked="" type="checkbox"/> Strong <input type="checkbox"/> Weak <input type="checkbox"/> Thready <input type="checkbox"/> Murmur <input type="checkbox"/> Other _____ Edema: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Location _____ <input type="checkbox"/> 1+ <input type="checkbox"/> 2+ <input type="checkbox"/> 3+ <input type="checkbox"/> 4+ Capillary Refill: <input checked="" type="checkbox"/> < 2 sec <input type="checkbox"/> > 2 sec Pulses: Upper R <u>3</u> L <u>3</u> Lower R <u>3</u> L <u>3</u> 4+ Bounding 3+ Strong 2+ Weak 1+ Intermittent 0 None	Social Status: <input checked="" type="checkbox"/> Calm/Relaxed <input checked="" type="checkbox"/> Quiet <input type="checkbox"/> Friendly <input type="checkbox"/> Cooperative <input type="checkbox"/> Crying <input type="checkbox"/> Uncooperative <input type="checkbox"/> Restless <input type="checkbox"/> Withdrawn <input type="checkbox"/> Hostile/Anxious Social/emotional bonding with family: <input checked="" type="checkbox"/> Present <input type="checkbox"/> Absent
NEUROLOGICAL	ELIMINATION	IV ACCESS
LOC: <input checked="" type="checkbox"/> Alert <input type="checkbox"/> Confused <input type="checkbox"/> Restless <input type="checkbox"/> Sedated <input type="checkbox"/> Unresponsive Oriented to: <input type="checkbox"/> Person <input type="checkbox"/> Place <input type="checkbox"/> Time/Event <input checked="" type="checkbox"/> Appropriate for Age Pupil Response: <input checked="" type="checkbox"/> Equal <input type="checkbox"/> Unequal <input checked="" type="checkbox"/> Reactive to Light <input type="checkbox"/> Size <u>3mm</u> Fontanel: (Pt < 2 years) <input checked="" type="checkbox"/> Soft <input type="checkbox"/> Flat <input type="checkbox"/> Bulging <input type="checkbox"/> Sunken <input type="checkbox"/> Closed Extremities: <input checked="" type="checkbox"/> Able to move all extremities <input type="checkbox"/> Symmetrically <input type="checkbox"/> Asymmetrically Grips: Right _____ Left _____ Pushes: Right _____ Left _____ S=Strong W=Weak N=None EVD Drain: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Level _____ Seizure Precautions: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Urine Appearance: <u>clear, yellow</u> Stool Appearance: <u>NOT observed</u> <input type="checkbox"/> Diarrhea <input type="checkbox"/> Constipation <input type="checkbox"/> Bloody <input type="checkbox"/> Colostomy	Site: <u>Distal 29g</u> <input type="checkbox"/> INT <input type="checkbox"/> None <input type="checkbox"/> Central Line Type/Location: _____ Appearance: <input checked="" type="checkbox"/> No Redness/Swelling <input type="checkbox"/> Red <input type="checkbox"/> Swollen <input type="checkbox"/> Patent <input type="checkbox"/> Blood return Dressing Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Fluids: <u>DIO @ 28ml/hr</u>
RESPIRATORY	GASTROINTESTINAL	SKIN
Respirations: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Retractions (type) _____ <input type="checkbox"/> Labored Breath Sounds: Clear <input checked="" type="checkbox"/> Right <input checked="" type="checkbox"/> Left Crackles <input type="checkbox"/> Right <input type="checkbox"/> Left Wheezes <input type="checkbox"/> Right <input type="checkbox"/> Left Diminished <input type="checkbox"/> Right <input type="checkbox"/> Left Absent <input type="checkbox"/> Right <input type="checkbox"/> Left <input checked="" type="checkbox"/> Room Air <input type="checkbox"/> Oxygen Oxygen Delivery: <input type="checkbox"/> Nasal Cannula: _____ L/min <input type="checkbox"/> BiPap/CPAP: _____ <input type="checkbox"/> Vent: ETT size _____ @ _____ cm <input type="checkbox"/> Other: _____ Trach: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size _____ Type _____ Obturator at Bedside <input type="checkbox"/> Yes <input type="checkbox"/> No Cough: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Productive <input type="checkbox"/> Nonproductive Secretions: Color _____ Consistency _____ Suction: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Pulse Ox Site: <u>left toe</u> Oxygen Saturation: <u>99%</u>	Abdomen: <input checked="" type="checkbox"/> Soft <input type="checkbox"/> Firm <input type="checkbox"/> Flat <input type="checkbox"/> Distended <input type="checkbox"/> Guarded Bowel Sounds: <input checked="" type="checkbox"/> Present X <u>4</u> quads <input checked="" type="checkbox"/> Active <input type="checkbox"/> Hypo <input type="checkbox"/> Hyper <input type="checkbox"/> Absent Nausea: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Vomiting: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Passing Flatus: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Tube: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Location _____ Inserted to _____ cm <input type="checkbox"/> Suction Type: _____	Color: <input type="checkbox"/> Pink <input type="checkbox"/> Flushed <input type="checkbox"/> Jaundiced <input type="checkbox"/> Cyanotic <input type="checkbox"/> Pale <input checked="" type="checkbox"/> Natural for Pt Condition: <input checked="" type="checkbox"/> Warm <input type="checkbox"/> Cool <input type="checkbox"/> Dry <input type="checkbox"/> Diaphoretic Turgor: <input checked="" type="checkbox"/> < 5 seconds <input type="checkbox"/> > 5 seconds Skin: <input checked="" type="checkbox"/> Intact <input type="checkbox"/> Bruises <input type="checkbox"/> Lacerations <input type="checkbox"/> Tears <input type="checkbox"/> Rash <input type="checkbox"/> Skin Breakdown Location/Description: _____ Mucous Membranes: Color: <u>pink</u> <input checked="" type="checkbox"/> Moist <input type="checkbox"/> Dry <input type="checkbox"/> Ulceration
NUTRITIONAL	MUSCULOSKELETAL	PAIN
Diet/Formula: <u>regular</u> Amount/Schedule: _____ Chewing/Swallowing difficulties: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Pain <input type="checkbox"/> Joint Stiffness <input type="checkbox"/> Swelling <input type="checkbox"/> Contracted <input type="checkbox"/> Weakness <input type="checkbox"/> Cramping <input type="checkbox"/> Spasms <input type="checkbox"/> Tremors Movement: <input type="checkbox"/> RA <input type="checkbox"/> LA <input type="checkbox"/> RL <input type="checkbox"/> LL <input checked="" type="checkbox"/> All Brace/Appliances: <input checked="" type="checkbox"/> None Type: _____	Scale Used: <input type="checkbox"/> Numeric <input checked="" type="checkbox"/> FLACC <input type="checkbox"/> Faces Location: _____ Type: _____ Pain Score: 0800 <u>0</u> 1200 <u>0</u> 1600 _____
MOBILITY	WOUND/INCISION	TUBES/DRAINS
<input type="checkbox"/> Ambulatory <input checked="" type="checkbox"/> Crawl <input checked="" type="checkbox"/> In Arms <input type="checkbox"/> Ambulatory with assist _____ Assistive Device: <input type="checkbox"/> Crutch <input type="checkbox"/> Walker <input type="checkbox"/> Brace <input type="checkbox"/> Wheelchair <input type="checkbox"/> Bedridden	<input checked="" type="checkbox"/> None Type: _____ Location: _____ Description: _____ Dressing: _____	<input checked="" type="checkbox"/> None <input type="checkbox"/> Drain/Tube Site: _____ Type: _____ Dressing: _____ Suction: _____ Drainage amount: _____ Drainage color: _____

Pediatric Floor Patient #1

INTAKE/OUTPUT													
PO/Enteral Intake	07	08	09	10	11	12	13	14	15	16	17	18	Total
PO Intake/Tube Feed			2										
Intake – PO Meds													
IV INTAKE	07	08	09	10	11	12	13	14	15	16	17	18	Total
IV Fluid	28	28	28	28	28								140mL
IV Meds/Flush													
Calculate Maintenance Fluid Requirement (Show Work)							Actual Pt IV Rate 28 mL/hr						
8 kg x 100 mL = 800 mL / day ≈ 33.3 mL/hr							Rationale for Discrepancy (if applicable) Pt. is also drinking water - not documented						
OUTPUT	07	08	09	10	11	12	13	14	15	16	17	18	Total
Urine/Diaper			220										220mL
Stool													
Emesis													
Other													
Calculate Minimum Acceptable Urine Output							Average Urine Output During Your Shift						
1 mL/kg/hr							220mL						

Children's Hospital Early Warning Score (CHEWS)	
(See CHEWS Scoring and Escalation Algorithm to score each category)	
Behavior/Neuro	Circle the appropriate score for this category: 0 1 2 3
Cardiovascular	Circle the appropriate score for this category: 0 1 2 3
Respiratory	Circle the appropriate score for this category: 0 1 2 3
Staff Concern	1 pt – Concerned
Family Concern	1 pt – Concerned or absent
CHEWS Total Score	
CHEWS Total Score	Total Score (points) <u>0</u>
	Score 0-2 (Green) – Continue routine assessments
	Score 3-4 (Yellow) – Notify charge nurse or LIP, Discuss treatment plan with team, Consider higher level of care, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications
	Score 5-11 (Red) – Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation, Notify attending physician, Discuss treatment plan with team, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications

NO MEDS
ORDERED/GIVEN

CHEWS Total Score

notifications

Score 5-11 (Red) – Activate Rapid Response Team or appropriate personnel per unit protocol, perform bedside evaluation, Notify attending physician, Discuss treatment plan with team, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications