

IM5 Clinical Worksheet – Pediatric Floor

<p>Student Name: Amaya Jones Date: 9/17/25</p>	<p>Patient Age: 6yrs old Patient Weight: 18.2 kg</p>
<p>1. Admitting Diagnosis and Pathophysiology (State the pathophysiology in own words) Peritonsillar Abscess – bacteria spreads from the tonsils to nearby tissue and causes an abscess to develop.</p>	<p>2. Priority Focused Assessment You Will Perform Related to the Diagnosis: Respiratory Assessment</p>
<p>3. Identify the most likely and worst possible complications. Airway obstruction and abscess rupture</p>	<p>4. What interventions can prevent the listed complications from developing? Assess airway, surgical drainage of pus pocket.</p>
<p>5. What clinical data/assessments are needed to identify these complications early? Monitor RR, inspect and auscultate lungs – assess for sudden coughing, dyspnea, wheezing or stridor, cyanosis, nostril flaring and pallor.</p>	<p>6. What nursing interventions will the nurse implement if the anticipated complication develops? Position patient upright, administer prescribed medications, administer oxygen if ordered/needed.</p>
<p>7. Pain & Discomfort Management: List 2 Developmentally Appropriate Non-Pharmacologic Interventions Related to Pain & Discomfort for This Patient.</p> <p>1. Ipad for games – Patient enjoys playing Roblox</p> <p>2. Art therapy</p>	<p>8. Patient/Caregiver Teaching:</p> <p>1. Good oral hygiene</p> <p>2. Good handwashing</p> <p>3. Take full course of antibiotics</p> <p>Any Safety Issues identified:</p>

Student Name: Amaya Jones	Patient Age: 6yrs old
Date: 9/17/25	Patient Weight: 18.2 kg

Abnormal Relevant Lab Tests	Current	Clinical Significance
-----------------------------	---------	-----------------------

Complete Blood Count (CBC) Labs		
---------------------------------	--	--

C RBC	3.9	Associated with peritonsillar abscess
Hemoglobin and Hematocrit	11/ 13.4	Associated with inflammation from the infection
Platelet Count	430	N/A

Metabolic Panel Labs		
----------------------	--	--

Albumin	3	May indicate poor nutrition in relation to abscess
ALK Phos	141	N/A
Bilirubin	0.4	N/A

Misc. Labs		
------------	--	--

Absolute Neutrophil Count (ANC) (if applicable)	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Lab TRENDS concerning to Nurse?

N/A

11. Growth & Development:

- *List the Developmental Stage of Your Patient For Each Theorist Below.
- *Document 2 OBSERVED Developmental Behaviors for Each Theorist.
- *If Developmentally Delayed, Identify the Stage You Would Classify the Patient:

Erickson Stage:

1. Patient is skilled at navigating an Ipad to access videos or games
2. Patient expresses competence in completing a task - feels good about taking medication

Piaget Stage:

1. Patient is capable of considering other viewpoints such as having to take medication for his infection.
2. N/A - another example of preoperational stage was not seen prior to discharge

Please list any medications you administered or procedures you performed during your shift:

I removed the patient's IV prior to discharge.

GENERAL APPEARANCE	CARDIOVASCULAR	PSYCHOSOCIAL
Appearance: <input checked="" type="checkbox"/> Healthy/Well Nourished <input checked="" type="checkbox"/> Neat/Clean <input type="checkbox"/> Emaciated <input type="checkbox"/> Unkept Developmental age: <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Delayed	Pulse: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Strong <input type="checkbox"/> Weak <input type="checkbox"/> Thready <input type="checkbox"/> Murmur <input type="checkbox"/> Other _____ Edema: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Location _____ <input type="checkbox"/> 1+ <input type="checkbox"/> 2+ <input type="checkbox"/> 3+ <input type="checkbox"/> 4+ Capillary Refill: <input checked="" type="checkbox"/> < 2 sec <input type="checkbox"/> > 2 sec Pulses: Upper R ___ 3+ ___ L ___ 3+ ___ Lower R ___ 3+ ___ L ___ 3+ ___ 4+ Bounding 3+ Strong 2+ Weak 1+ Intermittent 0 None	Social Status: <input checked="" type="checkbox"/> Calm/Relaxed <input checked="" type="checkbox"/> Quiet <input type="checkbox"/> Friendly <input type="checkbox"/> Cooperative <input type="checkbox"/> Crying <input type="checkbox"/> Uncooperative <input type="checkbox"/> Restless <input type="checkbox"/> Withdrawn <input type="checkbox"/> Hostile/Anxious Social/emotional bonding with family: <input checked="" type="checkbox"/> Present <input type="checkbox"/> Absent
NEUROLOGICAL	ELIMINATION	IV ACCESS
LOC: <input checked="" type="checkbox"/> Alert <input type="checkbox"/> Confused <input type="checkbox"/> Restless <input type="checkbox"/> Sedated <input type="checkbox"/> Unresponsive Oriented to: <input checked="" type="checkbox"/> Person <input checked="" type="checkbox"/> Place <input type="checkbox"/> Time/Event <input checked="" type="checkbox"/> Appropriate for Age Pupil Response: <input checked="" type="checkbox"/> Equal <input type="checkbox"/> Unequal <input checked="" type="checkbox"/> Reactive to Light <input checked="" type="checkbox"/> Size _____ Fontanel: (Pt < 2 years) <input type="checkbox"/> Soft <input type="checkbox"/> Flat <input type="checkbox"/> Bulging <input type="checkbox"/> Sunken <input type="checkbox"/> Closed Extremities: <input checked="" type="checkbox"/> Able to move all extremities <input type="checkbox"/> Symmetrically <input type="checkbox"/> Asymmetrically Grips: Right ___ W ___ Left ___ W ___ Pushes: Right ___ W ___ Left ___ W ___ S=Strong W=Weak N=None EVD Drain: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Level _____ Seizure Precautions: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Urine Appearance: ___ yellow, clear _____ Stool Appearance: ___ brown, sausage _____ <input type="checkbox"/> Diarrhea <input type="checkbox"/> Constipation <input type="checkbox"/> Bloody <input type="checkbox"/> Colostomy	Site: ___ Lt forearm <input checked="" type="checkbox"/> <input type="checkbox"/> INT <input type="checkbox"/> None <input type="checkbox"/> Central Line Type/Location: _____ Appearance: <input checked="" type="checkbox"/> No Redness/Swelling <input type="checkbox"/> Red <input type="checkbox"/> Swollen <input type="checkbox"/> Patent <input type="checkbox"/> Blood return Dressing Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Fluids: _____
RESPIRATORY	GASTROINTESTINAL	SKIN
Respirations: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Retractions (type) _____ <input type="checkbox"/> Labored Breath Sounds: Clear <input checked="" type="checkbox"/> Right <input checked="" type="checkbox"/> Left Crackles <input type="checkbox"/> Right <input type="checkbox"/> Left Wheezes <input type="checkbox"/> Right <input type="checkbox"/> Left Diminished <input type="checkbox"/> Right <input type="checkbox"/> Left Absent <input type="checkbox"/> Right <input type="checkbox"/> Left <input checked="" type="checkbox"/> Room Air <input type="checkbox"/> Oxygen Oxygen Delivery: <input type="checkbox"/> Nasal Cannula: ___ L/min <input type="checkbox"/> BiPap/CPAP: _____ <input type="checkbox"/> Vent: ETT size ___ @ ___ cm <input type="checkbox"/> Other: _____ Trach: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size _____ Type _____ Obturator at Bedside <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cough: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Productive <input type="checkbox"/> Nonproductive Secretions: Color _____ Consistency _____ Suction: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Pulse Ox Site _____ Oxygen Saturation: _____	Abdomen: <input type="checkbox"/> Soft <input type="checkbox"/> Firm <input checked="" type="checkbox"/> Flat <input type="checkbox"/> Distended <input type="checkbox"/> Guarded Bowel Sounds: <input checked="" type="checkbox"/> Present X ___ quads <input checked="" type="checkbox"/> Active <input type="checkbox"/> Hypo <input type="checkbox"/> Hyper <input type="checkbox"/> Absent Nausea: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Vomiting: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Passing Flatus: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Tube: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Location _____ Inserted to ___ cm <input type="checkbox"/> Suction Type: _____	Color: <input type="checkbox"/> Pink <input type="checkbox"/> Flushed <input type="checkbox"/> Jaundiced <input type="checkbox"/> Cyanotic <input type="checkbox"/> Pale <input checked="" type="checkbox"/> Natural for Pt Condition: <input checked="" type="checkbox"/> Warm <input type="checkbox"/> Cool <input type="checkbox"/> Dry <input type="checkbox"/> Diaphoretic Turgor: <input checked="" type="checkbox"/> < 5 seconds <input type="checkbox"/> > 5 seconds Skin: <input checked="" type="checkbox"/> Intact <input type="checkbox"/> Bruises <input type="checkbox"/> Lacerations <input type="checkbox"/> Tears <input type="checkbox"/> Rash <input type="checkbox"/> Skin Breakdown Location/Description: _____ Mucous Membranes: Color: ___ Pink _____ <input checked="" type="checkbox"/> Moist <input type="checkbox"/> Dry <input type="checkbox"/> Ulceration
	NUTRITIONAL	PAIN
	Diet/Formula: ___ Regular _____ Amount/Schedule: _____ Chewing/Swallowing difficulties: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Scale Used: <input checked="" type="checkbox"/> Numeric <input type="checkbox"/> FLACC <input type="checkbox"/> Faces Location: _____ Type: _____ Pain Score: 0800 ___ 1200 ___ 0 ___ 1600 ___ 0 ___
	MUSCULOSKELETAL	WOUND/INCISION
	<input type="checkbox"/> Pain <input type="checkbox"/> Joint Stiffness <input type="checkbox"/> Swelling <input type="checkbox"/> Contracted <input type="checkbox"/> Weakness <input type="checkbox"/> Cramping <input type="checkbox"/> Spasms <input type="checkbox"/> Tremors Movement: <input type="checkbox"/> RA <input type="checkbox"/> LA <input type="checkbox"/> RL <input type="checkbox"/> LL <input checked="" type="checkbox"/> All Brace/Appliances: <input type="checkbox"/> None Type: _____	<input checked="" type="checkbox"/> None Type: _____ Location: _____ Description: _____ Dressing: _____
MOBILITY		TUBES/DRAINS
	<input checked="" type="checkbox"/> Ambulatory <input type="checkbox"/> Crawl <input type="checkbox"/> In Arms <input type="checkbox"/> Ambulatory with assist _____ Assistive Device: <input type="checkbox"/> Crutch <input type="checkbox"/> Walker <input type="checkbox"/> Brace <input type="checkbox"/> Wheelchair <input type="checkbox"/> Bedridden	<input checked="" type="checkbox"/> None <input type="checkbox"/> Drain/Tube Site: _____ Type: _____ Dressing: _____ Suction: _____ Drainage amount: _____ Drainage color: _____

Pediatric Floor Patient #1

INTAKE/OUTPUT													
PO/Enteral Intake	07	08	09	10	11	12	13	14	15	16	17	18	Total
PO Intake/Tube Feed													0
Intake - PO Meds													
IV INTAKE	07	08	09	10	11	12	13	14	15	16	17	18	Total
IV Fluid													0
IV Meds/Flush													
Calculate Maintenance Fluid Requirement (Show Work) 10 (100) = 1000 50 (8.2) = 410 1000 + 410 = 1410/24 = 58.8ml/hr							Actual Pt IV Rate N/A Rationale for Discrepancy (if applicable) N/A - Pt discharged						
OUTPUT	07	08	09	10	11	12	13	14	15	16	17	18	Total
Urine/Diaper													0
Stool													
Emesis													
Other													
Calculate Minimum Acceptable Urine Output 0.5(18.2) = 9.1ml/hr							Average Urine Output During Your Shift N/A - Pt discharged early during shift						

Children's Hospital Early Warning Score (CHEWS)	
(See CHEWS Scoring and Escalation Algorithm to score each category)	
Behavior/Neuro	Circle the appropriate score for this category: 0 1 2 3
Cardiovascular	Circle the appropriate score for this category: 0 1 2 3
Respiratory	Circle the appropriate score for this category: 0 1 2 3
Staff Concern	1 pt - Concerned
Family Concern	1 pt - Concerned or absent
CHEWS Total Score	
CHEWS Total Score	Total Score (points) <u>0</u>
	Score 0-2 (Green) - Continue routine assessments
	Score 3-4 (Yellow) - Notify charge nurse or LIP, Discuss treatment plan with team, Consider higher level of care, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications
	Score 5-11 (Red) - Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation, Notify attending physician, Discuss treatment plan with team, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications

CHEWS Scoring and Escalation Algorithm

	0	1	2	3
Behavior/Neuro	<ul style="list-style-type: none"> - Playing/sleeping appropriately OR - Alert, at patient's baseline 	<ul style="list-style-type: none"> - Sleepy, somnolent when not disturbed 	<ul style="list-style-type: none"> - Irritable, difficult to console OR - Increase in patient's baseline seizure activity 	<ul style="list-style-type: none"> - Lethargic, confused, floppy OR - Reduced response to pain OR - Prolonged or frequent seizures OR - Pupils asymmetrical or sluggish
Cardiovascular	<ul style="list-style-type: none"> - Skin tone appropriate for patient - Capillary refill \leq 2 seconds 	<ul style="list-style-type: none"> - Pale OR - Capillary refill 3-4 seconds OR - Mild tachycardia OR - Intermittent ectopy or irregular HR (not new) 	<ul style="list-style-type: none"> - Grey OR - Capillary refill 4-5 seconds OR - Moderate tachycardia 	<ul style="list-style-type: none"> - Grey and mottled OR - Capillary refill $>$ 5 seconds OR - Severe tachycardia OR - New onset bradycardia OR - New onset/increase in ectopy, irregular HR or heart block
Respiratory	<ul style="list-style-type: none"> - Within normal parameters - No retractions 	<ul style="list-style-type: none"> - Mild tachypnea/increased WOB (flaring, retracting) OR - Up to 40% supplemental oxygen OR - Up to 1L NC $>$ patient's baseline need OR - Mild desaturations $<$ patient's baseline OR - Intermittent apnea self-resolving 	<ul style="list-style-type: none"> - Moderate tachypnea/increased WOB (i.e. flaring, retracting, grunting, use of accessory muscles) OR - 40-60% oxygen via mask OR - 1-2 L NC $>$ patient's baseline need OR - Nebs Q 1-2 hour OR - Moderate desaturations $<$ patient's baseline OR - Apnea requiring repositioning or stimulation 	<ul style="list-style-type: none"> - Severe tachypnea OR - RR $<$ normal for age OR - Severe increased WOB (i.e. head bobbing, paradoxical breathing) OR - $>$ 60% oxygen via mask OR - $>$ 2 L NC more than patient's baseline need OR - Nebs Q 30 minutes – 1 hour OR - Severe desaturations $<$ patient's baseline OR - Apnea requiring interventions other than repositioning or stimulation
Staff Concern		- Concerned		
Family Concern		- Concerned or absent		

Green = Score 0-2	Yellow = Score 3-4	Red = Score 5-11
<ul style="list-style-type: none"> - Continue Routine Assessments 	<ul style="list-style-type: none"> - Notify charge nurse or LIP - Discuss treatment plan with team - Consider higher level of care - Increase frequency of vital signs / CHEWS / assessments - Document interventions and notifications 	<ul style="list-style-type: none"> - Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation - Notify attending physician - Discuss treatment plan with team - Increase frequency of vital signs / CHEWS / assessments - Document interventions and notifications

A PEDIATRIC CODE CAN BE ACTIVATED AT ANYTIME BY ANYONE
Use SBAR communication

Reference: McLellan, M.C., et al., Validation of the Children's Hospital Early Warning System for Critical Deterioration Recognition, Journal of Pediatric Nursing (2016), <http://dx.doi.org/10.1016/j.pedn.2016.10.005>