

Name: Roger, Sarah Outpatient	Triage
DOB: 01/15/XXXX	23 y/o F
OP- MR # 543675129	
Dr. Baby Delivery	

OB Version Protocol Orders

Allergies: Morphine

1. Cardiac & Respiratory Assessment
2. Admit as Outpatient to the OB Triage assessment center
3. Obtain Informed Consent for External Version
4. Vital signs on admission
5. Place 18g IV Lactate Ringers 1000 ml, run at 125ml/hr.
6. Leopolds Maneuver then place Fetal Heart Monitor, obtain NST (Non-Stress Test) upon admission
7. Non-Reassuring Fetal Heart Rate Patterns:
 - a. Change maternal position.
 - b. Administer a 500 ml LR bolus.
 - c. Oxygen @ 10L/min via non-rebreathing mask.
 - d. Notify physician of FHR pattern, interventions, and response
8. Administer Terbutaline 0.25 mg SQ 15 minutes prior to External Version
9. Monitor maternal V/S, uterine activity, and FHR q 15 minutes during and following procedure
10. Observe following External Version for a minimum of one hour, or until uterine activity and fetal heart rate have returned to normal
11. Patient may be discharged if no signs of labor, SROM, or fetal heart rate abnormalities
12. Notify provider of tachysystole, abnormal FHR patterns, labor, and/or SROM for admission orders.

Physician Signature: Baby Delivery, MD

Date & Time: Today @ 0600