

Adult/Geriatric Medication Worksheet – Current Medications & PRN from 0700-1400 current day

Generic Name	Dosage with route and schedule	IVP-List diluent solution, volume, and rate of administration IVPB- List concentration and rate of administration	Patient specific therapeutic reasoning	Patient specific teaching with reasoning
Ondansetron	*PO *4mg Q 4hr prn n/v	N/A	<ul style="list-style-type: none"> • Nausea • Vomiting 	<ol style="list-style-type: none"> 1. Report if heart is racing/skipping a beat 2. Call for help when getting out of bed due to risk of dizziness 3. Notify if headache begins to occur 4. Do not chew the tablet
Metoprolol	*PO * 25-100mg BID *25-200mg daily	N/A	<ul style="list-style-type: none"> • HTN 	<ol style="list-style-type: none"> 1. call for help when getting out of bed 2. Never stop abruptly, risk of rebound HTN 3. Monitor blood glucose due to risk of masking hypoglycemia 4. Take with a meal to help reduce GI upset
Levofloxacin	*PO *500mg daily	N/A	<ul style="list-style-type: none"> • Bacterial infections • Prophylaxis 	<ol style="list-style-type: none"> 1. Report tendon pain/discomfort 2. Stay hydrated, notify if urine gets darker 3. report loose/watery stool 4. Use sunscreen and take caution with sun exposure due to photosensitivity.
Vancomycin	*IV *15-20mg/kg q8-12 hrs	N/A	<ul style="list-style-type: none"> • Gram + infections <ul style="list-style-type: none"> ▪ MRSA. ▪ Endocarditis ▪ Pneumonia 	<ol style="list-style-type: none"> 1. Notify if there is redness/irritation at the IV site 2. Notify if feeling flushed or an itching rash presents

Adult/Geriatric Medication Worksheet - Current Medications & PRN from 0700-1400 current day

			<ul style="list-style-type: none"> C. Diff. 	<ol style="list-style-type: none"> Notify if hearing impairments occur Report decreased urine output, as this medication can affect kidney function
Prednisone	<p>*PO *5-60mg daily, divided doses, or tapers</p>	N/A	<ul style="list-style-type: none"> Asthma Allergies Autoimmune diseases 	<ol style="list-style-type: none"> Take with food to decrease risk of GI upset Due to decreased immune response, notify if feeling febrile Monitor blood glucose due to risk of hyperglycemia Mood changes/ insomnia are a risk, notify if feeling agitated or have increased hunger.
				<ol style="list-style-type: none">
				<ol style="list-style-type: none">
				<ol style="list-style-type: none">

Adult/Geriatric Medication Worksheet - Current Medications & PRN from 0700-1400 current day

				1. 2. 3. 4.
				1. 2. 3. 4.

Allergies:

Primary IV fluid and rate:

Patient specific reasoning for IV fluids (including type isotonic, hypotonic, hypertonic):

Medication reference: CSON need to know medications, Medscape.com