

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>			

Student Name: Dylan Thomas		Unit:	Patient Initials:		Date:	Allergies:	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Hydroxyzine pamoate	Antihistamine	Anxiety	25mg PO PRN q6	Yes		Sedation, dry mouth, dizziness	1. Assess anxiety level 2. Fall precautions 3. Avoid Alcohol 4. Caution with CNS depressants
lorazepam	Benzodiazepine	Alcohol withdrawal / anxiety	1-2 mg PO PRN q4 hours	Yes		Sedation, respiratory depression, dependence	1. Monitor RR and LOC 2. Fall precautions 3. Avoid alcohol 4. Use CIWA if withdrawal occurs
haldol	antipsychotic	for psychotic symptoms/agitation	10 mg IM PRN q8	Yes		EPS, QT prolongation, sedation	1. Monitor ECG if high dose 2. Assess for EPS 3. Give diphenhydramine if EPS occurs 4. Have diphenhydramine ready to treat EPS if it occurs
diphenhydramine	antihistamine	management of cholinergic effects of antipsychotic	50 mg IM q8 PRN psychotic symptoms	Yes		Sedation, anticholinergic effects	1. Fall risk 2. Avoid other sedatives 3. Monitor Urinary Retention 4. Monitor for confusion/paradoxical agitation
acetaminop	Analgesic/	Mild-moderate	500 mg	Yes		Hepatotoxicity if	1. Max 4g a day

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Dylan Thomas		Unit:	Patient Initials:		Date:	Allergies:	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
acetaminophen	antipyretic	pain	PO q6 for pain of 1-4 on pain scale			high dose	<ol style="list-style-type: none"> Lower dosages if liver disease is present Monitor liver labs Assess pain and temperature if needed
olanzapine	antipsychotic	Agitation/psychotic behavior	5 mg PO q6 for agitation	Yes		Weight gain, sedation, metabolic syndrome	<ol style="list-style-type: none"> Monitor glucose/lipids Daily weights Assess mental status Fall precautions
ibuprofen	NSAID	Mild-moderate pain	400 mg PO q6 for pain of 1-4 on pain scale	Yes		GI irritation, renal impairment	<ol style="list-style-type: none"> Give with food Monitor renal labs Avoid with GI bleed history Assess for signs of GI bleeding
risperdal	antipsychotic	Psychotic behavior/bipolar mania	1 mg tablet PO BID	Yes		EPS, weight gain, orthostatic hypotension	<ol style="list-style-type: none"> Monitor for EPS and tardive dyskinesia Assess for orthostatic hypotension Monitor weight and metabolic changes Evaluate therapeutic response & behavior
Nicotine patch	Stimulant	Nicotine replacement	21 mg transdermal patch daily	Yes		Skin irritation, insomnia	<ol style="list-style-type: none"> Assess smoking hx and withdrawal symptoms Rotate patch site daily Remove patch at night (insomnia or vivid dreams) Evaluate therapeutic response and behavior
ziprasidone	antipsychotic	Psychotic	40 mg PO	Yes		QT prolongation,	<ol style="list-style-type: none"> Monitor QT interval EKG if cardiac hx

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Dylan Thomas		Unit:	Patient Initials:		Date:	Allergies:	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
	c	behavior/bipolar disorder/mania	BID			dizziness	<ol style="list-style-type: none"> 2. Administer with food to improve absorption 3. Assess for dizziness and orthostatic hypotension 4. Monitor mental status and behavioral response
prazosin	Alpha-blocker	Nightmares	1 mg PO QHS	Yes		Orthostatic hypotension, dizziness	<ol style="list-style-type: none"> 1. Monitor BP (primarily with first dose) 2. Educate pt to change positions slowly 3. Administer at bedtime reduces orthostatic hypotension 4. Assess effectiveness for nightmare/sleep quality
Nicotine inhaler	Stimulant	Nicotine replacement	10 mg cartridge for inhalation Q2	Yes		Mouth/throat irritation, nausea	<ol style="list-style-type: none"> 1. Assess nicotine craving and effectiveness 2. Teach proper inhaler technique (short puffs) 3. Avoid acidic drinks (decreases absorption) 4. Monitor for nicotine toxicity (nausea, palpitations)
							<ol style="list-style-type: none"> 1. 2. 3. 4.
							<ol style="list-style-type: none"> 1. 2. 3. 4.

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours