Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
NA	Isotonic ☐ Hypotonic ☐ Hypertonic ☐	Click here to enter text.	Click here to enter text.	Click here to enter text.

Student Name: D'Leah Hill	Unit: PEDI3	Patient Initials: C(Forgot the last name initial)	Date: 02/10/2026	Allergies: NKDA	
Generic Name	**Pharmacologic Classification**	**Therapeutic Reason**	**Dose, Route & Schedule**	**Is med in therapeutic range? If not, why?**	**IVP – List diluent solution, volume, and rate of administration** **IVPB – List concentration and rate of administration**	**Adverse Effects**	**Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)**
acetominophen	analgesic	Mild to moderate pain	650mg PO Q6 PRN	Yes	Click here to enter text.	Nausea Stomach pain Loss of appetite headache	1. Monitor liver function, as this drug can damage the liver 2. If you begin to experience yellowing of the eyes, notify your provider immediately 3. Stop taking this drug if you begin to develop a skin rash, and notify your provider 4. If you have liver disease, notify your provider, as this may affect the dose.
ceftriaxone	cephalosporin	Click here to enter text.	2,000mg IVP Q24	Yes.	20 mL sterile water 2-4 min	Diarrhea Vaginal itching or discharge Warmth, tightness, or a hard lump where the injection was given	1. Notify your doctor immediately if you have diarrhea that is watery or bloody, as this can be a symptom of C-diff, a secondary infection 2. Notify your doctor immediately if you have signs of a new infection (fever, chills, sweating) 3. If you develop severe lower back pain or blood in the urine, notify your doctor immediately,y as this can mean you have developed bladder or kidney problems 4. Monitor the functions of the kidneys

Adopted: August 2016

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
NA	Isotonic ☐ Hypotonic ☐ Hypertonic ☐	Click here to enter text.	Click here to enter text.	Click here to enter text.

Student Name: D'Leah Hill	Unit: PEDI3	Patient Initials: C(Forgot the last name initial)	Date: 02/10/2026	Allergies: NKDA

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP – List diluent solution, volume, and rate of administration / IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
acetominophen	analgesic	Mild to moderate pain	650mg PO Q6 PRN	Yes	Click here to enter text.	Nausea Stomach pain Loss of appetite headache	1. Monitor liver function, as this drug can damage the liver 2. If you begin to experience yellowing of the eyes, notify your provider immediately 3. Stop taking this drug if you begin to develop a skin rash, and notify your provider 4. If you have liver disease, notify your provider, as this may affect the dose.
ceftriaxone	cephalosporin	Click here to enter text.	2,000mg IVP Q24	Yes.	20 mL sterile water 2-4 min	Diarrhea Vaginal itching or discharge Warmth, tightness, or a hard lump where the injection was given	1. Notify your doctor immediately if you have diarrhea that is watery or bloody, as this can be a symptom of C-diff, a secondary infection 2. Notify your doctor immediately if you have signs of a new infection (fever, chills, sweating) 3. If you develop severe lower back pain or blood in the urine, notify your doctor immediately,y as this can mean you have developed bladder or kidney problems 4. Monitor the functions of the kidneys

Adopted: August 2016

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name:	Unit:	Patient Initials:	Date:	Allergies:	
D'Leah Hill	PEDI3	C(Forgot the last name initial)	02/10/2026	NKDA	

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
neomycin-polymyxin-dexamethasone	Ophthalmic steroid with anti-infectives	To treat pain, inflammation, and infection of the eye	Eye 0.5 in of ointment 4 times daily	Yes	Click here to enter text.	Eye irritation Keratitis	1. Notify your doctor immediately if you begin to experience signs of allergic reaction such as rash, hives, itching, etc. 2. If you have changes in your vision, eye pain, or very bad eye irritation, notify your doctor immediately 3. No more than ½ an inch should be placed in the eye during administration 4. Always wash your hands first before applying this ointment
oxycodone	analgesic	Used to treat moderate to severe pain	5mg Po Q6 PRN	Yes	Click here to enter text.	Headache Constipation Nausea Drowsiness Stomach pain	1. Increase fluids and intake of fiber to combat constipation 2. Call before you fall, as this medication can make your drowsy 3. Monitor respirations, as this drug can lower the repiratory rate 4. To reduce stomach pain take this medication with food
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

Adopted: August 2016

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: D'Leah Hill	Unit: PEDI3	Patient Initials: C(Forgot the last name initial)	Date: 02/10/2026	Allergies: NKDA	

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text.

Adopted: August 2016

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: D'Leah Hill		Unit: PEDI3	Patient Initials: C(Forgot the last name initial)		Date: 02/10/2026	Allergies: NKDA	
Generic Name	**Pharmacologic Classification**	**Therapeutic Reason**	**Dose, Route & Schedule**	**Is med in therapeutic range? If not, why?**	**IVP – List diluent solution, volume, and rate of administration** **IVPB – List concentration and rate of administration**	**Adverse Effects**	**Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)**
							4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

Adopted: August 2016