

Firelands Regional Medical Center School of Nursing
Nursing Care Map

Student Name _Melisa Fahey_

Date 9/19/24

Noticing/Recognizing Cues:

Highlight all related/relevant data from the Noticing boxes that support the top priority problem

Assessment findings*:

Large clots
Bleeding (hemorrhage)
BP 60/30
Uterine atony
Temp 97.2
"Not feeling well"
"Light-headed"
Pulse 88



Lab findings/diagnostic tests*:

• Hgb 8.6L
• Hct 26.3L
• RBC 2.75L
• WBC 14.8H
• Plt count 137L
• Neut# 10.7H
• Mono# 1.1H
• Urine protein 20H
• Ur leukocyte esterase 2+H
• Urine bacteria 1+H
• Urine appearance Cloudy A
• Urine occult blood 2+H
• Urine RBC 10-19H
• Urine WBC 10-19H
• Urine WBC Clumps Few H
Ur Squamous Epith Cells 10-19H



Risk factors*:

• Multiple pregnancies
• Hx STI's
• Gravida 5:2
• Group B Strep
• Vaginosis
• Rh-
• 4 hrs PPH (Postpartum Hemorrhage)

Interpreting/Analyzing Cues/
Prioritizing Hypotheses/
Generating Solutions:

Nursing priorities*: ***Highlight the top nursing priority problem***

Risk for bleeding (PPH) (skyscape 2024)
Risk for Infection
Risk for decreased cardiac output
Acute pain
Post-Trauma Syndrome & Risk for PTS
Risk for Adult falls
Risk for thrombosis
Risk for unstable BP

Goal Statement:

Goal is to ensure patient's bleeding is scant or a small amount of lochia by discharge of patient

Potential complications for the top priority:

• Hypovolemic shock
Low BP
High HR (tachycardic)
Pale/cyanotic
Anemia
Low Hgb, Hct, RBC
Dizziness
Fatigue
PTSD
Uterine infections
PPH (postpartum hemorrhage)
Extended use of oxytocin during delivery

Responding/Taking Actions:

Nursing interventions for the top priority:

- Assess vital signs Q2H
 - Ensure the patient's BP does not drop
 -
- Assess Postpartum Assessment Q2H
 - Ensure the patient's lochia is reducing
- Assess mental status Q4H
 - Ensure patient is not having any anxiety
- Monitor patient's CBC BID
 - Ensure that the patient's Hgb, Hct, & RBC do not decrease
- Monitor medication (methylergonovine maleate 0.2 mg) administration Q4H
 - Ensure patient is receiving meds to encourage uterine contractions
- Monitor patient's edema Q2H
 - Ensure that the patient's edema is not getting worse

Reflecting/Evaluate Outcomes:

Evaluation of the top priority:

- BP 102/67
- Temp 98.5
- Lochia has reduced to moderate or less Q1H
- Pt no longer has visible clots
- Pt no longer has any light-headed or not feeling well assessments
- Upon assessment of fundus, uterus is contracting and reducing by 1 finger breadth Q4H
- *Labs had not been drawn and returned by the time I left

Continue with plan of care

Reference:

Welcome to skyscape. Skyscape Medpresso inc. (n.d.). <https://www.skyscape.com/>