

## **Bipolar Activity**

### **Psychiatric Nursing 2025**

Chapter Objectives:

1. Identify predisposing factors in the development of bipolar disorder. (1, 2, 4)\*
2. Identify symptomatology associated with bipolar disorder. (1, 2)\*
3. Formulate priority problems and interventions for a patient with bipolar disorder. (1, 2, 3)\*
4. Describe appropriate interventions for a patient with bipolar disorder. (1, 2, 3, 4, 5)\*
5. Identify various types of bipolar disorders. (1, 2)\*

\*Course objectives

Directions:

Please complete the following activity and turn it into the appropriate dropbox on Edvance360. This assignment is due at 0800 on **Monday June 23<sup>rd</sup>**.

This assignment starts with a case study about Noreen. Please read the case study then classify each behavior that is mentioned on the following page. The final part of the assignment is to answer the seven questions on the last page.

This assignment is worth 1 hour of online content. In order to receive full credit for this assignment, it must be completed in its entirety by the due date/time assigned. Any assignment not completed in its entirety will result in missed theory time and must be made up.

### **Case Study: Bipolar Mania**

Noreen, age 32, had always been described as “moody.” Depending on what was happening in her life at the time, she could be **very sad and depressed or very lighthearted and happy**. During her “down” times she would **feel tired, experience loss of appetite, and sleep a lot**. During her “happy” times, she would **party a lot, be very outgoing, and have a remarkable amount of energy**. Noreen did well in college and graduated at age 26 with an MBA. Since that time, she has been employed in the administration department of a large corporation, in which she has had several promotions. Two weeks ago, management was to make the announcement of who would be fulfilling the position of vice president of corporate affairs. Noreen and a male colleague, Ted, were vying for the position. It was a choice position that Noreen desperately wanted. She became very depressed when the announcement was made that Ted had been chosen. She stayed at home, in bed, **and slept a lot for several days**. On about the fourth day, she got up, feeling exhilarated, and decided to go shopping. **She spent over \$1,000 on clothing. She then decided to have a party for several hundred people, ordered the catering, and planned all the details**. Tonight, was the party. Noreen wore a new, very expensive dress, drank a lot of champagne, was very jovial and seductive, and bragged to everyone who would listen that she would soon be getting a new job and that the people at her old organization would be sorry they had failed to promote her. She left the party with a man she hardly knew. At 3 a.m., she was picked up by the police **under the grandstand at the local baseball stadium, wearing only her underclothes and high-heeled shoes and carrying a half-filled bottle of champagne. She was alone and speaking very loudly and rapidly. The police brought her to the emergency department, where she was admitted to the psychiatric unit with a diagnosis of Manic Episode.**

## Symptoms of Bipolar Disorders

Next to each of the behaviors listed below, write the letter that identifies the disorder in which the behavior is most prevalent.

- a. Cyclothymic disorder    b. Bipolar I disorder    c. Bipolar II disorder  
d. Manic episode    e. Delirious mania

  E   1. Clouding of consciousness occurs.

  A   2. Characterized by mood swings between hypomania and mild depression.

  D   3. Paranoid and grandiose delusions are common.

  D   4. Excessive interest in sexual activity.

  D   5. Accelerated, pressured speech.

  E   6. Frenzied motor activity, characterized by agitated, purposeless movements.

  C   7. Recurrent bouts of major depression with episodes of hypomania.

  B   8. Recurrent bouts of mania with episodes of depression.

Please read the chapter and answer the following questions:

1. What is the most common medication that has been known to trigger manic episodes?

Certain medications used to treat somatic illnesses have been known to trigger a manic response. The most common of these are the steroids frequently used to treat chronic illnesses such as MS and SLE.

2. What is the speech pattern of a person experiencing a manic episode?

Accelerated thinking proceeds to racing thoughts, over connection of ideas, and flight of ideas, may be manifested by continuous flow of accelerated, pressured speech to the point where conversation may be extremely difficult.

3. What is the difference between cyclothymic disorder and bipolar disorder?

Cyclothymic disorder is a chronic mood disturbance of at least 2-year duration, involving numerous periods of elevated moods that do not meet the criteria for a hypomanic episode. Bipolar disorders have episodes of hypomania, along with depression.

4. Why should a person on lithium therapy have blood levels drawn regularly?

A person on lithium therapy should have regular blood levels drawn because you want to make sure your dose is safe, but still making sure the treatment works properly. Lithium is at high risk for toxicity.

5. There is a narrow margin between the therapeutic and toxic serum levels of lithium carbonate. What is the therapeutic range? What are the initial signs and symptoms of lithium toxicity?

Therapeutic range is 0.6-1.2 and initial s/s of toxicity are persistent nausea, severe diarrhea. Which can further to ataxia, blurred vision, tinnitus, excessive output of urine, tremors, or mental confusion.

6. Describe some nursing implications for the client on lithium therapy.

Maintain dietary sodium intake, monitor for s/s of toxicity, inform patient to carry a card if taking lithium, have serum levels checked every 1-2 months when starting lithium.

7. What are TWO priority problems for this patient? What are THREE nursing interventions for each of those priority problems?

Priority Problem 1: Impaired social interaction	Priority Problem 2: Risk for injury
<p>Nursing intervention:</p> <ul style="list-style-type: none"><li>• Recognize the purpose for manipulative behaviors</li><li>• Set limits on behaviors</li><li>• Confront the patient about interactions that were manipulative to the people around her when issues are brought up</li></ul>	<p>Nursing intervention:</p> <ul style="list-style-type: none"><li>• Reduce environmental stimuli</li><li>• Remove hazardous objects and substances</li><li>• Stay with patient</li></ul>